

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase III, Open-Label, Randomized Study of Atezolizumab With Lenvatinib or Sorafenib Versus Lenvatinib or Sorafenib Alone in Hepatocellular Carcinoma Previously Treated With Atezolizumab and Bevacizumab
Short Title:	A Study of Atezolizumab With Lenvatinib or Sorafenib Versus Lenvatinib or Sorafenib Alone in Hepatocellular Carcinoma Previously Treated With Atezolizumab and Bevacizumab
Protocol Number:	403576409948405956
NCT Number:	NCT04770896
Sponsor Name:	Roche
Investigational Product:	sorafenib
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Overall Survival (OS): Overall survival (OS) is defined as the time from randomization into the study to death from any cause.
Secondary Obj.:	1. Progression Free Survival (PFS) 2. Confirmed Objective Response Rate (ORR) 3. Time to Progression (TTP)

2.2 Background & Rationale

This is a Phase III, open-label, multicenter, randomized, two-arm study designed to evaluate the efficacy and safety of atezolizumab plus either lenvatinib or sorafenib versus lenvatinib or sorafenib alone in participants with locally advanced or metastatic Hepatocellular Carcinoma (HCC) who have progressed on prior systemic treatment with atezolizumab plus bevacizumab combination.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: ACTIVE_NOT_RECRUITING
Target N:	557

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Locally advanced or metastatic and/or unresectable HCC with diagnosis confirmed by histology/ cytology or clinically by American Association for the Study of Liver Diseases (AASLD) criteria in cirrhotic patients.
- * Disease progression following prior atezolizumab plus bevacizumab combination treatment for HCC, for at least 4 consecutive treatment cycles, and 2 subsequent tumor assessments. It is required that at least 1 tumor assessment

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

shows either stable disease (SD), partial response (PR), or complete response (CR).

* At least one measurable (per RECIST v1.1) target lesion that has not been previously treated with local therapy or, if the target lesion is within the field of previous local therapy, has subsequently progressed in accordance with RECIST v1.1.

* Eastern Cooperative Oncology Group Performance Status (ECOG PS) of 0 or 1 within 7 days prior to randomization

* Child-Pugh class A within 7 days prior to randomization

* Adequate hematologic and end-organ function

4.2 Exclusion Criteria

* Symptomatic, untreated, or actively progressing central nervous system (CNS) metastases.

* History of leptomeningeal disease

* History of hepatic encephalopathy, preceding 6 months, unresponsive to therapy within 3 days

* Known fibrolamellar HCC, sarcomatoid HCC, or mixed cholangiocarcinoma and HCC

* History of malignancy other than HCC within 5 years prior to screening, with the exception of malignancies with a negligible risk of metastasis or death

11. Study Identifiers & Governance

Primary ID: 403576409948405956

Registry Number: NCT04770896

Sponsor: Roche

Study Title: A Study of Atezolizumab With Lenvatinib or Sorafenib Versus Lenvatinib or Sorafenib Alone in Hepatocellular Carcinoma Previously Treated With Atezolizumab and Bevacizumab

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____