

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase III, Randomized, Open-Label, Multicenter Study Evaluating the Efficacy and Safety of Divarasib Versus Sotorasib or Adagrasib in Patients With Previously Treated KRAS G12C-Positive Advanced or Metastatic Non-Small Cell Lung Cancer
Short Title:	A Study Evaluating the Efficacy and Safety of Divarasib Versus Sotorasib or Adagrasib in Participants With Previously Treated KRAS G12C-positive Advanced or Metastatic Non-Small Cell Lung Cancer
Protocol Number:	444627092545828575
NCT Number:	NCT06497556
Sponsor Name:	Roche
Investigational Product:	sotorasib
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Progression-Free Survival (PFS): PFS is defined as the time from randomization to the first occurrence of disease progression, as determined by blinded independent central review (BICR) according to RECIST v1.1, or death from any cause (whichever occurs first)
Secondary Obj.:	1. Overall Survival (OS) 2. Confirmed Objective Response 3. Time to Confirmed Deterioration (TTCD) on the European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire (EORTC QLQ-C30) Dyspnea Item and Physical Functioning Scale

2.2 Background & Rationale

The purpose of this study is to assess the safety and efficacy of divarasib compared to locally approved KRAS G12C inhibitors (sotorasib or adagrasib) in participants with KRAS G12C-positive (KRAS G12C +) advanced or metastatic non-small cell lung cancer (NSCLC).

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: RECRUITING
Target N:	320

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

* Unequivocal histologically or cytologically confirmed diagnosis of metastatic or locally advanced NSCLC not amenable

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

to treatment with surgical resection or combined chemoradiation

- * Disease progression during or after treatment with at least one prior systemic therapy but no more than three lines of prior systemic therapy in the advanced or metastatic setting
- * Measurable disease according to Response Evaluation Criteria in Solid Tumors (RECIST) v1.1
- * Documentation of the presence of a KRAS G12C mutation
- * Availability of a representative formalin-fixed, paraffin-embedded (FFPE) tumor specimen in a paraffin block (preferred) or 10-15 (15 preferred) unstained, freshly cut, serial slides with an associated pathology report
- * Eastern Cooperative Oncology Group (ECOG) performance status of 0 or 1
- * Life expectancy of ≥ 12 weeks

4.2 Exclusion Criteria

- * Known hypersensitivity to any of the components of divarasib, or sotorasib or adagrasib
- * Malabsorption syndrome or other condition that would interfere with enteral absorption
- * Known concomitant second oncogenic driver
- * Mixed small-cell lung cancer or large cell neuroendocrine histology
- * Known and untreated, or active central nervous system (CNS) metastases
- * Leptomeningeal disease or carcinomatous meningitis
- * Uncontrolled pleural effusion, pericardial effusion, or ascites requiring recurrent drainage procedures biweekly or more frequently
- * Any infection that, in the opinion of the investigator, could impact patient safety, or treatment with therapeutic oral or IV antibiotics within 14 days prior to Day 1 of Cycle 1
- * Prior treatment with any KRAS G12C inhibitor or pan-KRAS/RAS inhibitor
- * More than 30 Gy of radiotherapy to the lung within 6 months of randomization
- * Uncontrolled tumor-related pain
- * Unresolved toxicities from prior anticancer therapy
- * History of malignancy within 5 years prior to screening, with the exception of the cancer under investigation in this study and malignancies with a negligible risk of metastasis or death (e.g., 5-year OS rate $\geq 90\%$), such as adequately treated carcinoma in situ of the cervix, nonmelanoma skin carcinoma, localized prostate cancer, ductal carcinoma in situ, or Stage I uterine cancer

11. Study Identifiers & Governance

Primary ID:	444627092545828575
Registry Number:	NCT06497556
Sponsor:	Roche
Study Title:	A Study Evaluating the Efficacy and Safety of Divarasib Versus Sotorasib or Adagrasib in Participants With Previously Treated KRAS G12C-positive Advanced or Metastatic Non-Small Cell Lung Cancer

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____