

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Multicenter, Double-blind, Randomized Withdrawal Extension Study of Subcutaneous Secukinumab to Demonstrate Long-term Efficacy, Safety and Tolerability in Subjects With Moderate to Severe Hidradenitis Suppurativa
Short Title:	Extension Study to Assess Effects of Non-interrupted Versus Interrupted and Long Term Treatment of Two Dose Regimes of Secukinumab in Subjects With Hidradenitis Suppurativa
Protocol Number:	527867318624633521
NCT Number:	NCT04179175
Sponsor Name:	Novartis
Investigational Product:	secukinumab
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Time to Loss of Response (LOR) up to Week 104 in Hidradenitis Suppurativa Clinical Response (HiSCR) Responders: Loss of response was defined as: * at least a 50% increase in abscess and/or nodules (AN) count compared to the average AN count from the 3 previous visits or at Week 52, whichever is lower and the increase was at least of 3 AN. * at least a 30% increase in AN compared to the average AN count from the 3 previous visits or Week 52, whichever is lower, with an increase of at least 2 AN and a further increase in the AN count of at least 2 AN at a re-assessment visit within 2-4 weeks 2. Incidence Rate of Participants Achieving Loss of Response (LOR) up to Week 104 in Hidradenitis Suppurativa Clinical Response (HiSCR) Responders: The incidence rate of participants achieving Loss of Response (LOR) was based on the primary estimand. * Day 1 = Date of 1st dose intake in the extension study. * Subjects at risk = Subjects who did not have LOR and were not censored before or at the start of the specified time interval. * Incidence rate (%) = (number of subjects with LOR / number of subjects at risk) x 100.
Secondary Obj.:	1. Number of Participants With Treatment Emergent Adverse Events

2.2 Background & Rationale

The purpose of this extension study is to evaluate maintenance of Hidradenitis Suppurativa Clinical Response (HiSCR response) in either continuous or interrupted therapy (using a randomized withdrawal period) of two dose regimens and

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

to assess long-term efficacy, safety and tolerability of Secukinumab in subjects with moderate to severe hidradenitis suppurativa completing either of the 2 Phase III studies. This is an expanded access trial for the core trials CAIN457M2301 (NCT03713619) and CAIN457M2302 (NCT03713619).

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE3, Status: ACTIVE_NOT_RECRUITING
Target N: 703

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * written informed consent must be obtained before any assessment is performed
- * subject must have completed the study treatment period (52 weeks) in the core studies (AIN457M2301 or AIN457M2302) and had received secukinumab treatment during Treatment Period 2

4.2 Exclusion Criteria

- * protocol deviation in the core study which will prevent the meaningful analysis of the extension study
- * ongoing or planned use of prohibited HS or non-HS treatment
- * participation in the extension could expose the subject to an undue safety risk
- * current sever progressive or uncontrolled disease which renders the subject unsuitable for the study

11. Study Identifiers & Governance

Primary ID: 527867318624633521
Registry Number: NCT04179175
Sponsor: Novartis
Study Title: Extension Study to Assess Effects of Non-interrupted Versus Interrupted and Long Term Treatment of Two Dose Regimes of Secukinumab in Subjects With Hidradenitis Suppurativa

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____