

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A 28-week, Randomized, Double-blind, Active Controlled, Multicenter Study to Evaluate the Efficacy of Subcutaneously Administered Secukinumab Compared to Ustekinumab in Adult Patients With Psoriatic Arthritis and Failure of TNF?- Inhibitor Treatment (AgAIN)
Short Title:	Efficacy of Secukinumab Compared to Ustekinumab in Adults With Active Psoriatic Arthritis and Failure of TNF?-Inhibitor Treatment
Protocol Number:	685088376386540482
NCT Number:	NCT04632927
Sponsor Name:	Novartis
Investigational Product:	ustekinumab
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Proportion of Patients With Health Assessment Questionnaire - Disability Index (HAQ-DI) Response at Week 28: The disability assessment component of the HAQ evaluated a subject's level of functional ability through 20 questions grouped into 8 categories: dressing, rising, eating, walking, hygiene, reach, grip, and usual activities. Each item began with the prompt "Over the past week, are you able to?" and is scored on a 4-point scale: 0 (no difficulty), 1 (some difficulty), 2 (much difficulty), and 3 (unable to do). The overall score was calculated by averaging the scores across all answered domains, resulting in a total score ranging from 0 (no disability) to 3 (severe disability). A HAQ-DI response was defined as an improvement of ≥0.35 points from baseline at Week 28. Missing values were imputed as non-responders
Secondary Obj.:	1. Number of Participants Achieving Psoriasis Area and Severity Index (PASI) 90 Response at Week 28 2. Change From Baseline in Patient's Assessment of Pain on VAS at Week 28 3. Change From Baseline in Tender Joint Count (TJC) 68 at Week 28

2.2 Background & Rationale

The purpose of this study is to compare the safety and efficacy of secukinumab and ustekinumab in patients with active psoriatic arthritis who showed failure to previous TNF?-inhibitor treatment

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: COMPLETED
Target N:	119

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Diagnosis of PsA as classified by CASPAR criteria for at least 6 months before randomization.
- * Active PsA at baseline defined as ? 3 tender joints out of 68 and ? 3 swollen joints out of 66 (dactylitis of a digit counts as one joint each).
- * Inadequate response or intolerance to previous or current treatment with at least one TNF? inhibitor
- * Inadequate response or intolerance to conventional disease modifying anti-rheumatic drugs (cDMARDs)
- * Diagnosis of active plaque psoriasis, with at least one psoriatic plaque of ? 2 cm diameter and/or nail changes consistent with psoriasis and/or documented history of plaque psoriasis.
- * Rheumatoid factor (RF) and anti-cyclic citrullinated peptide (CCP) antibodies negative at screening.

Key Exclusion Criteria:

- * Pregnant or nursing women,
- * Previous exposure to secukinumab, ustekinumab or any other biologic drug directly targeting IL-17, IL-17 receptor, IL-12 or IL-23.
- * Patients for whom the use of secukinumab or ustekinumab is contraindicated.
- * Use of any other investigational drug. Previous treatment with any cell-depleting therapies including but not limited to anti-CD20 or investigational agents
- * Evidence of ongoing infectious or malignant process
- * Subjects receiving high potency opioid analgesics
- * Ongoing use of prohibited psoriasis treatments/medications

Other protocol-defined inclusion/exclusion criteria may apply

4.2 Exclusion Criteria

- * Pregnant or nursing women,
- * Previous exposure to secukinumab, ustekinumab or any other biologic drug directly targeting IL-17, IL-17 receptor, IL-12 or IL-23.
- * Patients for whom the use of secukinumab or ustekinumab is contraindicated.
- * Use of any other investigational drug. Previous treatment with any cell-depleting therapies including but not limited to anti-CD20 or investigational agents
- * Evidence of ongoing infectious or malignant process
- * Subjects receiving high potency opioid analgesics
- * Ongoing use of prohibited psoriasis treatments/medications

Other protocol-defined inclusion/exclusion criteria may apply

11. Study Identifiers & Governance

Primary ID: 685088376386540482

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Registry Number: NCT04632927

Sponsor: Novartis

Study Title: Efficacy of Secukinumab Compared to Ustekinumab in Adults With Active Psoriatic Arthritis and Failure of TNF?-Inhibitor Treatment

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____