

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

## 1. Administrative & Study Identification

|                          |                                                                                                                                                                                                                                                           |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Full Study Title:        | A Phase III, Randomized, Open-label, Active-controlled, Multicenter Study Evaluating the Efficacy and Safety of Crovalimab Versus Eculizumab in Patients With Paroxysmal Nocturnal Hemoglobinuria (PNH) Not Previously Treated With Complement Inhibitors |
| Short Title:             | A Study Evaluating the Efficacy and Safety of Crovalimab Versus Eculizumab in Participants With Paroxysmal Nocturnal Hemoglobinuria (PNH) Not Previously Treated With Complement Inhibitors                                                               |
| Protocol Number:         | 687894870374806523                                                                                                                                                                                                                                        |
| NCT Number:              | NCT04434092                                                                                                                                                                                                                                               |
| Sponsor Name:            | Roche                                                                                                                                                                                                                                                     |
| Investigational Product: | eculizumab                                                                                                                                                                                                                                                |
| Phase:                   | PHASE3                                                                                                                                                                                                                                                    |
| Medical Monitor:         | [Not Provided in Posting]                                                                                                                                                                                                                                 |

## 2. Study Synopsis & Rationale

### 2.1 Study Objective

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Primary Objective: | 1. Percentage of Participants With Transfusion Avoidance (TA): TA is defined as participants who are packed red blood cell (pRBC) transfusion-free and do not require transfusion per protocol-specified guidelines. 95% Confidence Interval (CI) for percentage of participants with TA was calculated using the Wilson's method with continuity correction. Participants who withdrew before Week 25 were deemed to have had a transfusion. Percentages are rounded off to the nearest single decimal. 2. Percentage of Participants With Hemolysis Control Measured by LDH: A Generalized Estimating Equation (GEE) was used to estimate the population-average percentage of the participants with hemolysis control (measured by LDH $\geq 1.5 \times$ upper limit of normal (ULN)) from Week 5 to Week 25 taking account of the intra-patient and inter-patient correlation between LDH control statuses across visits. Percentages are rounded off to the nearest single decimal. |
| Secondary Obj.:    | 1. Percentage of Participants With Breakthrough Hemolysis (BTH) 2. Percentage of Participants With Stabilization of Hemoglobin 3. Change From Baseline in Fatigue Assessed by Functional Assessment of Chronic Illness Therapy-Fatigue (FACIT-F) Scale                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

### 2.2 Background & Rationale

A study designed to evaluate the non-inferiority of crovalimab compared with eculizumab in participants with PNH who have not been previously treated with complement inhibitor therapy.

## 3. Study Design & Methodology

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

**Design Framework:** Type: INTERVENTIONAL, Phase: PHASE3, Status: ACTIVE\_NOT\_RECRUITING  
**Target N:** 210

## 4. Subject Selection (Eligibility Criteria)

### 4.1 Inclusion Criteria

- \* Body weight  $\geq$  40 kg at screening (pediatric participants with body weight  $<$  40 kg)
- \* Willingness and ability to comply with all study visits and procedures
- \* Documented diagnosis of PNH, confirmed by high sensitivity flow cytometry
- \* LDH level  $\geq$  2x ULN at screening (as per local assessment)
- \* Vaccination against Neisseria meningitidis serotypes A, C, W, and Y  $<$  3 years prior to initiation of study treatment; or, if not previously done, vaccination administered no later than one week after the first drug administration
- \* Women of childbearing potential: agreement to remain abstinent or use contraception during the treatment period and for 10.5 months after the final dose of crovalimab or for 3 months after the final dose of eculizumab (or longer if required by the local product label)

### 4.2 Exclusion Criteria

- \* Current or previous treatment with a complement inhibitor
- \* History of allogeneic bone marrow transplantation
- \* History of Neisseria meningitidis infection within 6 months prior to screening and up to first study drug administration
- \* History of myelodysplastic syndrome with Revised International Prognostic Scoring System (IPSS-R) prognostic risk categories of intermediate, high and very high
- \* Pregnant or breastfeeding, or intending to become pregnant during the study, within 10.5 months after the final dose of crovalimab, or 3 months after the final dose of eculizumab (or longer if required by the local product label)
- \* Participation in another interventional treatment study with an investigational agent or use of any experimental therapy within 28 days of screening or within 5 half-lives of that investigational product, whichever is greater
- \* Concurrent disease, treatment, procedure or surgery, or abnormality in clinical laboratory tests that could interfere with the conduct of the study, may pose any additional risk for the participant, or would, in the opinion of the Investigator, preclude the participant's safe participation in and completion of the study
- \* Splenectomy  $<$  6 months before screening
- \* Positive for Active Hepatitis B and C infection (HBV/HCV)
- \* History of or ongoing cryoglobulinemia at screening

## 11. Study Identifiers & Governance

**Primary ID:** 687894870374806523  
**Registry Number:** NCT04434092  
**Sponsor:** Roche  
**Study Title:** A Study Evaluating the Efficacy and Safety of Crovalimab Versus Eculizumab in Participants With Paroxysmal Nocturnal Hemoglobinuria (PNH) Not Previously Treated With Complement Inhibitors

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

## 15. Sign-off & Approval

Principal Investigator: \_\_\_\_\_ Date: \_\_\_\_\_  
Clinical Operations Lead: \_\_\_\_\_ Date: \_\_\_\_\_  
Lead Statistician: \_\_\_\_\_ Date: \_\_\_\_\_