

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	AN OPEN-LABEL, 3-ARM, MULTICENTER, RANDOMIZED PHASE 3 STUDY TO EVALUATE THE EFFICACY AND SAFETY OF ELRANATAMAB (PF-06863135) MONOTHERAPY AND ELRANATAMAB + DARATUMUMAB VERSUS DARATUMUMAB + POMALIDOMIDE + DEXAMETHASONE IN PARTICIPANTS WITH RELAPSED/REFRACTORY MULTIPLE MYELOMA WHO HAVE RECEIVED AT LEAST 1 PRIOR LINE OF THERAPY INCLUDING LENALIDOMIDE AND A PROTEASOME INHIBITOR
Short Title:	A Study to Learn About the Study Medicine Elranatamab Alone and With Daratumumab in People With Multiple Myeloma Who Have Received Other Treatments
Protocol Number:	693398384424854136
NCT Number:	NCT05020236
Sponsor Name:	Pfizer
Investigational Product:	dexamethasone
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Part 1 Safety Lead-In: Incidence of dose limiting toxicities 2. Part 2 Randomized: Progression free survival per International Myeloma Working Group criteria 3. Part 3: Frequency of treatment-emergent adverse events
Secondary Obj.:	1. Part 1 Safety Lead-In: Progression free survival per International Myeloma Working Group criteria 2. Overall survival 3. Objective response rate per International Myeloma Working Group criteria

2.2 Background & Rationale

The purpose of this clinical trial is to (1) learn whether the BCMA-CD3 bispecific antibody elranatamab can provide more benefit to people with multiple myeloma compared to a combination therapy including daratumumab, pomalidomide, and dexamethasone, and (2) learn about the safety and activity of elranatamab in combination with the anti-CD38 monoclonal antibody daratumumab. People with multiple myeloma who have received previous treatment including lenalidomide will be enrolled in the study.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: RECRUITING
Target N:	944

4. Subject Selection (Eligibility Criteria)

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

4.1 Inclusion Criteria

- * Prior diagnosis of multiple myeloma as defined by IMWG criteria (Rajkumar et al, 2014).
- * Measurable disease based on IMWG criteria as defined by at least 1 of the following:
 - * Serum M-protein ≥ 0.5 g/dL.
 - * Urinary M-protein excretion ≥ 200 mg/24 hours.
 - * Serum immunoglobulin FLC ≥ 10 mg/dL (≥ 100 mg/L) AND abnormal serum immunoglobulin kappa to lambda FLC ratio (< 0.26 or > 1.65).
- * Prior anti-multiple myeloma therapy including treatment with lenalidomide.
- * ECOG performance status ≤ 2 .
- * Resolved acute effects of any prior therapy to baseline severity or CTCAE Grade ≤ 1 .
- * Not pregnant and willing to use contraception.

4.2 Exclusion Criteria

- * Smoldering multiple myeloma.
- * Plasma cell leukemia.
- * Amyloidosis.
- * POEMS Syndrome.
- * Stem cell transplant within 12 weeks prior to enrolment, or active graft versus host disease.
- * Active HBV, HCV, SARS-CoV2, HIV, or any active, uncontrolled bacterial, fungal, or viral infection.
- * Any other active malignancy within 3 years prior to enrolment, except for adequately treated basal cell or squamous cell skin cancer, or carcinoma in situ.
- * Previous treatment with a BCMA-directed therapy.
- * Live attenuated vaccine within 4 weeks of the first dose of study intervention.
- * Administration with an investigational product (e.g. drug or vaccine) concurrent with study intervention or within 30 days preceding the first dose of study intervention used in this study.

11. Study Identifiers & Governance

Primary ID: 693398384424854136

Registry Number: NCT05020236

Sponsor: Pfizer

Study Title: A Study to Learn About the Study Medicine Elranatamab Alone and With Daratumumab in People With Multiple Myeloma Who Have Received Other Treatments

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____