

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	PRIMULA Lac (Prospective Registry Investigating Maternal, Infant, and Lactation Outcomes in Anifrolumab Users): The AstraZeneca Lactation Study for Anifrolumab
Short Title:	Prospective Registry Investigating Maternal, Infant, and Lactation Outcomes in Anifrolumab Users
Protocol Number:	713214307004669893
NCT Number:	NCT06594068
Sponsor Name:	AstraZeneca
Investigational Product:	anifrolumab
Phase:	PHASE4
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Area under the milk concentration-time curve during a dosing interval: Area under the milk concentration-time curve during a dosing interval is a component used to assess pharmacokinetic (PK) of anifrolumab in milk of lactating individuals. Milk PK parameters of anifrolumab will be derived using non-compartmental analysis methods and will be determined using the concentration-time data for all evaluable participants included in the PK population 2. Area under the milk concentration-time curve from time 0 to last quantifiable concentration: Area under the milk concentration-time curve from time 0 to last quantifiable concentration is a component used to assess PK of anifrolumab in milk of lactating individuals. Milk PK parameters of anifrolumab will be derived using non-compartmental analysis methods and will be determined using the concentration-time data for all evaluable participants included in the PK population 3. Average milk concentration at steady state: Average milk concentration at steady state is a component used to assess PK of anifrolumab in milk of lactating individuals. It will be calculated dividing "Area under the milk concentration-time curve during a dosing interval" by the dosing interval for anifrolumab
Secondary Obj.:	1. Total amount of drug excreted in milk over 24 hours 2. Fraction of dose excreted in milk 3. Maternal serum pharmacokinetic (PK) concentrations

2.2 Background & Rationale

Prospective Registry Investigating Maternal, Infant, and Lactation Outcomes in Anifrolumab Users (PRIMULA Lac) is a Post Marketing Requirements (PMR) study designed to fulfill the FDA post-marketing requirements. The study will collect data about the presence of anifrolumab in human breast milk and serum (maternal and infant) among lactating individuals who receive anifrolumab therapeutically.

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE4, Status: RECRUITING

Target N: 16

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

Maternal:

1. 18 years or older
2. Signed informed consent to participate
3. Diagnosis of moderate/severe SLE
4. Ongoing treatment with anifrolumab
5. Has reached or will reach steady state (~85 days postpartum, at least 3 consecutive previous doses during the post-partum period) with anifrolumab by the time of study Day 1 (pre-dose milk collection)¹
6. Established lactation in the index post-partum period (breastfeeding or pumping for at least 4 weeks at time of Day 1 visit to ensure mature milk production)
7. Willing to breastfeed or pump regularly during the study period to maintain milk supply and exclusively pump breast milk for the 24-hour period of breast milk collection on Day 1 post IV dose.
8. Plans to continue feeding infant breast milk at least throughout the duration of the study and is not weaning
9. Must be exclusively breast milk-feeding their infant (or if not exclusively breast milk-feeding, not providing more than 1 supplemental bottle of formula per day) at the time of enrollment and throughout the study period
10. Agrees to use only lanolin nipple cream during the sampling period

Infant:

1. Gestational age at delivery ≥32 weeks
2. Birthweight > 10th percentile
3. Weight > 10th percentile at the time of enrollment

4.2 Exclusion Criteria

Maternal:

1. Received any investigational compound or approved biologic or biosimilar within 30 days or 5 half-lives (whichever is longer) prior to enrollment in the study
2. Diagnosis of lupus nephritis in the last 12 months⁵
3. History of breast implants, breast augmentation, or breast reduction surgery that significantly impacts breastfeeding or collection of milk from 1 or both breasts
4. History of malignancy in the last 10 years
5. History of mastectomy
6. Evidence of mastitis or any other significant active infection at Day 1 (pre-dose)

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Infant:

1\ Any abnormality noted or clinically significant medical condition, including cardiac, pulmonary, and liver disease, glucose instability, or active infection at the time of screening that, in the opinion of the investigator, may make implementation of the protocol or interpretation of the trial difficult or would put the infant participant at risk by participating in the study

11. Study Identifiers & Governance

Primary ID: 713214307004669893
Registry Number: NCT06594068
Sponsor: AstraZeneca
Study Title: Prospective Registry Investigating Maternal, Infant, and Lactation Outcomes in Anifrolumab Users

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____