

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 3, Randomized, Open-label, Multicenter Study to Evaluate the Efficacy and Safety of Sacituzumab Tirumotecan (MK-2870) in Combination With Pembrolizumab With or Without Bevacizumab Compared With Standard of Care as Firstline Maintenance Treatment for Participants With Persistent, Recurrent, or Newly Diagnosed Metastatic Cervical Cancer With PD-L1 CPS Greater Than or Equal to 1 (TroFuse-036/GOG-3123/ENGOT-cx22)
Short Title:	A Clinical Study of Sacituzumab Tirumotecan (MK-2870) in Combination With Pembrolizumab (MK-3475) as First-line Maintenance Treatment of Cervical Cancer (MK-2870-036/TroFuse-036/GOG-3123/ENGOT-cx22)
Protocol Number:	975996568883864995
NCT Number:	NCT07216703
Sponsor Name:	Merck
Investigational Product:	cisplatin
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Part 1 Safety Run-in: Number of Participants Who Experience One or More Adverse Events (AEs): An AE is any untoward medical occurrence in a clinical study participant, temporally associated with the use of study intervention, whether or not considered related to the study intervention. 2. Part 1 Safety Run-in: Number of Participants Who Discontinue Study Treatment Due to an AE: An AE is any untoward medical occurrence in a clinical study participant, temporally associated with the use of study intervention, whether or not considered related to the study intervention. 3. Part 2 Maintenance Treatment: Progression-free Survival (PFS) per Response Evaluation Criteria in Solid Tumors Version 1.1 (RECIST 1.1) as Assessed by Blinded Independent Central Review (BICR): PFS is defined as the time from randomization to the first documented progressive disease (PD) or death due to any cause, whichever occurs first, as assessed by RECIST 1.1 as evaluated by BICR. PD is defined as ≥20% increase in the sum of diameters of target lesions. In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of ≥5 mm. The appearance of one or more new lesions is also considered PD. PFS as assessed by BICR will be presented.
Secondary Obj.:	1. Part 2 Maintenance Treatment: Progression-free Survival 2 (PFS2) as Assessed by the Investigator 2. Part 2 Maintenance Treatment: Number of Participants Who Experience One or More AEs 3. Part 2 Maintenance Treatment: Number of Participants Who Discontinue Study Treatment Due to an AE

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

2.2 Background & Rationale

Researchers are looking for new ways to treat metastatic cervical cancer. Cervical cancer is cancer in the cervix, the lower part of the uterus (womb). Metastatic means the cancer has spread to other parts of the body.

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE3, Status: NOT_YET_RECRUITING

Target N: 1023

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

Not Provided

4.2 Exclusion Criteria

Not Provided

11. Study Identifiers & Governance

Primary ID: 975996568883864995

Registry Number: NCT07216703

Sponsor: Merck

Study Title: A Clinical Study of Sacituzumab Tirumotecan (MK-2870) in Combination With Pembrolizumab (MK-3475) as First-line Maintenance Treatment of Cervical Cancer (MK-2870-036/TroFuse-036/GOG-3123/ENGOT-cx22)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____