

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A PHASE 3 MULTI-CENTER, LONG-TERM EXTENSION STUDY INVESTIGATING THE EFFICACY AND SAFETY OF ABROCITINIB, WITH OR WITHOUT TOPICAL MEDICATIONS, ADMINISTERED TO SUBJECTS AGED 12 YEARS AND OLDER WITH MODERATE TO SEVERE ATOPIC DERMATITIS
Short Title:	Study to Evaluate Efficacy and Safety of PF-04965842 With or Without Topical Medications in Subjects Aged 12 Years and Older With Moderate to Severe Atopic Dermatitis
Protocol Number:	985320738320310094
NCT Number:	NCT03422822
Sponsor Name:	Pfizer
Investigational Product:	abrocitinib
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Treatment emergent adverse events: The incidence of treatment emergent adverse events 2. Serious adverse events and adverse events leading to discontinuation: The incidence of serious adverse events and adverse events leading to discontinuation 3. Change from baseline in clinical laboratory values: Change from baseline in clinical laboratory values
Secondary Obj.:	1. Investigator's Global Assessment (IGA) 2. Eczema Area and Severity Index (EASI) 3. Pruritus Numerical Rating Scale (NRS)

2.2 Background & Rationale

B7451015 is a Phase 3 study to evaluate Abrocitinib with or without Topical Medications in patients aged 12 years and older who have moderate to severe atopic dermatitis and have completed a qualifying parent study. The efficacy and safety of two dosage strengths of Abrocitinib, 100 mg and 200 mg taken orally once daily, will be evaluated over variable lengths of study participation. The study consists of a 92 week initial treatment period followed by a variable length secondary treatment period during which subjects will receive treatment with open-label abrocitinib until availability of commercial product in their country, or until the sponsor terminates the study in that country.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: ACTIVE_NOT_RECRUITING
Target N:	3166

4. Subject Selection (Eligibility Criteria)

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

4.1 Inclusion Criteria

1. Evidence of a personally signed and dated informed consent document indicating that the subject or their parent(s)/legal guardian, if applicable, have been informed of all pertinent aspects of the study.
2. Male or female subjects of 12 years of age or older, at the time of informed consent and meets inclusion criterion for minimum body weight (if applicable) from qualifying Parent study. Adolescent subjects below the age of 18 years old (or country-specific age of majority) will only be enrolled in this study if instructed by the sponsor and approved by the country or regulatory/health authority. If these approvals have not been granted, only subjects aged 18 years (or country-specific age of majority) and older will be enrolled.
3. Willing and able to comply with scheduled visits, treatment plan, laboratory tests and other study procedures.
4. Must have completed the full treatment period of a qualifying Parent study OR must have completed the full rescue treatment period of a qualifying Parent study (if applicable) OR must have completed the full open-label run-in period in B7451014 and did not meet the protocol-specified response criteria at Week 12.
5. Female subjects who are of childbearing potential (which includes all female subjects aged 12 years and older, regardless of whether they have experienced menarche) must not be intending to become pregnant, currently pregnant, or lactating. The following conditions apply:

1. Female subjects of childbearing potential must have a confirmed negative pregnancy test prior to allocation to treatment.
2. Female subjects of childbearing potential must agree to use a highly effective method of contraception (as per Section 4.4.1) for the duration of the active treatment period and for at least 28 days after the last dose of investigational product.

For Czech Republic only, 5 b. is revised and 5 c. is added to require:

Female subjects of childbearing potential 15 years of age who are at risk of pregnancy must agree to use a highly effective method of contraception for the duration of the active treatment period and for at least 28 days after the last dose of investigational product.

c. Female subjects less than 15 years of age must not be sexually active, and abstinence per the below definition should be confirmed prior to enrollment. NOTE: Sexual abstinence, defined as completely and persistently refraining from all heterosexual intercourse (including during the entire period of risk associated with the study treatments) may obviate the need for contraception ONLY if this is the preferred and usual lifestyle of the subject.

6\ Female subjects of non-childbearing potential must meet at least 1 of the following criteria:

1. Have undergone a documented hysterectomy and/or bilateral oophorectomy;
2. Have medically confirmed ovarian failure; or
3. Achieved postmenopausal status, defined as follows: cessation of regular menses for at least 12 consecutive months with no alternative pathological or physiological cause and have a serum follicle-stimulating hormone (FSH) level confirming the postmenopausal state. All other female subjects (including female subjects with tubal ligations) are

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

considered to be of childbearing potential. 7. Must agree to avoid prolonged exposure to the sun and not to use tanning booths, sun lamps or other ultraviolet light sources during the study.

8\l. Must agree to avoid use of prohibited medications throughout the duration of the study. Exclusion Criteria

1. Other acute or chronic medical or psychiatric condition including recent (within the past year) or active suicidal ideation or behavior or laboratory abnormality that may increase the risk associated with study participation or investigational product administration or may interfere with the interpretation of study results and, in the judgment of the investigator, would make the subject inappropriate for entry into this study.

2. Currently have active forms of other inflammatory skin diseases, ie, not AD or have evidence of skin conditions (eg, psoriasis, seborrheic dermatitis, Lupus) at the time of Day -1 that would interfere with evaluation of atopic dermatitis or response to treatment.

3. Discontinued from treatment (or rescue treatment period/open-label run-in period, if applicable) early in a qualifying Parent study OR triggered a discontinuation criterion at any point during the qualifying Parent study which in the opinion of the investigator, or sponsor, is an ongoing safety concern.

4. Ongoing adverse event in the qualifying Parent study which in the opinion of the investigator, or sponsor, is an ongoing safety concern.

5. Investigator site staff members directly involved in the conduct of the study and their family members, site staff members otherwise supervised by the investigator, or subjects who are Pfizer employees, including their family members, directly involved in the conduct of the study.

There are also additional separate inclusion and exclusion criteria to assess eligibility specifically for the B7451015 MRI sub-study.

4.2 Exclusion Criteria

Not Provided

11. Study Identifiers & Governance

Primary ID: 985320738320310094

Registry Number: NCT03422822

Sponsor: Pfizer

Study Title: Study to Evaluate Efficacy and Safety of PF-04965842 With or Without Topical Medications in Subjects Aged 12 Years and Older With Moderate to Severe Atopic Dermatitis

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____