

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	CAMBRIA-1: A Phase III, Open-Label, Randomised Study to Assess the Efficacy and Safety of Extended Therapy With Camizestrant (AZD9833, a Next Generation, Oral Selective Estrogen Receptor Degradar) Versus Standard Endocrine Therapy (Aromatase Inhibitor or Tamoxifen) in Patients With ER+/HER2- Early Breast Cancer and an Intermediate or High Risk of Recurrence Who Have Completed Definitive Locoregional Therapy and at Least 2 Years of Standard Adjuvant Endocrine-Based Therapy Without Disease Recurrence
Short Title:	A Study of Camizestrant in ER+/HER2- Early Breast Cancer After at Least 2 Years of Standard Adjuvant Endocrine Therapy
Protocol Number:	489194759843609221
NCT Number:	NCT05774951
Sponsor Name:	AstraZeneca
Investigational Product:	tamoxifen
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Invasive breast cancer-free survival (IBCFS): IBCFS is defined as time from randomisation until date of first occurrence of: * Invasive ipsilateral breast tumour recurrence (invasive IBTR) * Locoregional invasive breast cancer recurrence * Distant recurrence * Invasive contralateral breast cancer * Death attributable to any cause.
Secondary Obj.:	1. Invasive disease-free survival (IDFS) 2. Distant relapse-free survival (DRFS) 3. Overall survival (OS)

2.2 Background & Rationale

This is a Phase III open-label study to assess if camizestrant improves outcomes compared to standard endocrine therapy in patients with ER+/HER2 - early breast cancer with intermediate or high risk for disease recurrence who completed definitive locoregional therapy (with or without chemotherapy) and standard adjuvant endocrine therapy (ET) for at least 2 years and up to 5 years. The planned duration of treatment in either arm of the study is 60 months.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: RECRUITING
-------------------	---

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Target N: 4300

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Women and Men, ≥18 years at the time of screening (or per national guidelines)
- * Histologically confirmed ER+/HER2- early-stage resected invasive breast cancer with high or intermediate risk of recurrence, based on clinical-pathological risk features, as defined in the protocol.
- * Completed adequate (definitive) locoregional therapy (surgery with or without radiotherapy) for the primary breast tumour(s), with or without (neo)adjuvant chemotherapy
- * Completed at least 2 years but no more than 5 years (+3 months) of adjuvant ET (+/- CDK4/6 inhibitor)
- * Eastern Cooperative Oncology Group (ECOG) performance status of ≤ 1
- * Adequate organ and marrow function

Exclusion criteria:

- * Inoperable locally advanced or metastatic breast cancer
- * Pathological complete response following treatment with neoadjuvant therapy
- * History of any other cancer (except non-melanoma skin cancer or carcinoma in situ of the cervix or considered at very low risk of recurrence per investigator judgement) unless in complete remission with no therapy for a minimum of 5 years from the date of randomisation
- * Any evidence of severe or uncontrolled systemic diseases which, in the investigator's opinion precludes participation in the study or compliance
- * Known LVEF <50% with heart failure NYHA Grade ≥2.
- * Mean resting QTcF interval >480 ms at screening
- * Concurrent exogenous reproductive hormone therapy or non-topical hormonal therapy for non-cancer-related conditions
- * Any concurrent anti-cancer treatment not specified in the protocol with the exception of bisphosphonates (e.g. zoledronic acid) or RANKL inhibitors (eg, denosumab)
- * Previous treatment with camizestrant, investigational SERDs/investigational ER targeting agents, or fulvestrant
- * Currently pregnant (confirmed with positive serum pregnancy test) or breastfeeding
- * Patients with known hypersensitivity to active or inactive excipients of camizestrant or drugs with a similar chemical structure or class to camizestrant. In pre-/peri-menopausal female and male patients, known hypersensitivity or intolerance to LHRH agonists, that would preclude the patient from receiving any LHRH agonist

4.2 Exclusion Criteria

Not Provided

11. Study Identifiers & Governance

Primary ID: 489194759843609221

Registry Number: NCT05774951

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Sponsor: AstraZeneca

Study Title: A Study of Camizestrant in ER+/HER2- Early Breast Cancer After at Least 2 Years of Standard Adjuvant Endocrine Therapy

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____