

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 3, Randomized, Open Label Study to Compare Nivolumab Plus Concurrent Chemoradiotherapy (CCRT) Followed by Nivolumab Plus Ipilimumab or Nivolumab Plus CCRT Followed by Nivolumab vs CCRT Followed by Durvalumab in Previously Untreated, Locally Advanced Non-small Cell Lung Cancer (LA NSCLC)
Short Title:	A Study of Nivolumab and Ipilimumab in Untreated Participants With Stage 3 Non-small Cell Lung Cancer (NSCLC) That is Unable or Not Planned to be Removed by Surgery
Protocol Number:	939423464581887808
NCT Number:	NCT04026412
Sponsor Name:	Bristol Myers Squibb
Investigational Product:	ipilimumab
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Arm A Vs Arm C - Progression-Free Survival (PFS) by RECIST 1.1 Per Blinded Independent Central Review (BICR): Progression-Free Survival then (PFS) is defined as the time between the date of randomization and the date of first documented disease progression, based on BICR assessments (per RECIST v1.1), or death due to any cause, whichever occurs first based on Kaplan-Meier estimates. Progressive Disease (PD): At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum during the study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm.
Secondary Obj.:	1. Overall Survival (OS) 2. Arm B Vs Arm C and Arm A Vs Arm B- Progression-Free Survival (Irrespective of Subsequent Therapy) by RECIST 1.1 Per Blinded Independent Central Review (BICR) 3. Objective Response Rate (ORR) by BICR

2.2 Background & Rationale

The primary purpose of the study is to compare the effectiveness of nivolumab plus concurrent chemoradiotherapy (CCRT) followed by nivolumab plus ipilimumab vs CCRT followed by durvalumab in participants with untreated Locally Advanced Non-small Cell Lung Cancer (LA NSCLC).

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: COMPLETED
Target N:	925

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Eastern Cooperative Oncology Group (ECOG) performance status ?1
- * Locally advanced stage IIIA, IIIB, or IIIC (T1-2 N2-3 M0, T3 N1-3 M0, or T4 N0-3 M0) pathologically-confirmed NSCLC, according to 8th TNM classification. Participants who are not planned for potential curative surgical resection are eligible.
- * Newly diagnosed and treatment-naïve, with no prior local or systemic anticancer therapy given as primary therapy for locally advanced disease

4.2 Exclusion Criteria

- * Any condition including medical, emotional, psychiatric, or logistical that, in the opinion of the Investigator would preclude the participant from adhering to the protocol or would increase the risk associated with study participation
- * Active infection requiring systemic therapy within 14 days prior to randomization
- * History of organ or tissue transplant that requires systemic use of immune suppressive agents
- * Prior thoracic radiotherapy

Other protocol-defined inclusion/exclusion criteria apply

11. Study Identifiers & Governance

Primary ID:	939423464581887808
Registry Number:	NCT04026412
Sponsor:	Bristol Myers Squibb
Study Title:	A Study of Nivolumab and Ipilimumab in Untreated Participants With Stage 3 Non-small Cell Lung Cancer (NSCLC) That is Unable or Not Planned to be Removed by Surgery

15. Sign-off & Approval

Principal Investigator: _____	Date: _____
Clinical Operations Lead: _____	Date: _____
Lead Statistician: _____	Date: _____