

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 2/3 Multicenter, Open-label, Randomized, Active-Control Study of Zilovertamab Vedotin (MK-2140) in Combination With Standard of Care in Participants With Relapsed or Refractory Diffuse Large B-Cell Lymphoma (waveLINE-003)
Short Title:	A Study of Zilovertamab Vedotin (MK-2140) in Combination With Standard of Care in Participants With Relapsed or Refractory Diffuse Large B-Cell Lymphoma (rrDLBCL) (MK-2140-003)
Protocol Number:	153223240357976234
NCT Number:	NCT05139017
Sponsor Name:	Merck
Investigational Product:	gemcitabine
Phase:	PHASE2, PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Number of participants who experienced dose-limiting toxicities (DLTs) in Part 1: The CTCAE, Version 5.0 will be used to grade the severity of AEs in this study. DLTs will be reported for Part 1 of this study. 2. Number of participants who experienced an adverse event (AE): An AE is any unfavorable and unintended sign, symptom, or disease temporally associated with the use of a medicinal product or protocol-specified procedure, whether or not considered related to the medicinal product or protocol-specified procedure. Any worsening of a preexisting condition that is temporally associated with the use of the Sponsor's product, is also an AE. The number of participants who experienced an AE will be reported. 3. Number of participants who discontinued study treatment due to an AE: An AE is any unfavorable and unintended sign, symptom, or disease temporally associated with the use of a medicinal product or protocol-specified procedure, whether or not considered related to the medicinal product or protocol-specified procedure. Any worsening of a preexisting condition that is temporally associated with the use of the Sponsor's product, is also an AE. The number of participants who discontinued study treatment due to an AE will be reported.
--------------------	--

Secondary Obj.:	1. Objective response rate (ORR) 2. Duration of response (DOR)
-----------------	--

2.2 Background & Rationale

The purpose of this Phase 2/3, randomized, multisite, open-label, dose confirmation, and expansion study is to evaluate the safety, and efficacy of zilovertamab vedotin (ZV) in combination with standard of care options for the treatment of rrDLBCL. This study will be divided into 2 parts: Dose Confirmation (Part 1) and Efficacy Expansion (Part 2) and will enroll participants who are at least 18 years of age with rrDLBCL. The hypotheses are: ZV in combination with rituximab,

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

gemcitabine, and oxaliplatin (R-GemOx) is superior to R-GemOx with respect to progression-free survival (PFS) per Lugano response criteria by blinded independent review committee (BICR); and that ZV in combination with bendamustine rituximab (BR) is superior to BR with respect to PFS per Lugano response criteria by BICR.

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE2, PHASE3, Status: RECRUITING

Target N: 290

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Has a histologically confirmed diagnosis of Diffuse Large B-Cell Lymphoma (DLBCL).
- * Has radiographically measurable DLBCL per the Lugano Response Criteria, as assessed locally by the investigator.
- * Has an Eastern Cooperative Oncology Group (ECOG) Performance Status of 0 to 2 within 7 days prior to study treatment initiation.
- * Has adequate organ function.
- * Is able to provide new or archival tumor tissue sample not previously irradiated.

Zilovetamab vedotin plus R-GemOx, or R-GemOx study arms:

- * Has relapsed or refractory DLBCL and is ineligible for or have failed autologous stem-cell transplant (ASCT) and have failed at least 1 line of prior therapy.
- * Has post-chimeric antigen receptor T (post-CAR-T) cell therapy failure or is ineligible for CAR-T cell therapy.

Not applicable with protocol amendment 4: Zilovetamab vedotin plus Bendamustine Rituximab (BR), and Bendamustine Rituximab study arms:

- * Has relapsed or refractory DLBCL and is ineligible for or have failed ASCT and have failed at least 2 lines of prior therapy.
- * Has post-CAR-T therapy failure or is ineligible for CAR-T cell therapy.

4.2 Exclusion Criteria

- * Not applicable with protocol amendment 4: Has history of transformation of indolent disease to DLBCL
- * Has received solid organ transplant at any time.
- * Has received a diagnosis of primary mediastinal B-cell lymphoma (PMBCL).
- * Has clinically significant (ie, active) cardiovascular disease or serious cardiac arrhythmia requiring medication.
- * Has ongoing graft-versus-host disease (GVHD) of any grade, or is receiving treatment for their GVHD.
- * Has clinically significant pericardial or pleural effusion.
- * Has ongoing Grade ≥ 1 peripheral neuropathy.
- * Has a history of a second malignancy, unless potentially curative treatment has been completed with no evidence of malignancy for 2 years.

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * Has a demyelinating form of Charcot-Marie-Tooth disease.
- * Has contraindication to any of the study intervention components including but not limited to prior anaphylactic reaction.
- * Has received prior systemic anticancer therapy, including investigational agents within 4 weeks prior to the first dose of study intervention.
- * Has received prior radiotherapy within 4 weeks of start of study intervention. Participants must have recovered from all radiation-related toxicities, not require corticosteroids, and not have had radiation pneumonitis.
- * Has ongoing corticosteroid therapy.
- * Has received a live or live-attenuated vaccine within 30 days before the first dose of study intervention.
- * Is currently participating in or has participated in a study of an investigational agent or has used an investigational device within 4 weeks before the first dose of study intervention.
- * Has known active central nervous system (CNS) lymphoma involvement or active CNS involvement by lymphoma. Participants with prior CNS involvement are eligible if their CNS disease is in radiographic, cytological (for cerebrospinal fluid disease), and clinical remission.
- * Has an active infection requiring systemic therapy.
- * Has a known history of human immunodeficiency virus (HIV) infection.
- * Has a known active Hepatitis C virus infection.
- * Has a known psychiatric or substance abuse disorder that would interfere with the participant's ability to cooperate with the requirements of the study.

11. Study Identifiers & Governance

Primary ID:	153223240357976234
Registry Number:	NCT05139017
Sponsor:	Merck
Study Title:	A Study of Zilovetamab Vedotin (MK-2140) in Combination With Standard of Care in Participants With Relapsed or Refractory Diffuse Large B-Cell Lymphoma (rrDLBCL) (MK-2140-003)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____