

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

## 1. Administrative & Study Identification

|                          |                                                                                                                                                                                                                                       |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Full Study Title:        | A PHASE 1/2, OPEN-LABEL, MULTICENTER STUDY TO EVALUATE A DOSING REGIMEN WITH TWO STEP-UP PRIMING DOSES AND LONGER DOSING INTERVALS OF ELRANATAMAB (PF-06863135) MONOTHERAPY IN PARTICIPANTS WITH RELAPSED/REFRACTORY MULTIPLE MYELOMA |
| Short Title:             | A Study to Learn About the Study Medicine (Elranatamab) in Participants With Multiple Myeloma That Has Come Back After Responding to Treatment or Has Not Responded to Treatment                                                      |
| Protocol Number:         | 411866265936246350                                                                                                                                                                                                                    |
| NCT Number:              | NCT05014412                                                                                                                                                                                                                           |
| Sponsor Name:            | Pfizer                                                                                                                                                                                                                                |
| Investigational Product: | elranatamab                                                                                                                                                                                                                           |
| Phase:                   | PHASE2                                                                                                                                                                                                                                |
| Medical Monitor:         | [Not Provided in Posting]                                                                                                                                                                                                             |

## 2. Study Synopsis & Rationale

### 2.1 Study Objective

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Primary Objective: | 1. Number of Participants With Grade 2 or Higher Cytokine Release Syndrome (CRS) During Cycle 1: Parts 1 and 2: CRS: supraphysiologic response following any immune therapy that results in the activation or engagement of endogenous or infused T-cells and/or other immune effector cells. Symptoms must include fever at the onset, and may include hypotension, hypoxia and end organ dysfunction. As per ASTCT criteria, Grade (G) 1: fever (temperature $\geq 38$ degree Celsius), hypotension and/or hypoxia none; G 2: fever, hypotension not requiring vasopressors, hypoxia requiring low-flow nasal cannula/ facemask or blow-by; G 3: fever, hypotension requiring a vasopressor with or without vasopressin, hypoxia requiring high-flow nasal cannula/ facemask, nonrebreather mask, or Venturi mask; G 4: fever, hypotension requiring multiple vasopressors (excluding vasopressin), hypoxia requiring positive pressure. Organ toxicities associated with CRS graded according to CTCAE v5.0. G 1: Mild, G 2: Moderate, G 3: severe, and G 4: life-threatening consequences; urgent intervention indicated. G 5: death related to AE. |
| Secondary Obj.:    | 1. Number of Participants With Dose Limiting Toxicities (DLTs): Part 2A 2. Number of Participants With Adverse Events (AEs) and Serious AEs (SAEs) [All Causalities and Treatment Related]: Parts 1 and 2 3. Number of Participants With Maximum Grade 3 or 4 and Grade 5 AEs [All Causalities and Treatment Related] Per National Cancer Institute (NCI) Common Terminology Criteria for Adverse Events (CTCAE) v5: Parts 1 and 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

### 2.2 Background & Rationale

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

The purpose of the study (Part 1 and Part 2) is to evaluate the safety of a step-up dosing approach (starting with low doses followed by higher doses) of the study medicine (elranatamab) in participants with multiple myeloma that has come back after responding to treatment or has not responded to treatment (relapsed/refractory multiple myeloma). This study will also look at the safety and efficacy of different doses of elranatamab, as well as different intervals between doses.

## 3. Study Design & Methodology

**Design Framework:** Type: INTERVENTIONAL, Phase: PHASE2, Status: ACTIVE\_NOT\_RECRUITING

**Target N:** 86

## 4. Subject Selection (Eligibility Criteria)

### 4.1 Inclusion Criteria

- \* Diagnosis of multiple myeloma (IMWG criteria, Rajkumar et al, 2014)
- \* Measurable disease, as defined by at least 1 of the following:
  1. Serum M-protein  $\geq 0.5$  g/dL by SPEP
  2. Urinary M-protein excretion  $\geq 200$  mg/24 hours by UPEP
  3. Serum immunoglobulin FLC  $\geq 10$  mg/dL ( $\geq 100$  mg/L) AND abnormal serum immunoglobulin kappa to lambda FLC ratio
- \* Refractory to at least one IMiD
- \* Refractory to at least one PI
- \* Refractory to at least one anti-CD38 antibody
- \* Relapsed/refractory to last anti-myeloma regimen
- \* ECOG performance status  $\geq 1$
- \* Resolved acute effects of any prior therapy to baseline severity or CTCAE Grade  $\leq 1$
- \* Not pregnant and willing to use contraception

### 4.2 Exclusion Criteria

- \* Smoldering multiple myeloma
- \* Active Plasma cell leukemia
- \* POEMS syndrome
- \* Amyloidosis
- \* Waldenström's macroglobulinemia
- \* Known active CNS involvement or clinical signs of myelomatous meningeal involvement
- \* Stem cell transplant within 12 weeks prior to enrollment or active GVHD
- \* Active HBV, HCV, SARS-CoV2, HIV, or any active, uncontrolled bacterial, fungal, or viral infection
- \* Any other active malignancy within 3 years prior to enrollment, except for adequately treated basal cell or squamous cell skin cancer, or carcinoma in situ or Stage 0/1 malignancy with minimal risk of recurrence per investigator.
- \* Previous treatment with an anti-BCMA bispecific antibody or CAR-T cell therapy.
- \* Live attenuated vaccine within 4 weeks of the first dose

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

\* Previous administration with an investigational drug within 30 days or 5 half-lives preceding the first dose of study intervention used in this study (whichever is longer)

\* Known or suspected hypersensitivity to the study intervention, or any of its excipients

## 11. Study Identifiers & Governance

**Primary ID:** 411866265936246350

**Registry Number:** NCT05014412

**Sponsor:** Pfizer

**Study Title:** A Study to Learn About the Study Medicine (Elranatamab) in Participants With Multiple Myeloma That Has Come Back After Responding to Treatment or Has Not Responded to Treatment

## 15. Sign-off & Approval

Principal Investigator: \_\_\_\_\_ Date: \_\_\_\_\_

Clinical Operations Lead: \_\_\_\_\_ Date: \_\_\_\_\_

Lead Statistician: \_\_\_\_\_ Date: \_\_\_\_\_