

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	KEYMAKER-U01 Substudy 01I: A Phase 2, Randomized, Umbrella Study With Rolling Arms of Investigational Agents in Participants With Previously Treated Stage IV Squamous Non-small Cell Lung Cancer (NSCLC)
Short Title:	Substudy 01I: A Study of Investigational Agents in Participants With Previously Treated Stage IV Squamous Non-small Cell Lung Cancer (NSCLC) (MK-3475-01I/KEYMAKER-U01I)
Protocol Number:	548383055385934621
NCT Number:	NCT06780098
Sponsor Name:	Merck
Investigational Product:	docetaxel
Phase:	PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Objective Response Rate (ORR): ORR is defined as the percentage of participants with Complete Response (CR: disappearance of all target lesions) or Partial Response (PR: at least a 30% decrease in the sum of diameters of target lesions) as assessed per Response Evaluation Criteria in Solid Tumors version 1.1 (RECIST 1.1). ORR will be assessed by Blinded Independent Central Review (BICR). The percentage of participants who experience CR or PR as assessed by the investigator will be presented. 2. Number of participants who experience one or more adverse events (AEs): An AE is any untoward medical occurrence in a clinical study participant, temporally associated with the use of study intervention, whether or not considered related to the study intervention. The number of participants who experience an AE will be reported. 3. Number of participants who discontinue study intervention due to an AE: An AE is any untoward medical occurrence in a clinical study participant, temporally associated with the use of study intervention, whether or not considered related to the study intervention. The number of participants who discontinue study treatment due to an AE will be reported.
Secondary Obj.:	1. Duration of Response (DOR) 2. Progression-free Survival (PFS) 3. Overall Survival (OS)

2.2 Background & Rationale

Researchers are looking for other ways to treat metastatic squamous non-small cell lung cancer (NSCLC). Squamous NSCLC is cancer that starts in squamous cells, which are flat cells that line the inside of the airways in the lungs. Metastatic means the cancer has spread to other parts of the body.

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE2, Status: RECRUITING

Target N: 144

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

The main inclusion criteria include but are not limited to the following:

- * Histologically or cytologically confirmed diagnosis of Stage IV squamous non-small cell lung cancer (NSCLC)
- * Has documented disease progression per Response Evaluation Criteria In Solid Tumors 1.1 (RECIST 1.1), as assessed by investigator after receiving an anti-programmed cell death protein 1 (anti-PD-1)/programmed cell death ligand 1 (PD-L1) treatment and platinum-based chemotherapy for Stage IV disease
- * Human immunodeficiency virus (HIV)-infected participants must have well controlled HIV on antiretroviral therapy (ART)
- * Participants who are Hepatitis B surface antigen (HBsAg) positive are eligible if they have received Hepatitis B virus (HBV) antiviral therapy for at least 4 weeks, and have undetectable HBV viral load
- * Participants with history of Hepatitis C virus (HCV) infection are eligible if HCV viral load is undetectable

4.2 Exclusion Criteria

The main exclusion criteria include but are not limited to the following:

- * Diagnosis of small cell lung cancer or, for mixed tumors, presence of small cell elements
- * Has uncontrolled or significant cardiovascular disorder
- * Clinically severe pulmonary compromise resulting from intercurrent pulmonary illnesses including, but not limited to, any underlying pulmonary disorder (ie, pulmonary emboli within 3 months, severe asthma, severe chronic obstructive pulmonary disease, restrictive lung disease, pleural effusion, etc), or any autoimmune, connective tissue, or inflammatory disorders with pulmonary involvement (ie, rheumatoid arthritis, Sjogren's syndrome, sarcoidosis, etc), or prior pneumonectomy
- * Participants who have adverse events (AEs) (other than alopecia) due to previous anticancer therapies must have recovered to ?Grade 1 or baseline
- * Evidence of ongoing uncontrolled systemic bacterial, fungal, or viral infection (including HIV infection)
- * Has clinically significant corneal disease
- * Known additional malignancy that is progressing or has required active treatment within the past 3 years
- * Has known untreated central nervous system (CNS) metastases and/or carcinomatous meningitis
- * Evidence of any leptomeningeal disease
- * History of (noninfectious) pneumonitis/Interstitial Lung Disease (ILD) that required steroids or has current pneumonitis/ILD, and/or suspected ILD/pneumonitis
- * Active autoimmune disease that has required systemic treatment in the past 2 years. Replacement therapy (eg, thyroxine, insulin, or physiologic corticosteroid) is allowed
- * Active infection requiring systemic therapy

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * HIV-infected participants with a history of Kaposi's sarcoma and/or Multicentric Castleman's Disease
- * Active inflammatory bowel disease requiring immunosuppressive medication or previous clear history of inflammatory bowel disease (eg, Crohn's disease, ulcerative colitis, or chronic diarrhea)
- * Known history of, or active, neurologic paraneoplastic syndrome
- * History of allogeneic tissue/solid organ transplant
- * Has not adequately recovered from major surgery or have ongoing surgical complications

11. Study Identifiers & Governance

Primary ID: 548383055385934621

Registry Number: NCT06780098

Sponsor: Merck

Study Title: Substudy 01I: A Study of Investigational Agents in Participants With Previously Treated Stage IV Squamous Non-small Cell Lung Cancer (NSCLC) (MK-3475-01I/KEYMAKER-U01I)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____