

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 2, Randomized, Open-label Study of Relatlimab in Combination With Nivolumab in Participants With Advanced Hepatocellular Carcinoma Who Are Naive to IO Therapy But Progressed on Tyrosine Kinase Inhibitors (RELATIVITY-073)
Short Title:	A Study of Relatlimab in Combination With Nivolumab in Participants With Advanced Liver Cancer Who Have Never Been Treated With Immuno-oncology Therapy After Prior Treatment With Tyrosine Kinase Inhibitors
Protocol Number:	604182846469196658
NCT Number:	NCT04567615
Sponsor Name:	Bristol Myers Squibb
Investigational Product:	nivolumab
Phase:	PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective: 1. Objective Response Rate(ORR) Assessed by BICR: Objective Response Rate (ORR) (as per Recists v1.1) is defined as the percentage of participants whose best overall response (BOR) is either confirmed complete response (CR) or confirmed partial response (PR) based on BICR assessments among all participants in the respective analysis set.

BOR is defined as the best response, as determined by the BICR, recorded between the date of randomization and the date of first objectively documented progression or death due to any cause or the date of subsequent therapy, whichever occurs first.

For participants without documented progression or subsequent therapy, all available response designations will contribute to the BOR determination. Confirmation of response is required at least 4 weeks after the initial response.

Secondary Obj.: 1. Disease Control Rate Assessed by BICR 2. Duration of Response Assessed by BICR 3. Progression Free Survival(PFS) Assessed by BICR

2.2 Background & Rationale

The purpose of this study is to evaluate the effectiveness and safety of relatlimab in combination with nivolumab in participants with advanced liver cancer who have never been treated with immuno-oncology therapy, after prior treatment with tyrosine kinase inhibitor therapy.

3. Study Design & Methodology

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Design Framework: Type: INTERVENTIONAL, Phase: PHASE2, Status: ACTIVE_NOT_RECRUITING
Target N: 266

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Must have a diagnosis of hepatocellular carcinoma (HCC) based on histological confirmation
- * Must have advanced/metastatic HCC
- * Have to be immunotherapy treatment-naïve in the advanced/metastatic setting
- * Must have at least one Response Evaluation Criteria in Solid Tumors (RECIST) v1.1 measurable untreated lesion
- * Child-Pugh score of 5 or 6
- * Eastern Cooperative Oncology Group (ECOG) performance status 0 or 1 for ECOG performance status scale

Key Exclusion Criteria:

- * Known fibrolamellar HCC, sarcomatoid HCC, combined hepatocellular cholangiocarcinoma
- * Prior organ allograft or allogeneic bone marrow transplantation
- * No uncontrolled or significant cardiovascular disease
- * No active known autoimmune disease
- * Have received one or two lines of tyrosine kinase inhibitor therapies
- * Evidence of radiographic progression on or after the last line of tyrosine kinase inhibitor therapy

Other protocol-defined inclusion/exclusion criteria apply

4.2 Exclusion Criteria

- * Known fibrolamellar HCC, sarcomatoid HCC, combined hepatocellular cholangiocarcinoma
- * Prior organ allograft or allogeneic bone marrow transplantation
- * No uncontrolled or significant cardiovascular disease
- * No active known autoimmune disease
- * Have received one or two lines of tyrosine kinase inhibitor therapies
- * Evidence of radiographic progression on or after the last line of tyrosine kinase inhibitor therapy

Other protocol-defined inclusion/exclusion criteria apply

11. Study Identifiers & Governance

Primary ID: 604182846469196658
Registry Number: NCT04567615
Sponsor: Bristol Myers Squibb
Study Title: A Study of Relatlimab in Combination With Nivolumab in Participants With Advanced Liver Cancer Who Have Never Been Treated With Immuno-oncology Therapy After Prior Treatment With Tyrosine Kinase Inhibitors

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____