

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

## 1. Administrative & Study Identification

|                          |                                                                                                                                                                                                                                                                                |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Full Study Title:        | A Phase Ib/II Dose Finding Study Assessing Safety and Efficacy of [177Lu]Lu-DOTA-TATE in Newly Diagnosed Extensive Stage Small Cell Lung Cancer (ES-SCLC) in Combination With Carboplatin, Etoposide, and Atezolizumab in Induction and With Atezolizumab in Maintenance Phase |
| Short Title:             | A Study of [177Lu]Lu-DOTA-TATE in Newly Diagnosed ES-SCLC Patients in Combination With Carboplatin, Etoposide and Atezolizumab                                                                                                                                                 |
| Protocol Number:         | 882390602122054608                                                                                                                                                                                                                                                             |
| NCT Number:              | NCT05142696                                                                                                                                                                                                                                                                    |
| Sponsor Name:            | Novartis                                                                                                                                                                                                                                                                       |
| Investigational Product: | atezolizumab                                                                                                                                                                                                                                                                   |
| Phase:                   | PHASE1, PHASE2                                                                                                                                                                                                                                                                 |
| Medical Monitor:         | [Not Provided in Posting]                                                                                                                                                                                                                                                      |

## 2. Study Synopsis & Rationale

### 2.1 Study Objective

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Primary Objective: | 1. Phase 1b: Frequency of dose limiting toxicities (DLTs), Adverse Events (AEs), Serious Adverse Events (SAEs) and AEs leading to treatment discontinuation: A dose-limiting toxicity (DLT) is defined as an AE or abnormal laboratory value assessed as unrelated to disease, disease progression, intercurrent illness, or concomitant medications with an onset within the first cycle of initiation of [177Lu]Lu-DOTA-TATE treatment. The National Cancer Institute Common Terminology Criteria for Adverse events (NCI CTCAE) version 5.0 will be used for AE grading. 2. Phase II: Overall survival (OS): To assess efficacy of [177Lu]Lu-DOTA-TATE in combination with atezolizumab, carboplatin, and etoposide (experimental arm) versus standard of care consisting of carboplatin, etoposide, and atezolizumab (control arm) in terms of overall survival |
| Secondary Obj.:    | 1. Phase Ib: Objective Response Rate (ORR) based on Investigator assessment 2. Phase Ib: Duration of Response (DOR) 3. Phase Ib: Progression Free Survival (PFS) based on Investigator assessment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

### 2.2 Background & Rationale

This study aims to establish a safe and well tolerated dose of [177Lu]Lu-DOTA-TATE in combination with carboplatin, etoposide and atezolizumab in this setting and to assess preliminary efficacy of this combination treatment versus the combination of carboplatin, etoposide, and atezolizumab. The study will be essential to assess a new potential therapeutic option in participants with this aggressive cancer type.

## 3. Study Design & Methodology

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

**Design Framework:** Type: INTERVENTIONAL, Phase: PHASE1, PHASE2, Status: RECRUITING  
**Target N:** 200

## 4. Subject Selection (Eligibility Criteria)

### 4.1 Inclusion Criteria

- \* Participant is  $\geq 18$  years on the day of signing informed consent form
- \* Histologically or cytologically confirmed ES-SCLC
- \* Presence of measurable disease
- \* No prior systemic treatment for ES-SCLC (except the first cycle of chemotherapy with or without atezolizumab of the induction period)
- \* ECOG status  $\leq 1$
- \* Provision of tumor tissue to support exploratory biomarker analysis
- \* Life expectancy of  $\geq 6$  months

Key Exclusion Criteria:

- \* Participant has received prior therapy with an antibody or drug against immune checkpoint pathways
- \* Active autoimmune diseases or history of autoimmune diseases that may relapse
- \* Severe chronic or active infections (including active tuberculosis, HBV, or HCV infection) requiring systemic antibacterial, antifungal or antiviral therapy within 2 weeks before Cycle 1 Day 1
- \* Any major surgical procedure requiring general anesthesia  $\leq 28$  days before Cycle 1 Day 1
- \* History or current diagnosis of electrocardiogram (ECG) abnormalities indicating significant risk of safety for participants participating in the study
- \* Known hypersensitivity to the active substances or any of the excipients of the study drugs
- \* Concurrent participation in another therapeutic clinical study

### 4.2 Exclusion Criteria

- \* Participant has received prior therapy with an antibody or drug against immune checkpoint pathways
- \* Active autoimmune diseases or history of autoimmune diseases that may relapse
- \* Severe chronic or active infections (including active tuberculosis, HBV, or HCV infection) requiring systemic antibacterial, antifungal or antiviral therapy within 2 weeks before Cycle 1 Day 1
- \* Any major surgical procedure requiring general anesthesia  $\leq 28$  days before Cycle 1 Day 1
- \* History or current diagnosis of electrocardiogram (ECG) abnormalities indicating significant risk of safety for participants participating in the study
- \* Known hypersensitivity to the active substances or any of the excipients of the study drugs
- \* Concurrent participation in another therapeutic clinical study

## 11. Study Identifiers & Governance

**Primary ID:** 882390602122054608  
**Registry Number:** NCT05142696

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

**Sponsor:**

Novartis

**Study Title:**

A Study of [177Lu]Lu-DOTA-TATE in Newly Diagnosed ES-SCLC Patients in Combination With Carboplatin, Etoposide and Atezolizumab

## 15. Sign-off & Approval

Principal Investigator: \_\_\_\_\_ Date: \_\_\_\_\_

Clinical Operations Lead: \_\_\_\_\_ Date: \_\_\_\_\_

Lead Statistician: \_\_\_\_\_ Date: \_\_\_\_\_