



HOME CORE JAVA SERVLETS JSP WEB SERVICES STRUTS SPRING HIBERNATE SQL
REALTIME SCENARIOS OTHER TECH'S HTML JAVA SCRIPT XML OTHER DOWNLOADS



July 02, 2010

Shortcuts in MyEclipse

You should try to keep your hands on keyboard. The less you touch the mouse, the more code you can write. I am trying to keep the mouse laying still and control the IDE completely using keyboard. What do you think is faster: pressing **ALT + C** or right clicking the project, selecting *Team -> Commit*?


It is said, that if a function does not have a key binding, it is useless. Below you will find a set of essential keyboard shortcuts that I love. These shortcuts are set up by default, they should all work

CTRL + D

Delete row. Try it! You no more need to grab the mouse and select the line, no more Home, Shift + End, Delete. Quick and clean.

ALT + Up/Down Arrow

Move the row (or the entire selection) up or down. Very useful when rearranging code. You can even select more rows and move them all. Notice, that it will be always correctly indented.



Left/Right Arrow

to the last location you edited. Imagine you just created a class Foo, and now working on a class Boo. Now, if you need to look at the Foo class, just press Left Arrow. Alt+Right Arrow brings you back to Boo.

-SHIFT+O

to import. What happens when you first use a class you have not yet imported? You will see an error. But when you press this magical combination, all missing classes will be imported, and the errors will vanish.

-1

Probably the most useful one. It activates the quick fix. Imagine you create a class, which implements some interface. You will get an error, because the inherited methods are not yet implemented. While you are on line where the error occurs, press this combination to activate the quick fix. Now, select the "Add

Follow by Email

Email address...

35 readers
BY FEEDBURNER

Blog Archive


Blog Archive ▼



Followers

Join this site
with Google Friend Connect

Members (28) [More »](#)



Already a member? [Sign in](#)

Popular Posts

Calling one jsp from another jsp

The above question is just like calling a method() in the java/c++/c classes. It will call the method() and after completion of method execution...

Java Interview Questions (Delivered by Nageswara rao from Inetsolv Institute of Hyderabad)

1) Why pointers are eliminated from java? Ans) 1.Pointers lead to confusion for a programmer. 2. Pointers may crash a program easily, for ...



Asus Zenfone 4

List Price: Rs.6999
Our Price: Rs.5099

Buy from



unimplemented methods" option. You can use the quick fix at every error you ever receive.

Quick fix comes handy in other situations too. My favorite is the "Split variable declaration". Sometimes I need to broaden the scope of a variable. I activate the quick fix, split declaration, and use alt + arrow to put it where it belongs. You can find even more usages: Convert local variable to field, rename in file, Inline local variable..

```
public class Foo {
    public void boo() {
        try {
            String bar = "BAR";
        } finally {
            System.out.println(bar);
        }
    }
}
```


You could use the "Split variable declaration" on the bar variable, and then move it with Alt+Arrows above the try block..

```
public class Foo implements ActionListener {
}
```

Or you could use the "Add unimplemented methods" fix here.
The best thing you can do if you see an error is to use the quick fix.


CTRL+SHIFT+T

Open Type. Imagine, that you need to have a look at the Foo class. But, where is the Foo class? Is it in the Boo project and in the foo.bar package? Or somewhere else? With this shortcut, you don't need to know. Just press it, type Foo and you are in.



CTRL+E

Shows you a list of all open editors.



CTRL+F6

Use to move between open editors. This is an slower alternative to Ctrl + E. Comes handy in a situation when you want to periodically switch between two editors, something, what is nearly impossible with Ctrl+E as it sorts entries quite randomly. Or you might just use Alt+Arrows..

CTRL+F7

Move between views. When in editor, press Ctrl+F7 to switch to the Package Explorer, or hold Ctrl and press F7 multiple times to switch to other views.

CTRL+F8

Move between perspectives. The same as previous.

First and Second Level caching in Hibernate ?

1). First level cache The sometimes so called "first level cache" is also known as the Session object, that you retrieve from ...

Java IDEs – NetBeans vs Eclipse vs JDeveloper

I have been a NetBeans and JDeveloper user for many years. I have used Eclipse on and off but can't say that I have ever adopted Eclipse as ...

Shortcuts in MyEclipse

You should try to keep your hands on keyboard. The less you touch the mouse, the more code you can write. I am trying to keep the mouse la...

How to export data to CSV file) Java

CSV is stand for Comma-separated values , CSV is a delimited data format that has fields/columns separated by the comma character and rec...

Difference between System.exit(0) and System.exit(1)

System.exit(n) terminates the process and sets the process exit code to 'n'. The significance of the value of 'n' depends o...

Exception Classes and Exception Hierarchy

The hierarchy of exception classes commence from Throwable class which is the base class for an entire family of exception classes, declar...

Web Service. IWAB0506E Error when copying Axis jar files to web project.

IWAB0506E Error when copying Axis jar files to web project
java.io.FileNotFoundException:
/lib/saaj.jar at
org.eclipse.osgi.framework.inte...

Labels

realtime (131) corejava (96) other2 (28) jsp (17) servlets (17) sql (15) struts (9) hibernate (6) spring (6) webservices (6) lab (5) ds (4) ejb (3)
Https (1) Lunix (1) html (1) junit (1) xml (1)

Search



Editors	Views	Perspectives
view.jsp	Editor	Java EE
SenderDTO.java	Package Explorer	Debug
label.jsp	Console (SVN)	Team Synchronizing
AddressCode.java	Project Explorer	Database Development
OrderParticipant.java	Problems	Java

CTRL + F11

Runs the application. What gets launched depends on your settings. It will either launch the last launched class (my preferred way) or it will launch currently selected resource (the default way). If you want to change its behavior read the previous post.

CTL + N

Open new type wizard. This is not very quick because you have to select the wizard type (weather you want to create new class, jsp, xml or something else) in the next step. Much faster way would be if you could just hit the shortcut and invoke the particular wizard. It is possible, just keep reading..

CTRL + M

Maximize or unmaximize current tab.

CTRL + I

Corrects indentation.

CTRL + SHIFT + F

Formats code. You can make a beautiful looking code out of a mess with this. It requires a bit of setup, but it is well worth it. You can find its settings under Window->Preferences->Java->Code style->Formatter

CTRL + J

Incremental search. Similar to the search in firefox. It shows you results as you type. Don't be surprised, if you hit this combination, nothing happens - at the first glance. Just start typing and eclipse will move your cursor to the first ocurence.


CTRL + SHIFT + L

Shows you a list of your currently defined shortcut keys.

I don't like your shortcuts

Such is life nowadays. Remember, you can always change those bindings to match your preferences. Open *Windows->Preferences->General->Keys*. Now you can use the filter to find your shortcut and change its binding.

The real fun begins when you cannot find the command you are looking for. The key here, is to have the "Include unbound commands" checkbox checked. It will show you all commands, even those, which have no keys bound.



While you are here, I recommend to add the following bindings:

CTRL+SHIFT+G



Core Java

List Price: Rs.629

Our Price: Rs.396



Jdbc, Servlets, And Jsp Black...

List Price: Rs.549

Our Price: Rs.429



MYJAVACAFE

- JUnit(CodePro) testing(Automatic creation for all test classes) with using Eclipse Plugin
- Upload file using ajax file upload and spring mvc
- Issue with Default implementation soap request in JBoss EAP 6.2
- Logger Template Configuration in Eclipse
- Steps for Oracle12C Setup for Linux/Unix Environment

Bind this to "Generate getters and setters". This is a "must have".

ALT+C

Bind this to SVN/CVS "Commit".

ALT+U

Bind this to SVN/CVS "Update".

Now, type "new" (without quotes) in the filter text. You should see a list of all new type wizards. Choose the most frequently used and assign them a shortcut. For example, the most used wizard for me is the new class wizard. Thus I assigned it the CTRL+SHIFT+N keys.

Let me demonstrate a quick way to create new class now.

Hit **CTRL + SHIFT + N** (or the combination you assigned in the previous step). This should bring up new class wizard. Type in the name and press **ALT+E**. You can now select a class which will be a superclass for the newly created class. Hit **ALT+A** and select all implemented interfaces. Now hit **ALT+F** and your class will be generated. Eclipse will also provide the default implementation for all abstract and interface methods you inherited.

Did you notice the weird underscores everywhere in the dialog? They give you a hint about the shortcut key. Hit ALT and the underlined letter to press the button, check the checkbox or get focus for a textfield.

