Table 2. Firing frequencies and phases of nonpyramidal projection neurons in different network states recorded *in vivo*

Cell number	Type	Soma	Discharge frequency (in Hz)				Theta phase[d]	Ripple phase[d]	Gamma phase[d]
			Theta	Ripples	nt/nr	Gamma			
T87c	double-projection	CA1so	1.5	n.o.	n.o.	0.9	131 ± 85°	n.o.	122 ± 73°
C25a	double-projection	CA1so	0.3	46.8	0.1	0.3	23 ± 41°	56 ± 43°	m.n.s.
D150[a]	double-projection	CA1so	n.o.	10.2	n.o.	n.o.	n.o.	74 ± 73°	n.o.
P13c	double-projection	CA1so	n.o.	23.8	1.0	1.8	n.o.	290 ± 70°	79 ± 79°
K98c	oriens-retrohippocampal	CA1so	0.3	48.0	0.9	n.o.	71 ± 44°	n.o.	n.o.
T80a	oriens-retrohippocampal	CA1so	1.1	43.1	0.1	n.o.	16 ± 52°	n.o.	n.o.
T85a[b]	oriens-retrohippocampal	CA1so	0.2	69.0	0.1	n.o.	358 ± 53°	122 ± 60°	n.o.
T74b	radiatum-retrohippocampal	CA1sr	6.7	1.4	0.8	n.o.	290 ± 90°	n.o.	n.o.
T100c	radiatum-retrohippocampal	CA1slm	3.6	0	3.0	n.o.	306 ± 32°	n.o.	n.o.
C11c[c]	double-projection	CA3sp	n.o.	n.o.	n.o.	n.o.	n.o.	n.o.	n.o.