FitnessBalance — simplified core ERD

Core collections only • selected identifiers and relationship fields

SHARED CATALOGUE

foods

PK	**foodKey**
	food_name
	nutrition : map

workoutPaths

PK	**pathId**
	name

contains 1 0..*

lessons

PK	**lessonId**
	name

contains 1 0..*

workoutExercises

PK	**itemId**
REF	exerciseId

exerciseId 0..* 1

exercises

PK	**exerciseId**
	name

0..* foodItems[].foodId

1 pathId + lessonId

USER DOCUMENT AND USER-OWNED SUBCOLLECTIONS

All private records shown belong to users/{uid}; ownership lines are omitted.

users

PK	**uid**
	fullName
	totalXp

0..*

foodLogs

PK	**date**
	foodItems : array(map)
	totalCalories

date 0..1 0..1

dailyData

PK	**date**
	caloriesConsumed
	caloriesBurned

exerciseLogs

PK	**date**
	exercises : array(map)
	totalCaloriesBurned

0..* 0..1

workoutRecords

PK	**sessionId**
REF	pathId
REF	lessonId
	localDay
REF	localWeek

0..* 0..1

0..1 0..1 same user / date totals

0..1 localDay → date totals

0..* localWeek 1

exerciseWeeks

PK	**week**
	completed
	target

PK = document ID within the parent path; REF = logical reference. No SQL primary/foreign-key enforcement is implied.
Maps and arrays remain attributes. Detailed supporting collections and ownership are described in the complete model.