TDD Test Report

Team QWERTY. Rescue ERP, Sprint 2. Submit this file with the final presentation on Friday 13 November 2026.

Run on Friday 6 November 2026, Sprint Day 3, against http://localhost:3000. Every automated case below is Green. The picture is the actual terminal output. The title bar of each picture lists the same test-case numbers as the row.

Process checks for Napat (TC-RPT) are not pytest. They have no terminal picture.


Register

Feature / Expected output / Test Case Number / Test Case Name / Dev / Test Date / Cycle
US9a Edit a log / 200. foodType Dairy. quantity 6. lines[0] is Dairy. / TC-US9a-01 / Edit before pickup / Sakkaraj / 6 Nov 2026 / Green
US9a Edit a log / 409 after the driver has picked the food up. / TC-US9a-02 / Reject edit after pickup / Sakkaraj / 6 Nov 2026 / Green
US9a Edit a log / 403 when a food bank calls PATCH. / TC-US9a-03 / Reject edit by another role / Jirathiwat / 6 Nov 2026 / Green
US9a Edit a log / The donations list says Locked. No Edit link. / TC-US9a-04 / Hide edit after delivery / Pratanin / 6 Nov 2026 / Green
US9b One log, many banks / One donationId. lines length 2. quantity is the sum. / TC-US9b-01 / Second food on the same log / Pratanin / 6 Nov 2026 / Green
US9b One log, many banks / POST body has splitAcrossBanks true. / TC-US9b-02 / Split flag is submitted / Pratanin / 6 Nov 2026 / Green
US9b One log, many banks / Quantity 10, split false: one match, status matched. / TC-US9b-03 / One bank when split is off / Sirapassorn / 6 Nov 2026 / Green
US9b One log, many banks / 100 kg + 90 kg, split true: at least two matches, sum of quantityKg is 190. / TC-US9b-04 / Split 190 kg across banks / Sirapassorn / 6 Nov 2026 / Green
US9b One log, many banks / Quantity 4000: match is null, status queued. / TC-US9b-05 / Over capacity stays queued / Sirapassorn / 6 Nov 2026 / Green
US9b One log, many banks / SOS remainingCapacityKg falls by 164, not by 190. / TC-US9b-06 / Capacity drops by each quantityKg / Jirathiwat / 6 Nov 2026 / Green
US9b One log, many banks / Edit restores the old kilograms, then subtracts the new quantityKg. / TC-US9b-07 / Edit gives capacity back / Jirathiwat / 6 Nov 2026 / Green
US3b 24/12/2 alerts / One staff notification at threshold 24. / TC-US3b-01 / Staff alert at 24 hours / Sakkaraj / 6 Nov 2026 / Green
US3b 24/12/2 alerts / One driver notification at the same threshold. / TC-US3b-02 / Driver alert at the same threshold / Sakkaraj / 6 Nov 2026 / Green
US3b 24/12/2 alerts / A second refresh does not insert another pair. / TC-US3b-03 / No duplicate alert / Sakkaraj / 6 Nov 2026 / Green
US3b 24/12/2 alerts / /notifications shows thresholdHours and the message. / TC-US3b-04 / Alerts page renders the row / Pratanin / 6 Nov 2026 / Green
US4a Dashboard / summary has open, matched, pickedUp, delivered, urgent, foodBanks, notifications. / TC-US4a-03 / Dashboard summary fields / Jirathiwat / 6 Nov 2026 / Green
US4a Dashboard / urgent count includes a donation inside 24 hours and excludes a delivered one. / TC-US4a-04 / Urgent count matches the flag / Jirathiwat / 6 Nov 2026 / Green
US4a Dashboard / Status filter delivered hides queued rows. / TC-US4a-01 / Filter by status / Pratanin / 6 Nov 2026 / Green
US4a Dashboard / Donor name filter keeps only that donor. / TC-US4a-02 / Filter by donor / Pratanin / 6 Nov 2026 / Green
US4a Dashboard / Delivered count equals the delivered rows on screen. / TC-US4a-05 / Counts match the filter / Sakkaraj / 6 Nov 2026 / Green
US4b Driver activity / Each driver has accepted, pickedUp, delivered. / TC-US4b-01 / Activity counts / Sirapassorn / 6 Nov 2026 / Green
US4b Driver activity / After pickup, runs include that donationId. / TC-US4b-02 / Run row has the donation / Sirapassorn / 6 Nov 2026 / Green
US4b Driver activity / /drivers shows the name and the three counts. / TC-US4b-03 / Activity page / Pratanin / 6 Nov 2026 / Green
US4b Driver activity / After delivery, delivered for usr-driver-1 is at least 1. / TC-US4b-04 / Delivered count / Sirapassorn / 6 Nov 2026 / Green
US4b Driver activity / The activity row shows that donationId. / TC-US4b-05 / QA after pickup and delivery / Sakkaraj / 6 Nov 2026 / Green
US5b Tax export / GET /api/reports/tax csv and pdf return 200. Not the US5a receipt. / TC-US5b-01 / Tax CSV and PDF / Jirathiwat / 6 Nov 2026 / Green
US5b Tax export / Export CSV on /receipts downloads a month file. / TC-US5b-02 / Export button / Pratanin / 6 Nov 2026 / Green
US5b Tax export / Donor receives 200 for both formats. / TC-US5b-03 / QA tax export / Sakkaraj / 6 Nov 2026 / Green
US7 GPS ping / POST /api/drivers/location stores one ping and recordedAt. / TC-US7-01 / Store a ping / Sirapassorn / 6 Nov 2026 / Green
US7 GPS ping / /drivers shows lat, lng, and recordedAt in Asia/Bangkok. / TC-US7-02 / Show the ping / Pratanin / 6 Nov 2026 / Green


US7 GPS ping / The activity log returns lat, lng, and recordedAt. / TC-US7-03 / QA ping fields / Sakkaraj / 6 Nov 2026 / Green
US8 Decay spike / hoursRemaining and riskScore are present. / TC-US8-01 / Decay fields / Jirathiwat / 6 Nov 2026 / Green
US8 Decay spike / method is heuristic-spike. / TC-US8-02 / Label the spike / Jirathiwat / 6 Nov 2026 / Green
US8 Decay spike / The three fields return together. / TC-US8-03 / QA decay shape / Sakkaraj / 6 Nov 2026 / Green
Sprint 1 regression / Queue visible in under 60 seconds. / TC-S1-01 / Queue under one minute / Sakkaraj / 6 Nov 2026 / Green
Sprint 1 regression / Match under 120 seconds in range with capacity. 4000 kg stays queued. / TC-S1-02 / Match under two minutes / Sakkaraj / 6 Nov 2026 / Green
TDD report / No blank row. Every case has number, name, owner, expected output. / TC-RPT-01 / Report is complete / Napat / 6 Nov 2026 / Red
TDD report / US9a and US9b stay open while any of their cases are Red. / TC-RPT-02 / Done waits for Green / Napat / 6 Nov 2026 / Red
TDD report / US9a Done only if TC-US9a-01 and TC-US9a-02 are Green. / TC-RPT-03 / US9a gate / Napat / Meeting 4 / Red
TDD report / US9b Done only if TC-US9b-04 and TC-US9b-06 are Green. / TC-RPT-04 / US9b gate / Napat / Meeting 4 / Red
TDD report / Final presentation includes this file. Every Sprint 2 case is Green or the story stays In Review. / TC-RPT-05 / Submit with the presentation / Napat / 13 Nov 2026 / Red
TDD report / The Review demonstrates Green cases only. / TC-RPT-06 / Review follows the report / Napat / 13 Nov 2026 / Red

Terminal output


TC-US9a-01, TC-US9a-02, TC-S1-01, TC-S1-02




TC-US9a-03, TC-US9b-06, TC-US9b-07




TC-US9b-01, TC-US9b-02, TC-US9a-04




TC-US9b-03, TC-US9b-04, TC-US9b-05



TC-US3b-01, TC-US3b-02, TC-US3b-03



TC-US3b-04, TC-US4a-01, TC-US4a-02



TC-US4a-03, TC-US4a-04

```
Windows PowerShell
Jirathiwat  |  TC-US4a-03, TC-US4a-04

PS C:\Users\jirat\Downloads\QWERTY-SCRUM> .\.venv\Scripts\python.exe -m pytest -v --tb=line
qa/api/test-us4a-dashboard.py::test_tc_us4a_03_dashboard_summary_fields
qa/api/test-us4a-dashboard.py::test_tc_us4a_04_urgent_count_matches_the_flag
============================= test session starts =============================
platform win32 -- Python 3.11.9, pytest-9.1.1, pluggy-1.6.0 --
C:\Users\jirat\Downloads\QWERTY-SCRUM\.venv\Scripts\python.exe
rootdir: C:\Users\jirat\Downloads\QWERTY-SCRUM\qa
configfile: pytest.ini
collecting ... collected 2 items

qa\api\test-us4a-dashboard.py::test_tc_us4a_03_dashboard_summary_fields PASSED [ 50%]
qa\api\test-us4a-dashboard.py::test_tc_us4a_04_urgent_count_matches_the_flag PASSED [100%]

============================== 2 passed in 0.34s ==============================
```

TC-US4a-05, TC-US4b-05, TC-US5b-03, TC-US7-03, TC-US8-03

```
Windows PowerShell
Sakkaraj  |  TC-US4a-05, TC-US4b-05, TC-US5b-03, TC-US7-03, TC-US8-03

PS C:\Users\jirat\Downloads\QWERTY-SCRUM> .\.venv\Scripts\python.exe -m pytest -v --tb=line
qa/api/test-us4a-dashboard.py::test_tc_us4a_05_counts_match_the_filter
qa/api/test-us4b-driver-activity.py::test_tc_us4b_05_qa_after_pickup_and_delivery
qa/api/test-us5b-tax-export.py::test_tc_us5b_03_donor_receives_both_formats
qa/api/test-us7-driver-ping.py::test_tc_us7_03_qa_ping_fields qa/api/test-us8-decay.py::test_tc_us8_03_qa_decay_shape
============================= test session starts =============================
platform win32 -- Python 3.11.9, pytest-9.1.1, pluggy-1.6.0 --
C:\Users\jirat\Downloads\QWERTY-SCRUM\.venv\Scripts\python.exe
rootdir: C:\Users\jirat\Downloads\QWERTY-SCRUM\qa
configfile: pytest.ini
collecting ... collected 5 items

qa\api\test-us4a-dashboard.py::test_tc_us4a_05_counts_match_the_filter PASSED [ 20%]
qa\api\test-us4b-driver-activity.py::test_tc_us4b_05_qa_after_pickup_and_delivery PASSED [ 40%]
qa\api\test-us5b-tax-export.py::test_tc_us5b_03_donor_receives_both_formats PASSED [ 60%]
qa\api\test-us7-driver-ping.py::test_tc_us7_03_qa_ping_fields PASSED     [ 80%]
qa\api\test-us8-decay.py::test_tc_us8_03_qa_decay_shape PASSED           [100%]

============================== 5 passed in 0.78s ==============================
```

TC-US4b-01, TC-US4b-02

```
Windows PowerShell
Sirapassorn  |  TC-US4b-01, TC-US4b-02

PS C:\Users\jirat\Downloads\QWERTY-SCRUM> .\.venv\Scripts\python.exe -m pytest -v --tb=line
qa/api/test-us4b-driver-activity.py::test_tc_us4b_01_activity_counts
qa/api/test-us4b-driver-activity.py::test_tc_us4b_02_run_row_has_the_donation
============================= test session starts =============================
platform win32 -- Python 3.11.9, pytest-9.1.1, pluggy-1.6.0 --
C:\Users\jirat\Downloads\QWERTY-SCRUM\.venv\Scripts\python.exe
rootdir: C:\Users\jirat\Downloads\QWERTY-SCRUM\qa
configfile: pytest.ini
collecting ... collected 2 items

qa\api\test-us4b-driver-activity.py::test_tc_us4b_01_activity_counts PASSED [ 50%]
qa\api\test-us4b-driver-activity.py::test_tc_us4b_02_run_row_has_the_donation PASSED [100%]

============================== 2 passed in 0.35s ==============================
```

TC-US4b-03, TC-US5b-02, TC-US7-02


```
Windows PowerShell
Pratanin  |  TC-US4b-03, TC-US5b-02, TC-US7-02

PS C:\Users\jirat\Downloads\QWERTY-SCRUM> .\.venv\Scripts\python.exe -m pytest -v --tb=line
qa/api/test-us4b-driver-activity.py::test_tc_us4b_03_activity_page_fields
qa/api/test-us5b-tax-export.py::test_tc_us5b_02_export_button_downloads_csv
qa/api/test-us7-driver-ping.py::test_tc_us7_02_show_the_ping
============================= test session starts =============================
platform win32 -- Python 3.11.9, pytest-9.1.1, pluggy-1.6.0 --
C:\Users\jirat\Downloads\QWERTY-SCRUM\.venv\Scripts\python.exe
rootdir: C:\Users\jirat\Downloads\QWERTY-SCRUM\qa
configfile: pytest.ini
collecting ... collected 3 items


qa\api\test-us4b-driver-activity.py::test_tc_us4b_03_activity_page_fields PASSED [ 33%]
qa\api\test-us5b-tax-export.py::test_tc_us5b_02_export_button_downloads_csv PASSED [ 66%]
qa\api\test-us7-driver-ping.py::test_tc_us7_02_show_the_ping PASSED      [100%]

============================== 3 passed in 0.31s ==============================
```

TC-US4b-04, TC-US7-01



TC-US5b-01, TC-US8-01, TC-US8-02



Full suite the same day: pytest qa/api -q finished with 60 passed.

Command for each test case

Start the site first (cd web, then npm run dev) and leave it on http://localhost:3000. Run each command from the repo root.

TC-US9a-01 Edit before pickup

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us9a-edit-donation.py::test_tc_us9a_01_edit_before_pickup -q

TC-US9a-02 Reject edit after pickup

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us9a-edit-donation.py::test_tc_us9a_02_reject_edit_after_pickup -q

TC-US9a-03 Reject edit by another role

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us9a-edit-donation.py::test_tc_us9a_03_reject_edit_by_another_role -q

TC-US9a-04 Hide edit after delivery

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us9a-edit-donation.py::test_tc_us9a_04_delivered_donation_is_locked -q

TC-US9b-01 Second food on the same log

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us9b-one-to-many.py::test_tc_us9b_01_second_food_on_the_same_log -q

TC-US9b-02 Split flag is submitted

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us9b-one-to-many.py::test_tc_us9b_02_split_flag_is_submitted -q

TC-US9b-03 One bank when split is off

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us9b-one-to-many.py::test_tc_us9b_03_one_bank_when_split_is_off -q

TC-US9b-04 Split 190 kg across banks

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us9b-one-to-many.py::test_tc_us9b_04_split_190kg_across_banks -q

TC-US9b-05 Over capacity stays queued

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us9b-one-to-many.py::test_tc_us9b_05_over_capacity_stays_queued -q

TC-US9b-06 Capacity drops by each quantityKg

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us9b-one-to-many.py::test_tc_us9b_06_capacity_drops_by_each_quantity_kg -q

TC-US9b-07 Edit gives capacity back

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us9b-one-to-many.py::test_tc_us9b_07_edit_gives_capacity_back -q

TC-US3b-01 Staff alert at 24 hours

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us3b-expiry-alerts.py::test_tc_us3b_01_staff_alert_at_24_hours -q

TC-US3b-02 Driver alert at the same threshold

powershell

.\.venv\Scripts\python.exe -m pytest qa/api/test-us3b-expiry-alerts.py::test_tc_us3b_02_driver_alert_at_the_same_threshold -q

TC-US3b-03 No duplicate alert

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us3b-expiry-alerts.py::test_tc_us3b_03_no_duplicate_alert -q

TC-US3b-04 Alerts page renders the row

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us3b-expiry-alerts.py::test_tc_us3b_04_alerts_page_renders_the_row -q

TC-US4a-03 Dashboard summary fields

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us4a-dashboard.py::test_tc_us4a_03_dashboard_summary_fields -q

TC-US4a-04 Urgent count matches the flag

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us4a-dashboard.py::test_tc_us4a_04_urgent_count_matches_the_flag -q

TC-US4a-01 Filter by status

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us4a-dashboard.py::test_tc_us4a_01_filter_by_status -q

TC-US4a-02 Filter by donor

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us4a-dashboard.py::test_tc_us4a_02_filter_by_donor -q

TC-US4a-05 Counts match the filter

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us4a-dashboard.py::test_tc_us4a_05_counts_match_the_filter -q

TC-US4b-01 Activity counts

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us4b-driver-activity.py::test_tc_us4b_01_activity_counts -q

TC-US4b-02 Run row has the donation

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us4b-driver-activity.py::test_tc_us4b_02_run_row_has_the_donation -q

TC-US4b-03 Activity page

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us4b-driver-activity.py::test_tc_us4b_03_activity_page_fields -q

TC-US4b-04 Delivered count

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us4b-driver-activity.py::test_tc_us4b_04_delivered_count -q

TC-US4b-05 QA after pickup and delivery

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us4b-driver-activity.py::test_tc_us4b_05_qa_after_pickup_and_delivery -q

TC-US5b-01 Tax CSV and PDF

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us5b-tax-export.py::test_tc_us5b_01_tax_csv_and_pdf -q

TC-US5b-02 Export button

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us5b-tax-export.py::test_tc_us5b_02_export_button_downloads_csv -q

TC-US5b-03 QA tax export

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us5b-tax-export.py::test_tc_us5b_03_donor_receives_both_formats -q

TC-US7-01 Store a ping

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us7-driver-ping.py::test_tc_us7_01_store_a_ping -q

TC-US7-02 Show the ping

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us7-driver-ping.py::test_tc_us7_02_show_the_ping -q

TC-US7-03 QA ping fields

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us7-driver-ping.py::test_tc_us7_03_qa_ping_fields -q

TC-US8-01 Decay fields

powershell

.\.venv\Scripts\python.exe -m pytest qa/api/test-us8-decay.py::test_tc_us8_01_decay_fields -q

TC-US8-02 Label the spike

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us8-decay.py::test_tc_us8_02_label_the_spike -q

TC-US8-03 QA decay shape

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us8-decay.py::test_tc_us8_03_qa_decay_shape -q

TC-S1-01 Queue under one minute

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us1a-log-donation.py::test_tc01_valid_donation_is_queued -q

TC-S1-02 Match under two minutes

powershell
.\.venv\Scripts\python.exe -m pytest qa/api/test-us1b-auto-match.py::test_match_within_two_minutes_when_in_range_with_capacity -q
.\.venv\Scripts\python.exe -m pytest qa/api/test-us1b-auto-match.py::test_no_match_when_quantity_exceeds_all_capacity -q

TC-RPT-01 Report is complete

No pytest command. This is a report check for Napat, not an automated test.

TC-RPT-02 Done waits for Green

No pytest command. This is a report check for Napat, not an automated test.

TC-RPT-03 US9a gate

No pytest command. This is a report check for Napat, not an automated test.

TC-RPT-04 US9b gate

No pytest command. This is a report check for Napat, not an automated test.

TC-RPT-05 Submit with the presentation

No pytest command. This is a report check for Napat, not an automated test.

TC-RPT-06 Review follows the report

No pytest command. This is a report check for Napat, not an automated test.