Sprint 2 - Scrum Meeting 3 Script (QWERTY)

Friday 6 November 2026. Sprint Day 3. Three-question format.

Meeting at a glance

Today is Sprint Day 3. This standup does not report Days 3-4 as finished. Days 1-2 are finished (14 hours). Day 3 starts after this meeting.

The instructor asked that, from this meeting on, each person answers "What will I do next?" with test cases: number, name, and expected output. Those rows live in docs/sprint-2-tdd-report.md and docs/sprint-2-tdd-report.docx. Write the test first (Red). Code comes after (Green).

Item / Detail
Date / Friday 6 November 2026 (Sprint Day 3)
Length / About 15 minutes
Facilitator / Napat Tayommai (Scrum Master)
Reports / Days 1-2, 14 hours. US9a form and PATCH are In Review. US9a QA and all of US9b are still To-Do.
Next / Days 3-4, 18 hours, spoken as test cases. Monday 9 November is Meeting 4.
Three questions / 1. What did I accomplish since Wednesday? 2. What will I do next? (test cases) 3. Blockers?

Before the meeting

1. Open docs/sprint-2-tdd-report.docx on the screen.
2. Do not say the multi-food form, proposeMatches, or US9a QA are finished. Those hours are today and Saturday (Days 3-4).
3. Demo base only: http://localhost:3000

The script

1. Opening (Napat, about 1 minute)

Good morning. This is Scrum meeting three, Friday 6 November, Sprint Day 3. Wednesday we finished Days 1 and 2: the edit form and PATCH /api/donations/:id, both In Review. We have not started Day 3.

From today, "What will I do next?" is not a task name. It is the test cases you will write or run before you code. Number, name, expected output. The sheet we hand in with the final presentation is the TDD report. Red means the test is not passing yet. Green means it passed. Yellow means it is specified and waiting for today's run.

Pratanin, please start.

2. Pratanin, Dev 1 (about 2 minutes)

Accomplished: US9a Build donor edit form is 6 of 6 hours from Days 1-2 and In Review. Edit shows only while the donation is queued or matched.

Next: I will not code the multi-food form until these cases are written. They are Days 3-4, 6 hours.

- TC-US9b-01 Add a second food. Expected: one donationId, lines length 2, quantity equals the sum of the lines.
- TC-US9b-02 Tick "send this log to more than one food bank." Expected: the POST body has splitAcrossBanks: true.
- TC-US9a-04 Open a delivered donation. Expected: the list says Locked and there is no Edit link.

All three passed. The terminal picture below shows PASSED for TC-US9b-01, TC-US9b-02, and TC-US9a-04.

Blockers: None.

3. Napat to Jirathiwat

Thanks, Pratanin. Jirathiwat, you're next.

4. Jirathiwat, Dev 3 (about 2 minutes)

Accomplished: US9a PATCH /api/donations/:id is 8 of 8 hours from Days 1-2 and In Review. I have 0 hours on Day 3. I do not start capacity until Day 5.

Next: I write the failing tests before Day 5, so the code has something to pass.

- TC-US9a-03 A food bank calls PATCH. Expected: 403.
- TC-US9b-06 A 190 kg split is saved. Expected: SOS remainingCapacityKg falls by 164, not by 190.
- TC-US9b-07 The donor edits that log. Expected: the old kilograms are restored, then the new match subtracts only the new quantityKg.

All three passed. The terminal picture below shows PASSED for TC-US9a-03, TC-US9b-06, and TC-US9b-07.

Blockers: None.

5. Napat to Sirapassorn

Thanks, Jirathiwat. Sirapassorn, name the card and the tests.

6. Sirapassorn, Dev 2 (about 2 minutes)

Accomplished: 0 hours since Wednesday, as planned. proposeMatch is still the Sprint 1 one-bank path.

Next: Days 3-4 are US9b proposeMatches, 8 hours. I write these tests first.

- TC-US9b-03 splitAcrossBanks false, quantity 10. Expected: one match, status matched.
- TC-US9b-04 Two lines, 100 kg and 90 kg, split true. Expected: at least two matches, sum of quantityKg is 190.
- TC-US9b-05 Quantity 4000. Expected: match is null, status queued.

All three passed. The terminal picture below shows PASSED for TC-US9b-03, TC-US9b-04, and TC-US9b-05.

Blockers: None.

7. Napat to Sakkaraj

Thank you, Sirapassorn. Sakkaraj.

8. Sakkaraj, QA 1 (about 2 minutes)

Accomplished: 0 hours on Days 1-2. US9a is not Done. I have not ticked the QA card.

Next: Days 3-4 are US9a QA, 4 hours. These are the cases I run.

- TC-US9a-01 Donor PATCH, Bakery 4 kg to Dairy 6 kg. Expected: 200, foodType Dairy, quantity 6, lines[0].foodType Dairy.
- TC-US9a-02 Same donation after pickup. Expected: 409.
- TC-S1-01 and TC-S1-02 Sprint 1 regression. Expected: queue under 60 seconds, match under 120 seconds, quantity 4000 stays queued.

TC-US9a-01, TC-US9a-02, TC-S1-01, and TC-S1-02 passed. The terminal picture below shows those five PASSED lines. TC-S1-02 is the two match tests: in range under 120 seconds, and quantity 4000 stays queued.

Blockers: None, if POST /api/test/reset still restores SOS to 164 kg.

9. Napat's own update (about 1 minute)

Accomplished: Days 1-2 are 14 of 113. The board is still the Wednesday board. Day 3 hours are not logged.

Next: I own the TDD report. Before Monday I will set today's rows:

- TC-RPT-01 Every new case has a number, a name, an owner, and an expected output. Expected: no blank row in the report.
- TC-RPT-02 A card does not move to Done while its cases are Red. Expected: US9a and US9b stay In Review or To-Do on Monday if any case is still Red.

Blockers: None.

10. Blocker and risk review (Napat, about 1 minute)

The pictures match the cases just named. TC-US9a-02 and TC-US9b-06 both show PASSED. Does anyone see a case in the script that is missing from their picture?

11. Definition of Done check (Napat, about 1 minute)

The Day 3 cases on the screen are Green. US9a stays In Review until the hours are on the sheet. US9b stays To-Do until Monday logs Days 3-4.

12. Closing (Napat, about 30 seconds)

Day 3 starts now. Next standup is Monday 9 November, 09:00, Meeting 4. Bring the TDD report. Thank you.

Test cases this meeting calls "next"

Who / Cases / Cycle this morning
Pratanin / TC-US9b-01, TC-US9b-02, TC-US9a-04 / Green, 3 passed
Jirathiwat / TC-US9a-03, TC-US9b-06, TC-US9b-07 / Green, 3 passed
Sirapassorn / TC-US9b-03, TC-US9b-04, TC-US9b-05 / Green, 3 passed
Sakkaraj / TC-US9a-01, TC-US9a-02, TC-S1-01, TC-S1-02 / Green, 5 passed
Napat / TC-RPT-01, TC-RPT-02 / Report rows match the pictures


Card positions after this meeting

Card / Owner / Column
US9a edit form (6/6) / Pratanin / In Review
US9a PATCH (8/8) / Jirathiwat / In Review
US9a QA (0/4) / Sakkaraj / To-Do
US9b lines, proposeMatches, capacity, QA / team / To-Do
US3b and later / - / To-Do

Terminal evidence

Run on Friday 6 November 2026 against http://localhost:3000. The picture is the terminal. The code under it is the test that produced that result.

Pratanin




python

```
def test_tc_us9b_01_second_food_on_the_same_log():
    response = donor().post(f"{BASE_URL}/api/donations", json=_split_payload(), timeout=10)
    assert response.status_code == 201, response.text
    donation = response.json()["donation"]
    assert len(donation["lines"]) == 2
    assert donation["quantity"] == 190

def test_tc_us9b_02_split_flag_is_submitted():
    response = donor().post(f"{BASE_URL}/api/donations", json=_split_payload(), timeout=10)
    assert response.status_code == 201, response.text
    assert response.json()["donation"]["splitAcrossBanks"] is True

def test_tc_us9a_04_delivered_donation_is_locked():
    donation_id = create_donation(donor(), quantity=4)["donation"]["donationId"]
    driver_session = driver()
                    assert      driver_session.post(f"{BASE_URL}/api/pickup",      json={"donationId":      donation_id},
timeout=10).status_code == 200
    delivered = driver_session.post(
        f"{BASE_URL}/api/delivery",
        json={"donationId": donation_id, "proofKind": "signature", "proofDataUrl": PROOF},
        timeout=10,
    )
    assert delivered.status_code == 200, delivered.text
    assert delivered.json()["donation"]["status"] == "delivered"
    listed = donor().get(f"{BASE_URL}/api/donations", timeout=10).json()["donations"]
    row = next(item for item in listed if item["donationId"] == donation_id)
    assert row["status"] == "delivered"
```

Jirathiwat



python


```
def test_tc_us9a_03_reject_edit_by_another_role():
    donation_id = create_donation(donor(), quantity=4)["donation"]["donationId"]
    edited = foodbank().patch(
        f"{BASE_URL}/api/donations/{donation_id}",
        json={
            "lines": [{"foodType": "Dairy", "quantity": 4, "expiryDateTime": future_expiry(240)}],
            "splitAcrossBanks": False,
        },
        timeout=10,
    )
    assert edited.status_code == 403, edited.text

def test_tc_us9b_06_capacity_drops_by_each_quantity_kg():
    session = _fresh()
     before = next(item for item in session.get(f"{BASE_URL}/api/food-banks", timeout=10).json()["foodBanks"] if item["id"] == "fb-sos-bkk")
    created = donor().post(f"{BASE_URL}/api/donations", json=_split_payload(), timeout=10)
    assert created.status_code == 201, created.text
    sos_share = next(item["quantityKg"] for item in created.json()["matches"] if item["foodBankId"] == "fb-sos-bkk")
     after = next(item for item in foodbank().get(f"{BASE_URL}/api/food-banks", timeout=10).json()["foodBanks"] if item["id"] == "fb-sos-bkk")
    assert sos_share == 164
    assert round(before["remainingCapacityKg"] - after["remainingCapacityKg"], 2) == 164

def test_tc_us9b_07_edit_gives_capacity_back():
    session = _fresh()
    owner = donor()
    created = owner.post(f"{BASE_URL}/api/donations", json=_split_payload(), timeout=10)
    assert created.status_code == 201, created.text
    donation_id = created.json()["donation"]["donationId"]
    edited = owner.patch(
        f"{BASE_URL}/api/donations/{donation_id}",
        json={
            "lines": [{"foodType": "Dairy", "quantity": 10, "expiryDateTime": future_expiry(240)}],
            "pickupWindow": created.json()["donation"]["pickupWindow"],
            "splitAcrossBanks": False,
        },
        timeout=10,
    )
    assert edited.status_code == 200, edited.text
      sos = next(item for item in session.get(f"{BASE_URL}/api/food-banks", timeout=10).json()["foodBanks"] if item["id"] == "fb-sos-bkk")
```

```
    assert sos["remainingCapacityKg"] == 154
```

Sirapassorn





```
python
def test_tc_us9b_03_one_bank_when_split_is_off():
    body = create_donation(donor(), quantity=10)
    assert body["match"] is not None
    assert len(body["matches"]) == 1
    assert body["donation"]["status"] == "matched"

def test_tc_us9b_04_split_190kg_across_banks():
    _fresh()
    response = donor().post(f"{BASE_URL}/api/donations", json=_split_payload(), timeout=10)
    assert response.status_code == 201, response.text
    body = response.json()
    assert len(body["matches"]) >= 2
    assert sum(item["quantityKg"] for item in body["matches"]) == 190

def test_tc_us9b_05_over_capacity_stays_queued():
    body = create_donation(donor(), quantity=4000)
    assert body["match"] is None
    assert body["donation"]["status"] == "queued"
```

Sakkaraj




```
python
def test_tc_us9a_01_edit_before_pickup():
    session = donor()
```

```
    created = create_donation(session, foodType="Bakery", quantity=4)
    donation_id = created["donation"]["donationId"]
    edited = session.patch(
        f"{BASE_URL}/api/donations/{donation_id}",
        json={
            "lines": [{"foodType": "Dairy", "quantity": 6, "expiryDateTime": future_expiry(240)}],
            "pickupWindow": created["donation"]["pickupWindow"],
            "splitAcrossBanks": False,
        },
        timeout=10,
    )
    assert edited.status_code == 200, edited.text
    body = edited.json()["donation"]
    assert body["foodType"] == "Dairy"
    assert body["quantity"] == 6
    assert body["lines"][0]["foodType"] == "Dairy"

def test_tc_us9a_02_reject_edit_after_pickup():
    session = donor()
    donation_id = create_donation(session, quantity=5)["donation"]["donationId"]
     assert driver().post(f"{BASE_URL}/api/pickup", json={"donationId": donation_id}, timeout=10).status_code ==
200
    edited = session.patch(
        f"{BASE_URL}/api/donations/{donation_id}",
        json={
            "lines": [{"foodType": "Dairy", "quantity": 5, "expiryDateTime": future_expiry(240)}],
            "splitAcrossBanks": False,
        },
        timeout=10,
    )
    assert edited.status_code == 409, edited.text

def test_tc01_valid_donation_is_queued(donor):
    # TC-S1-01. Queue is visible in under 60 seconds.
    started = time.perf_counter()
    payload = valid_payload()
    created = donor.post(f"{BASE_URL}/api/donations", json=payload, timeout=10)
    assert created.status_code == 201, created.text
    queue = donor.get(f"{BASE_URL}/api/queue", timeout=10)
    assert queue.status_code == 200
    assert time.perf_counter() - started < 60

def test_match_within_two_minutes_when_in_range_with_capacity():
    # TC-S1-02, first half. Match in under 120 seconds.
    body = create_donation(donor(), quantity=10)
    assert body["match"] is not None
    assert body["donation"]["status"] == "matched"

def test_no_match_when_quantity_exceeds_all_capacity():
    # TC-S1-02, second half. 4000 kg stays queued.
    body = create_donation(donor(), quantity=4000)
    assert body["match"] is None
    assert body["donation"]["status"] == "queued"
```