Qwerty

Project Presentation I

Pratanin Kahtepmud 6788035
Jirathiwat Suntipreedatham 6788122
Napat Tayommai 6788127
Sakkaraj Tuvajit 6788140
Sirapassorn Pokasermsong 6788207

Persona Canvas

User Persona

Marisol Vega

Core Profile



Name: Marisol Vega

Age and gender: 45, Female

Job: Director of Logistics

Tech comfort: Medium

Location: A small office

Background

Short bio: Nonprofit logistics director who coordinates surplus food pickups and deliveries.

Lifestyle and values: Wants to reduce food waste and help people who need it.

Professional context: Works with donors, volunteer drivers, and food banks. Uses calls, group chats, spreadsheets, and email.

User Insights

Goals:

- Match donations and drivers faster
- Reduce food waste
- Spend less time being the middleman

Pain Points:

- Slow matching process
- Too much manual coordination
- Food bank capacity is sometimes unclear
- It hard to track the food and keep accurate records.

Worried About:

- The system might be too complicated for some users
- The system might add more work instead of saving time

Behavior and Personality

Personality traits:

- **One who initiates the deal**
- **Trying to hold everything together**

Daily routine description: In the morning she checks the leftover messages, then matches up with the donor in the midday. In the afternoon, she follows up on the pickups, and at the end of the day she updates records and sending the receipt.

Buying / decision-making patterns: A quick judgement, immediate call, decide now - correct later

Tech proficiency: Medium

“

Good food shouldn’t wait

”

Persona Empathy Map

Think	• Need to make the matching process faster and more efficient • Worry that if the process stays slow, company will waste more food • Don’t want everything to depend on her
See	• A lot of phone calls and group chats every day • Works with donors, volunteer drivers and food banks every day
Feel	• Stressed when don’t have enough time • Guilty when the food gets waster • Want the process to feel more reliable
Do	• Coordinate drivers and food banks through group chats and phone calls • Manage everything manual • Publicly bridge between food that would go to waste and people who needs it • Privately knows that the current process can be better
Key Insights	• Marisol wants to save more food, but the slow coordination process is the main problem. • She wants a faster process, but worried that some volunteers may not be comfortable with technology • She wants to spend less time being a middle man.

Product Vision Canvas and Statement

Vision

What is your motivation for creating the product?
Which positive change should it bring about?

To solve the global food issue, bridging the gap between surplus and shortage. Aiming for more sustainable and equitable food systems.

Target Group

Which market or market segment does the product address?
Who are the target customers and users?

- Director of Logistics in a non-profit organization
- Surplus food donors
- Donor businesses
- Volunteer drivers
- Grocery stores
- Restaurants
- Hotels
- Farms and food suppliers

Needs

Which problem does the product solve?
What benefit does it provide?

- Reduce food waste
- More efficient matching process
- Reduce dependence on the middleman
- Clear food bank capacity and schedules
- Track and keeps the record accurately
- Reduce manual work
- Track pickups and deliveries accurately
- Reduce manual coordination
- Faster response to near expiry food

Product

What product is it?
What makes it stand out?
Is it feasible to develop the product?

- Centralized Communication
- Food Bank Capacity Management
- Smart Matching
- Delivery log and automatic receipts
- Real-Time Tracking
- Expiry Alerts
- Dashboard & Records
- ERP Software

Business Goals

How is the product going to benefit the company?
What are the business goals?

- Match donations and drivers faster
- Reduce food waste
- Reduce workload on middleman
- Spend less time on each process
- Record tax-deductible donation receipts
- Improve operational efficiency
- Maintain accurate donation records
- Support the organization's social impact
- Contribute to SDG 2 Zero Hunger

For: Director of Logistics in a non-profit organization

Who: wants to reduce food waste

The: Qwerty software **Is a:** web-based ERP software

That: will make match making more efficient, reduces the dependence on the middleman, reduce manual work.

Unlike: rely on phone calls and group chats to match donations manually, disorganized to keep up and track the progress on work in progress

Our product: will provide, web-based ERP system that is concise and easy to understand User-Interface (UI)

Scrum Product Canvas

Name

Qwerty Software

Vision Statement

To solve the global food issue, bridging the gap between surplus and shortage. Aiming for more sustainable and equitable food systems.

Persona

Name: Marisol Vega

Background: Coordinates surplus food pickups with donors, volunteer and food banks using a chaotic mix of calls, spreadsheets and group chats

Needs: Rapid donor-to-driver matching, real-time food bank capacity status and automated record-keeping without spending hours acting as a manual middleman



How persona live the product

Marisol monitors an operational web dashboard where surplus food logs trigger automatic driver dispatch suggestions based on driver location and food bank capacity.

Epics

- **Donation Matching** with pickup capacity in time.
- **Real-Time Tracking** on delivered food
- **Expiry Food Alerts** to manage in&out going
- **Dashboard & Record** on work in progress
- **Receipt & Reporting** for tax-deduction

Design

- **Dashboard:** Clean desktop layout focused on live maps and capacity metrics.
- **Web-Application:** Simplified layout with large buttons for volunteer drivers.
- **UX:** Minimal learning curve for non-tech-savvy volunteers.

Constraint


- Varying technical comfort levels among volunteer drivers.
- Strict time sensitivity due to highly perishable food.
- Fluctuating volunteer driver availability and capacity.

User Stories

- **US01:** As a Logistics Director, I want to view real-time food bank storage capacity so that surplus food is never sent to an overloaded facility.
- **US02:** As a Logistics Director, I want automated driver-matching suggestions so that I can eliminate manual messaging and group chats.
- **US03:** As a Volunteer Driver, I want a one-tap run acceptance interface so that I can quickly claim pickup runs on my phone.
- **US04:** As a Food Donor, I want to upload food surplus details in under 30 seconds so that nearby drivers are instantly notified before items spoil.
- **US05:** As a Food Donor, I want to receive a receipt showing my donation's weight and contents so that I have records for tax documentation.
- **US06:** As a Food Donor, I want to enter a pickup time window when logging a donation so that drivers know when the food will be ready for collection.
- **US07:** As a Logistics Director, I want automated ETA alerts for incoming deliveries so that food banks can prepare to receive donations on time.
- **US08:** As a Logistics Director, I want predictive food decay logging so that I can prioritize the most time-sensitive donations before they spoil.

Story Map

Story map of Qwerty Software



Backlogs

Product Backlog with Sizing

Prioritized Product Backlog with Sizing

Priority	Story ID	Story Name	Acceptance Criteria	Size	Sprint
1	US1a	Log a donation	Given a donor, when they submit food type, quantity, and expiry date/time, then the donation appears in the matching queue within 1 minute.	20	Sprint 1
2	US1b	Auto-match donation to a food bank	Given an open donation, when a food bank within delivery range has reported capacity, then the system proposes a match within 2 minutes.	40	Sprint 1
3	US6	Select a pickup time window	Given a donor is logging a donation, when they choose a pickup time window from available slots, then the window is attached to the donation record and shown on driver dispatch feeds.	13	Sprint 1
4	US2a	Track pickup status	Given a matched donation, when a driver marks it "Picked Up," then the timestamp and driver ID are recorded and visible to the receiving food bank.	8	Sprint 1
5	US2b	Track delivery status with proof	Given a picked-up donation, when a driver marks it "Delivered," then a delivery timestamp and digital proof (photo or signature) are attached to the donation record.	20	Sprint 1
6	US5a	Generate automatic digital donation receipt	Given a donation marked "Delivered," when delivery is confirmed, then a digital receipt with recorded weight, food type, and timestamp is auto generated and emailed to the donor.	5	Sprint 1
7	US3a	Check and flag expiry dates	Given a logged donation, when its expiry date is within 24 hours, then it is automatically flagged "urgent" in the matching queue.	8	Sprint 1

Prioritized Product Backlog with Sizing

Priority	Story ID	Story Name	Acceptance Criteria	Size	Sprint
8	US3b	Receive notifications for items approaching expiration	Given a donation flagged "urgent," when 24/12/2 hours remain before expiry, then assigned staff and drivers receive a notification.	13	Sprint 2
9	US4a	View central dashboard	As a Director of Logistics, I want a dashboard of open, matched, and delivered donations, so I can see today's rescue activity briefly. Updates in near-real time; filterable by donor, food bank, and status.	13	Sprint 2
10	US4b	Driver activity log with pickup	Given the Central Dashboard, when a Logistics Director opens the driver activity view, then a log of each driver's accepted, picked up, and delivered runs is shown, sorted by most recent.	20	Sprint 2
11	US5b	Exportable monthly tax summary	As a donor business, I want to export a monthly summary of my donation receipts, so I can use it for tax documentation. Available as PDF and CSV, filterable by month.	5	Sprint 2
12	US7	Automated ETA alerts	Given a driver, when the driver app sends GPS data, then the system displays the driver's current location within 1 minute.	20	Sprint 2
13	US8	Predictive food decay logging	Given the required data sources are identified, when the algorithm processes the data, then it produces the expected result accurately.	40	Sprint 2

1st Sprint Backlog

1st Sprint Backlog

ID	User Story	Tasks	Owner	Status	Estimated effort
US1a	Log a donation: Given a donor, when they submit food type, quantity, and expiry date/time, then the donation appears in the matching queue within 1 minute.	Build donation entry form UI	PRATANIN KAHTEPMUD	To-Do	8
		Implement donation queue ingestion backend logic	SIRAPASSORN POKASERMSONG	To-Do	8
		QA test donation creation and queue timing	SAKKARAJ TUVAJIT	To-Do	4
US1b	Auto-match donation to a food bank: Given an open donation, when a food bank within delivery range has reported capacity, then the system proposes a match within 2 minutes.	Develop matching algorithm based on proximity	SIRAPASSORN POKASERMSONG	To-Do	12
		Develop matching algorithm based on capacity	JIRATHIWAT SUNTIPREEDATHAM	To-Do	8
		Integrate matching service with queue triggers	PRATANIN KAHTEPMUD	To-Do	12
		QA test auto-matching performance and criteria	SAKKARAJ TUVAJIT	To-Do	8
US6	Given a donor is logging a donation, when they choose a pickup time window from available slots, then the window is attached to the donation record and shown on driver dispatch feeds.	Add pickup time window UI component	PRATANIN KAHTEPMUD	To-Do	5
		Connect time window selection to dispatch feed	SIRAPASSORN POKASERMSONG	To-Do	5
		QA test time slot validation and feed updates	SAKKARAJ TUVAJIT	To-Do	3
US2a	Given a matched donation, when a driver marks it "Picked Up," then the timestamp and driver ID are recorded and visible to the receiving food bank.	Build driver pickup endpoint and status update logic	SIRAPASSORN POKASERMSONG	To-Do	4
		Update food bank view to display pickup details	PRATANIN KAHTEPMUD	To-Do	2
		QA test pickup status transition and notifications	SAKKARAJ TUVAJIT	To-Do	2

1st Sprint Backlog

ID	User Story	Tasks	Owner	Status	Estimated effort
US2b	Track delivery status with proof: Given a picked-up donation, when a driver marks it "Delivered," then a delivery timestamp and digital proof (photo or signature) are attached to the donation record.	Build delivery confirmation API with photo or signature attachment	SIRAPASSORN POKASERMSONG	To-Do	10
		Render delivery proof & timestamp in food bank portal	PRATANIN KAHTEPMUD	To-Do	8
		QA end-to-end delivery confirmation and proof upload	SAKKARAJ TUVAJIT	To-Do	2
US5a	Generate automatic digital donation receipt: Given a donation marked "Delivered," when delivery is confirmed, then a digital receipt with recorded weight, food type, and timestamp is auto generated and emailed to the donor.	Implement PDF receipt generation (weight, food type, timestamp) and email service	JIRATHIWAT SUNTIPREEDATHAM	To-Do	3
		QA test receipt content (weight, food type, timestamp) and email deliverability	SAKKARAJ TUVAJIT	To-Do	2
US3a	Check and flag expiry dates: Given a logged donation, when its expiry date is within 24 hours, then it is automatically flagged "urgent" in the matching queue.	Build expiry date monitor background job	JIRATHIWAT SUNTIPREEDATHAM	To-Do	5
		QA test urgent status flagging triggers	SAKKARAJ TUVAJIT	To-Do	3
Total					**114**

Definition of Done

- Code is written, peer-reviewed, and merged to the main branch
- Acceptance criteria (as written per user story, e.g. US1a, US1b) are met and verified
- Unit and QA tests pass, including the specific test cases your QA owner runs per story
- Feature is tested across the relevant interface (dashboard, driver app, donor portal)
- No critical or blocking bugs remain open
- Documentation/notes updated where relevant (e.g. API endpoints, dashboard fields)
- Feature deployed to staging/demo environment and demoed to the Scrum team or Product Owner
- Product Owner has reviewed and accepted the story

Team Metrics

Team Capacity

Estimated Team Capacity

Person	Name	Days Available	Days for Other Scrum Activities	Hours per Day	Available Effort-Hours
Scrum Master	NAPAT TAYOMMAI	10	1	3-4	27 – 36
Dev 1	PRATANIN KAHTEPMUD	9	1	4-5	32 – 40
Dev 2	SIRAPASSORN POKASERMSONG	11	1	2-4	20 – 40
Dev 3	JIRATHIWAT SUNTIPREEDATHAM	10	1	3-5	27 – 45
QA 1	SAKKARAJ TUVAJIT	12	1	3-4	33 - 44
Total					139 – 205

Sprint Velocity

Velocity

Sprint	Target Velocity	Actual Velocity
Sprint 1	114	TBD
Sprint 2	TBD	TBD

THANK YOU

Qwerty
Project Presentation I