

Source Code

Home Page <http://localhost:4200/home>

```
<!--head-->
<!DOCTYPE html>
<html lang="en">

<head>
  <title>Footer</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css">
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
  <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"><
/script>
  <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.1.3/js/bootstrap.min.js"></scrip
t>
  <link
href="https://fonts.googleapis.com/css?family=Playfair+Display:400,700,900"
rel="stylesheet">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <link href="https://fonts.googleapis.com/css?family=Roboto:100,300,400,500,700"
rel="stylesheet">
  <link href="//maxcdn.bootstrapcdn.com/bootstrap/4.1.1/css/bootstrap.min.css"
rel="stylesheet" id="bootstrap-css">
  <script
src="//maxcdn.bootstrapcdn.com/bootstrap/4.1.1/js/bootstrap.min.js"></script>
  <script
src="//cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
</head>
<!--head-->

<nav class=" navbar navbar-expand-lg navbar-dark" style="background-color:rgb(21,
20, 20)">
```

```

<div class="container-fluid">
  <a class="navbar-brand" href="#">
    
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bs-target="#navbarSupportedContent"
    aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
          <a [routerLink]="['/home']" style="color:floralwhite;font-size:medium;"
class="nav-link active"
          aria-current="page"><i class="fa fa-home"></i>Home</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/vegsample']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i
            class="fa fa-cutlery"></i>Food Items</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/aboutsampl']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i
            class="fa fa-user-secret"></i>About us</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/contactsample']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i
            class="fa fa-phone-square"></i>Contact us</a>
        </li>

      </ul>
      <ul class="navbar-nav ml-auto">

        <li class="nav-item">
          <a [routerLink]="['/register']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i
            class="fa fa-user-plus"></i>&nbsp;Register</a>
        </li>
        <li class="nav-item">

```

```

        <a [routerLink]="['/login']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i
        class="fa fa-sign-in"></i>&nbsp;Login</a>
    </li>
</ul>
</div>
</div>
</nav>

<div class="container-fluid my-1">
    <div id="carouselExampleCaptions" class="carousel slide" data-bs-
ride="carousel">
        <div class="carousel-indicators">
            <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-
slide-to="0" class="active"
                aria-current="true" aria-label="Slide 1"></button>
            <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-
slide-to="1"
                aria-label="Slide 2"></button>
            <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-
slide-to="2"
                aria-label="Slide 3"></button>
        </div>
        <div class="carousel-inner">
            <div class="carousel-item active">
                
                <div class="carousel-caption d-none d-md-block">
                    <h5>Welcome to Gopi's Kitchen Story</h5>
                    <p>Store delivering fresh vegetables direct from Farms.</p>
                </div>
            </div>
            <div class="carousel-item">
                
                <div class="carousel-caption d-none d-md-block">
                    <h5>Wanna Stay healthy</h5>
                    <p>Order from several healthier vegies and fruits.</p>
                    <button type="button" class="btn btn-success" (click)="order()">Order
Now</button>
                </div>
            </div>
            <div class="carousel-item">
                

```

```

        <div class="carousel-caption d-none d-md-block">
            <h5>Stay healthy Stay happy & Grab a basket!</h5>
            <p>choose your favourite fruits from wide range of products.</p>
        </div>
    </div>
</div>
    <button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleCaptions" data-bs-slide="prev">
        <span class="carousel-control-prev-icon" aria-hidden="true"></span>
        <span class="visually-hidden">Previous</span>
    </button>
    <button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleCaptions" data-bs-slide="next">
        <span class="carousel-control-next-icon" aria-hidden="true"></span>
        <span class="visually-hidden">Next</span>
    </button>
</div>
</div>

<div class="container mt-3 mb-3">
    <h1 class="text-center"> Order <span class="highlight">fresh fruits and
Vegetables</span> in 3 easy steps</h1>
    <div class="row mt-3">
        <!-- one -->
        <div class="col-lg-4 mt-2">
            <div class="stepBox">
                <h1>1</h1>
                <p>select your item</p>
            </div>
        </div>
        <!-- two -->
        <div class="col-lg-4 mt-2">
            <div class="stepBox">
                <h1>2</h1>
                <p>fill the required details</p>
            </div>
        </div>
        <!-- three -->
        <div class="col-lg-4 mt-2">
            <div class="stepBox">
                <h1>3</h1>
                <p>Out for delivery</p>
            </div>
        </div>
    </div>
</div>

```

```

</div>
<div class="container my-3">
  <div class="text-center">
    <h1>Vendors Sayings: <span class="do">#TheOpinionMatters</span></h1>
  </div>
  <div class="card-group">
    <div class="card m-2">
      
      <div class="card-body">
        <p style="color: rgba(145, 69, 69, 0.852);"><b>Ratings: </b><span class="sonu">&#9733;&#9733;&#9733;&#9733;&#9733;</span></p>
        <p class="card-text">Started watermelon business and till date loved the process as every time got fresh delivery.</p>
        <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
      </div>
    </div>
    <div class="card m-2">
      
      <div class="card-body">
        <p style="color: rgb(161, 0, 0);"><b>Ratings: </b><span class="sonu">&#9733;&#9733;&#9733;&#9733;&#9733;</span></p>
        <p class="card-text">Started Fruit Bucket business and JasKitchen helped me each and every time by providing on-time fresh fruits and vegies.</p>
        <p class="card-text"><small class="text-muted">Last updated 1 mins ago</small></p>
      </div>
    </div>
    <div class="card m-2">
      
      <div class="card-body">
        <p style="color: rgb(137, 11, 11);"><b>Ratings: </b><span class="sonu">&#9733;&#9733;&#9733;&#9733;&#9733;</span></p>
        <p class="card-text">Opened a fruit shop and my customers loves the freshness and quality of fruits and juices provided by me, all thanks to JasKitchen</p>
        <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
      </div>
    </div>
  </div>

```

```
</div>
</div>
</div>

<div class="container">
  <div>
    <h4 style="color:rgb(13, 48, 2);font-family:cursive;">Fresh Vegetables &
    Fruits Online</h4>
    <p>A variety of options are available in all categories in one place for you
    to purchase and it is called Kitchen
      story. Here, you can find the best options at low prices, from fresh fruit
    to vegetables.<span class="inju"></span> Since, green vegetables
      provide the protein and vitamins needed by the body, people choose to buy
    vegetables and eat them, in their daily
      eating habits. On the kitchen story website, you can find a whole list of
    vegetables, which can be found in the
      regular vegetable markets. For the comfort of your home, you can buy fresh
    vegetables and fruits. Prices for each
      vegetable and fruit, compared to other retailers, will be highly
    competitive. Different roaming is provided to
      make customers, make smarter decisions, when it comes to purchasing.
    Options that can be found on the website,
      include children's vegetables, Indian vegetables such as lobster etc.
    Buying vegetables and fruitsonline is the
      best choice. Vegetable prices are affordable and delight the consumer to
    revisit the site and purchase their basic
      needs, if needed. Instead of standing in long lines or getting stuck in
    traffic to buy vegetables and fruits, the
      wise course is to shop online. Sufficient time can be saved. All you have
    to do is add all the vegetables, fruit,
      whatever you need, cart and place your order. Your order will reach you
    shortly at your door. Vegetables are a
      staple food that should be included in our daily diet to get the various
    benefits that everyone can enjoy. As
      schedules become very busy during the day, people do not have time to buy
    vegetables and cook and thus turn to
      fast food and packaged foods to eat. This lifestyle will have a negative
    impact on our health over time. Now you
      can save time and buy your groceries with the online Kitchen story online
    store.</p>
```

```
<h5>To make safe and healthier choices, order online on Jaskitchenstory and
have it delivered to your house.</h5>
</div>
</div>
<br>
<!-- footer-->

<footer class="container-fluid bg-grey py-5">
  <div class="container">
    <div class="row">
      <div class="col-md-6">
        <div class="row">
          <div class="col-md-6 ">
            <div class="logo-part">
              
              <div class="container mx-2">
                <span class="fa fa-star checked"></span>
                <span class="fa fa-star checked"></span>
                <span class="fa fa-star checked"></span>
                <span class="fa fa-star checked"></span>
                <span class="fa fa-star"></span>
              </div>
              <p>2022 Gopi's Kitchen Story</p>
              <p>To make safe and healthier choices, order online on website and
have it delivered to your house.</p>
            </div>
          </div>
        </div>
      <div class="col-md-6 px-4">
        <h6> About Company</h6>
        <p>A fruits and vegies company established in 1982 for fulfillment to
food items across nation</p>
        <a [routerLink]="['/aboutsampl']" class="btn-footer"> More Info
</a><br>
        <a [routerLink]="['/contactsampl']" class="btn-footer"> Contact
Us</a>
      </div>
    </div>
  </div>
  <div class="col-md-6">
    <div class="row">
      <div class="col-md-6 px-4">
        <h6> Know Us More</h6>
```

```
<div class="row ">
  <div class="col-md-6">
    <ul>
      <li> <a [routerLink]="['/home']"> Home</a> </li>
      <li> <a [routerLink]="['/aboutsampl']"> About</a> </li>
      <li> <a [routerLink]="['/contactsampl']"> Contact</a> </li>
    </ul>
  </div>
</div>
<div class="col-md-6 ">
  <h6> Explore</h6>
  <div class="social">
    <a href="https://www.facebook.com/" target="_blank"><i class="fa
fa-facebook" aria-hidden="true"></i></a>
    <a href="https://www.instagram.com/?hl=en" target="_blank"><i
class="fa fa-instagram"
    aria-hidden="true"></i></a>
  </div>
  <br>
  <p> Gopi's Kitchen story </p>
</div>
</div>
</div>
</div>

<router-outlet></router-outlet>
```

VegSample : <http://localhost:4200/vegsample>

```
<nav class=" navbar navbar-expand-lg navbar-light" style="background-
color:black">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">
      <img
src="https://cdn.dribbble.com/users/2826392/screenshots/5621245/media/f78454282b3
```



```

ca8c4e31b10d75a38868a.jpg?compress=1&resize=1000x750&vertical=top" height="30px"
width="30px">
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0">
            <li class="nav-item">
                <a [routerLink]="['/home']" style="color:floralwhite;font-
size:medium;" class="nav-link active" aria-current="page"><i class="fa fa-
home"></i>Home</a>
            </li>
            <li class="nav-item">
                <a [routerLink]="['/vegsample']" style="color:floralwhite;font-
size:medium;" class="nav-link active" aria-current="page"><i class="fa fa-
leaf"></i>vegetables</a>
            </li>
            <li class="nav-item">
                <a [routerLink]="['/fruitsample']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i class="fa fa-lemon-o"></i>Fruits</a>
            </li>
            <li class="nav-item">
                <a [routerLink]="['/abouts.sample']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i class="fa fa-user-secret"></i>About us</a>
            </li>
            <li class="nav-item">
                <a [routerLink]="['/contactsample']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i class="fa fa-phone-square"></i>Contact us</a>
            </li>
        </ul>
        <ul class="navbar-nav ml-auto">
            <li class="nav-item">
                <a [routerLink]="['/register']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i class="fa fa-user-plus"></i>&nbsp;Register</a>
            </li>
            <li class="nav-item">
                <a [routerLink]="['/login']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i class="fa fa-sign-in"></i>&nbsp;Login</a>
            </li>
        </ul>
    </div>
</div>

```

```

</nav>
<br>

    <div class="container" style="margin-top:20px;">
        <input class="form-control me-3" type="search" placeholder="Search
here" [(ngModel)]="searchterm" aria-label="Search" color="green">
    </div>
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"><
/script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></scrip
t>

    <div class="container kunjan" style="margin-top:20px;">
        <div class="row card-group">
            <div *ngFor='let mov of searchedItems' class="col-lg-3 col-md-4 col-sm-
6 col-xs-12" style="width: 17rem;">
                <div class="card mt-4 ">
                    <img [src]='mov.vegetableimg' class="card-img-top" alt="..."
width="300px" height="200px">
                    <div class="card-body mt-0">
                        <h5 class="card-title"> <h4 style="color:rgb(1, 133,
28)">{{mov.vegetablename}} </h4></h5>
                    </div>
                    <ul class="list-group list-group-flush">
                        <li class="list-group-item"><h5 style="color: rgb(163, 0,
0);">{{mov.vegetablecost|currency:"INR"}}/kg</h5></li>
                    </ul>
                    <div class="card-body">
                        <a class="card-link"><button (click)="addtocart()" class="btn btn-
info ajj" style="background-color: black;">&nbsp;&nbsp;&nbsp;Order Now</button></a>

                    </div>
                </div>
            </div>
        </div>
        <router-outlet></router-outlet>

```

Fruits <http://localhost:4200/fruitsample>

```
<nav class=" navbar navbar-expand-lg navbar-light" style="background-
color:black">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">
      
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
          <a [routerLink]="['/home']" style="color:floralwhite" class="nav-
link active" aria-current="page"><i class="fa fa-home"></i>Home</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/vegsample']" style="color:floralwhite"
class="nav-link active" aria-current="page"><i class="fa fa-
leaf"></i>vegetables</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/fruitsample']" style="color:floralwhite"
class="nav-link active" aria-current="page"><i class="fa fa-lemon-
o"></i>Fruits</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/aboutsampl']" style="color:floralwhite"
class="nav-link active" aria-current="page"><i class="fa fa-leaf"></i>About
us</a>
        </li>
        <li class="nav-item">
```

```

        <a [routerLink]="['/contactsample']" style="color:floralwhite"
class="nav-link active" aria-current="page"><i class="fa fa-leaf"></i>Contact
us</a>
    </li>
</ul>
    <ul class="navbar-nav ml-auto">
        <li class="nav-item">
            <a
[routerLink]="['/register']" style="color:floralwhite" class="nav-link"><i
class="fa fa-user-plus"></i>&nbsp;Register</a>
        </li>
        <li class="nav-item">
            <a [routerLink]="['/login']" style="color:floralwhite" class="nav-
link"><i class="fa fa-sign-in"></i>&nbsp;Login</a>
        </li>
    </ul>
</div>
</div>
</nav>
<br>

    <div class="container" style="margin-top:20px;">
        <input class="form-control me-3" type="search" placeholder="Search
here" [(ngModel)]="searchterm" aria-label="Search" color="green">
    </div>

    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"><
/script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></scrip
t>

    <div class="container kunjan" style="margin-top:20px;">
        <div class="row card-group">
            <div *ngFor='let mov of searchedItems' class="col-lg-3 col-md-4 col-sm-6
col-xs-12" style="width: 17rem;">
                <div class="card mt-4 " >
                    <img [src]='mov.fruiting' class="card-img-top" alt="..." width="300px"
height="200px">

```

```
        <div class="card-body">
          <h5 class="card-title"><h4 style="color:rgb(1, 130, 26)"
>{{mov.fruitname}}</h4></h5>
        </div>
        <ul class="list-group list-group-flush">
          <li class="list-group-item"><h5 style="color: rgb(125, 2,
2);">{{mov.fruitcost|currency:"INR"}}/kg</h5></li>
        </ul>
        <div class="card-body">
          <a class="card-link"><button (click)="addtocart1()" class="btn btn-
info ajj" style="background-color: black">&nbsp;&nbsp;&nbsp;Order Now</button></a>

        </div>
      </div>
    </div>
    <router-outlet></router-outlet>
```

About Us: <http://localhost:4200/aboutsample>

```
<html>

<body>
  <nav class=" navbar navbar-expand-lg navbar-light" style="background-
color:black">
    <div class="container-fluid">
      <a class="navbar-brand" href="#">
        
        </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent"
        aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
```

```

<div class="collapse navbar-collapse" id="navbarSupportedContent">
  <ul class="navbar-nav me-auto mb-2 mb-lg-0">
    <li class="nav-item">
      <a [routerLink]="['/home']" style="color:floralwhite;font-size:medium;" class="nav-link active"
        aria-current="page"><i class="fa fa-home"></i>Home</a>
    </li>
    <li class="nav-item">
      <a [routerLink]="['/vegsample']" style="color:floralwhite;font-size:medium;" class="nav-link active"
        aria-current="page"><i class="fa fa-leaf"></i>vegetables</a>
    </li>
    <li class="nav-item">
      <a [routerLink]="['/fruitsample']" style="color:floralwhite;font-size:medium;" class="nav-link"><i
        class="fa fa-lemon-o"></i>Fruits</a>
    </li>
    <li class="nav-item">
      <a [routerLink]="['/contactsample']" style="color:floralwhite;font-size:medium;" class="nav-link"><i
        class="fa fa-phone-square"></i>Contact us</a>
    </li>
  </ul>
  <ul class="navbar-nav ml-auto">
    <li class="nav-item">
      <a [routerLink]="['/register']" style="color:floralwhite;font-size:medium;" class="nav-link"><i
        class="fa fa-user-plus"></i>&nbsp;Register</a>
    </li>
    <li class="nav-item">
      <a [routerLink]="['/login']" style="color:floralwhite;font-size:medium;" class="nav-link"><i
        class="fa fa-sign-in"></i>&nbsp;Login</a>
    </li>
  </ul>
</div>
</div>
</nav>

<div class="container">
  <!-- <div class="image-aboutus-banner" style="margin-top:10px"> -->
  <div class="image-aboutus-banner" style="margin-top:10px">
    <div class="container">
      <div class="row">

```

```
<div class="col-md-12 kujj">
  <h1 class="lg-text">About Us</h1>
  <p class="image-aboutus-para">We provide Food items like vegetables
and Fruits.</p>
</div>
</div>
</div>
<br />
<br />
<div class="container">
  <b>For more than 50 years, we've been making Connecticut families happy to
come home.</b><br><br><br>

  <p><i>How we do that is only part of the story. Why we do it - the reason
we're so committed to quality, honesty,
  integrity and total client satisfaction - is rooted in our company's
history.

<br>
<br>

  <b>The Kitchen Company was founded in 1953 when Gopi Kalyan wasn't born, a
sales rep for Republic Steel and a veteran of both
  WWII and the Korean War, recognized the growing demands of the post-war
housing market.
</b>
<br>
<br>

  Anonymous (father to current owners/designers) began selling premade
kitchen cabinetry
  wholesale to builders from a warehouse on Old Broadway in North Haven. He
was a patient, fair and hardworking
  employer - someone who always took the high road, who looked out for
contractors and vendors as much as he did his
  own employees.<br>
  <br>

  Over time, the company evolved with the needs of the market and its
clients, transforming from a wholesale
  distributor to a retail kitchen design firm. Yet Fecke's founding values
never wavered.</i></p>
```

Today, those values are the standard that all The Kitchen Company employees are expected to meet, and they live on

in the company's value statement:

 Honesty to the customer and employees

Ethical behavior

Integrity

 Politeness in every situation

Conduct business with manners

 “We were able to learn the business from the ground up, alongside some of the most highly regarded professionals

in the field,” said John Fecke. “It’s our responsibility – and our mission – to maintain The Kitchen Company’s

reputation as one of the best kitchen design businesses in Connecticut.”

</div>

<div class="container">

<p style="color: rgb(19, 67, 5);font-size:3rem;" class="text-center">Our Clients</p>

<marquee behavior="scroll" direction="left" scrollamount="5" loop="infinite">


```
        
        
        
        
    </marquee>

    </div>

</div>
</body>
<br>
<br><br>
<br>
<footer>
    <div class="text-center p-3" style="background-color:rgb(151, 150, 150)">
        © 2022 Copyright:

        <a [routerLink]="['/home']" style="color:white;text-decoration: none;">
Gopi's Kitchen Story.com</a>

    </div>
</footer>

</html>
```

Contact Us: <http://localhost:4200/contactsample>

```
<html>
<body>
    <nav class=" navbar navbar-expand-lg navbar-light" style="background-
color:black">
        <div class="container-fluid">
            <a class="navbar-brand" href="#">
                
            </a>
```

```

        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0">
            <li class="nav-item">
                <a [routerLink]="['/home']" style="color:floralwhite;font-
size:medium;" class="nav-link active" aria-current="page"><i class="fa fa-
home"></i>&nbsp;&nbsp;Home</a>
            </li>
            <li class="nav-item">
                <a [routerLink]="['/vegsample']" style="color:floralwhite;font-
size:medium;" class="nav-link active" aria-current="page"><i class="fa fa-
leaf"></i>&nbsp;&nbsp;vegetables</a>
            </li>
            <li class="nav-item">
                <a [routerLink]="['/fruitsample']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i class="fa fa-lemon-o"></i>&nbsp;&nbsp;Fruits</a>
            </li>
            <li class="nav-item">
                <a [routerLink]="['/aboutsamle']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i class="fa fa-user-secret"></i>&nbsp;&nbsp;About
us</a>
            </li>

        </ul>
        <ul class="navbar-nav ml-auto">
            <li class="nav-item">
                <a [routerLink]="['/register']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i class="fa fa-user-plus"></i>&nbsp;&nbsp;Register</a>
            </li>
            <li class="nav-item">
                <a [routerLink]="['/login']" style="color:floralwhite;font-
size:medium;" class="nav-link"><i class="fa fa-sign-in"></i>&nbsp;&nbsp;Login</a>
            </li>
        </ul>
    </div>
</div>
</nav>
<div class="image-aboutus-banner" style="margin-top:10px">
    <div class="container">
        <div class="row">
            <div class="col-md-12">

```

```

        <h1 class="lg-text">Contact Us</h1>
        <p class="image-aboutus-para">To make safe and healthier choices,
order online on website and have it delivered to your house.</p>
    </div>
</div>
</div>
</div>
<br/>

<div class="container">
    <h2 class="h1-responsive font-weight-bold text-center my-4">Contact
us</h2>
    <p class="text-center w-responsive mx-auto mb-5"> <b>Do you have any
questions? Please do not hesitate to contact us directly. Our team will come back
to you within
    48 hours to help you.</b></p>
    <div class="row">
        <div class="col-md-9 mb-md-0 mb-5">
            <form id="contact-form" name="contact-form" action="mail.php"
method="POST">
                <div class="row">
                    <div class="col-md-6">
                        <div class="md-form mb-0">
                            <input type="text" id="name" name="name" class="form-
control">
                                <label for="name" class="" placeholder="Enter your
name...">Your name</label>
                            </div>
                        </div>
                    <div class="col-md-6">
                        <div class="md-form mb-0">
                            <input type="text" id="email" name="email"
class="form-control">
                                <label for="email" class="" placeholder="Enter your
email...">Your email</label>
                            </div>
                        </div>
                    </div>
                    <div class="row">
                        <div class="col-md-12">
                            <div class="md-form mb-0">
                                <input type="text" id="subject" name="subject"
class="form-control">
                                    <label for="subject" class="" placeholder="Enter your
address...">Address</label>

```

```

        </div>
    </div>
    <div class="row">
        <div class="col-md-12">
            <div class="md-form mb-0">
                <input type="text" id="subject" name="subject"
class="form-control">
                <label for="subject" class="" placeholder="Enter
subject...">Subject</label>
            </div>
        </div>
    </div>
    <div class="row">
        <div class="col-md-12">
            <div class="md-form">
                <textarea type="text" id="message" name="message"
rows="2" class="form-control md-textarea"></textarea>
                <label for="message">Your message</label>
            </div>
        </div>
    </div>
</form>
<div class="text-center text-md-left">
    <a class="btn btn-info"
onclick="document.getElementById('contact-form').submit();">Send</a> &nbsp;&nbsp;&nbsp;
    <a [routerLink]="['/home']" class="btn btn-info">Back</a>

</div>
<div class="status"></div>
</div>
<div class="col-md-3 text-center">
    <ul class="list-unstyled mb-0">
        <li><i class="fa fa-map"></i>
            <p>Hyderabad, Telangana</p>
        </li>

        <li><i class="fa fa-phone"></i>
            <p>+91 8125160166</p>
        </li>

        <li><i class="fa fa-envelope"></i>
            <p>Gopi@teksystems.com</p>

```

```
        </li>
      </ul>
    </div>
  </div>
</div>
</body>
<br>
<footer>
  <div class="text-center p-3" style="background-color:rgb(151, 150, 150)">
    © 2022 Copyright:

    <a [routerLink]="['/home']" style="color:white;text-decoration:
none;">Gopi's Kitchen story.com</a>

  </div>
</footer>
</html>
<router-outlet></router-outlet>
```

Register: <http://localhost:4200/register>

```
<html>
  <body>
<nav class=" navbar navbar-expand-lg navbar-light" style="background-
color:black">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">
      
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
          <a [routerLink]="['/home']" style="color:floralwhite" class="nav-
link active" aria-current="page"><i class="fa fa-home"></i>Home</a>
        </li>
        <li class="nav-item">
```

```

        <a [routerLink]="['/vegsample']" style="color:floralwhite"
class="nav-link"><i class="fa fa-cutlery"></i>Food Items</a>
    </li>
    <li class="nav-item">
        <a [routerLink]="['/aboutsampl']" style="color:floralwhite"
class="nav-link" ><i class="fa fa-user-secret"></i>About us</a>
    </li>
    <li class="nav-item">
        <a [routerLink]="['/contactsample']"
style="color:floralwhite" class="nav-link" ><i class="fa fa-phone-square"
></i>Contact us</a>
    </li>
</ul>
<ul class="navbar-nav ml-auto">
    <li class="nav-item">
        <a [routerLink]="['/login']" style="color:floralwhite" class="nav-
link"><i class="fa fa-sign-in"></i>&nbsp;Login</a>
    </li>
</ul>
</div>
</div>
</nav>
<br>

<div class="card container">
    <div class="card-header heading" align="center">
        <h5>New User - Register here!</h5>
    </div>
<div class="card-body">
    <form novalidate (ngSubmit)="save(regForm)" #regForm="ngForm" >

        <!-- firstname -->
        <div class="form-group row mb-2">
            <label class="col-md-2 col-form-label" for="firstNameId">First Name
: </label>
            <div class="col-md-8">
                <input type="text" required
id="firstNameId"
minlength="4"
name="firstName"
[(ngModel)]=register.firstName
#firstNameVar="ngModel"
[ngClass]='{'is-
invalid':(firstNameVar.touched||firstNameVar.dirty)&&!firstNameVar.valid}'/>

```

```

        <span class="invalid-feedback">
            <span *ngIf=firstNameVar.errors?.required>
                The first name is required
            </span>
        </span>

        <span *ngIf=firstNameVar.errors?.minlength>
            The first name should be 4 characters long
        </span>
    </span>
</div>
</div>
<!-- lastname -->
<div class="form-group row mb-2">
    <label class="col-md-2 col-form-label" for="lastNameId">Last Name
: </label>
    <div class="col-md-8">
        <input type="text" required
            id="lastNameId"
            minlength="4"
            name="lastName"
            [(ngModel)]=register.lastName
            #lastNameVar="ngModel"
            [ngClass]="{'is-
invalid':(lastNameVar.touched||lastNameVar.dirty)&&!lastNameVar.valid}"/>

        <span class="invalid-feedback">
            <span *ngIf=lastNameVar.errors?.required>
                The last name is required
            </span>

            <span *ngIf=lastNameVar.errors?.minlength>
                The last name should be 4 characters long
            </span>
        </span>
    </div>
</div>
</div>
<!-- email -->
<div class="form-group row mb-2">
    <label class="col-md-2 col-form-label" for="emailId">Email :</label>
    <div class="col-md-8">
        <input type="text" required
            id="emailId"
            name="email"
            [(ngModel)]=register.email
            #email="ngModel"

```

```

        pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,4}$"
        [ngClass]="{'is-
invalid':(email.touched||email.dirty)&&!email.valid}"/>

        <span class="invalid-feedback">
            <span *ngIf=email.errors?.required>
                Email is required
            </span>

            <span *ngIf=email.errors?.pattern>
                please enter valid email format
            </span>
        </span>
    </div>
</div>

<!-- mobile -->
<div class="form-group row mb-2">
    <label class="col-md-2 col-form-label" for="mobileId">Mobile
:</label>
    <div class="col-md-8">
        <input type="text" required
            id="mobileId"
            name="mobile"
            [(ngModel)]=register.mobile
            #mobile="ngModel"
            pattern="^((\\+91-?)|0)?[0-9]{10}$"
            [ngClass]="{'is-
invalid':(mobile.touched||mobile.dirty)&&!mobile.valid}"/>

        <span class="invalid-feedback">
            <span *ngIf=mobile.errors?.required>
                Mobile is required
            </span>

            <span *ngIf=mobile.errors?.pattern>
                please enter Mobile email format
            </span>
        </span>
    </div>
</div>
<button class="btn btn-success" type="submit"
[disabled]="!regForm.valid">submit</button>
</form>
</div>

```



```
</div>
<br><br><br><br><br><br>
<footer>
  <div class="text-center p-3" style="background-color:rgb(151, 150, 150)">
    © 2022 Copyright:

    <a [routerLink]="['/home']" style="color:white;text-decoration:
none;">Gopi's Kitchen story.com</a>

  </div>
</footer>
</body>
</html>
```

Login: <http://localhost:4200/login>

```
<html>
  <body>
    <nav class=" navbar navbar-expand-lg navbar-light" style="background-
color:black">
      <div class="container-fluid">
        <a class="navbar-brand" href="#">
          
          </a>
          <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
            <span class="navbar-toggler-icon"></span>
          </button>
          <div class="collapse navbar-collapse" id="navbarSupportedContent">
            <ul class="navbar-nav me-auto mb-2 mb-lg-0">
              <li class="nav-item">
                <a [routerLink]="['/home']" style="color:floralwhite"
class="nav-link active" aria-current="page"><i class="fa fa-home"></i>Home</a>
              </li>
              <li class="nav-item">
                <a [routerLink]="['/vegsample']" style="color:floralwhite"
class="nav-link"><i class="fa fa-cutlery"></i>Food Items</a>
              </li>
```

```

        <li class="nav-item">
            <a [routerLink]="['/aboutsampl']" style="color:floralwhite"
class="nav-link" ><i class="fa fa-user-secret"></i>About us</a>
        </li>
        <li class="nav-item">
            <a [routerLink]="['/contactsampl']"
style="color:floralwhite" class="nav-link" ><i class="fa fa-phone-square"
></i>Contact us</a>
        </li>
    </ul>
    <ul class="navbar-nav ml-auto">
        <li class="nav-item">
            <a [routerLink]="['/register']" style="color:floralwhite"
class="nav-link"><i class="fa fa-user-plus"></i>&nbsp;Register</a>
        </li>
    </ul>
</div>
</div>
</nav>
<br>

<div class="card container ">
    <div class="card-header heading" align="center">
        <h5>New User - Login here!</h5>
    </div>
    <div class="card-body">
        <form novalidate (ngSubmit)="save(loginForm)" #loginForm="ngForm" >
            <!-- email -->
            <div class="form-group row mb-2">
                <label class="col-md-2 col-form-label" for="emailId">Email</label>
                <div class="col-md-8">
                    <input type="text" required
                    id="emailId"
                    name="email"
                    [(ngModel)]=login.email
                    #email="ngModel"
                    pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,4}$"
                    [ngClass]="{'is-
invalid':(email.touched||email.dirty)&&!email.valid}"
placeholder="gopikalyan@gmail.com"/>

                    <span class="invalid-feedback">
                        <span *ngIf=email.errors?.required>
                            Email is required
                        </span>
                    </span>
                </div>
            </div>
        </form>
    </div>
</div>

```

```

        <span *ngIf=email.errors?.pattern>
            please enter valid email format
        </span>
    </div>
</div>

<div class="form-group row mb-2">
    <label class="col-md-2 col-form-label"
for="passwordId">Password</label>
    <div class="col-md-8">
        <input type="password" required
            id="passwordId"
            name="password"
            [(ngModel)]=login.password
            #password="ngModel"
            minlength="7"
            [ngClass]="{'is-
invalid':(password.touched||password.dirty)&&!password.valid}"
            placeholder="gopi1234"/>

        <span class="invalid-feedback">
            <span *ngIf=password.errors?.required>
                Password is required
            </span>
            <span *ngIf=password.errors?.minlength>
                The Password should be 7 characters long
            </span>
        </span>
    </div>
</div>

    <button class="btn btn-success" type="submit"
[disabled]="!loginForm.valid">submit</button>
    <br>
    <h6>Not yet registered? please register here....<a
[routerLink]="['/register']"><button class="btn btn-
secondary">&nbsp;Register</button></a>

    </h6>
</form>
</div>

```

```
</div>
<br><br><br><br><br><br><br><br>
<footer>
  <div class="text-center p-3" style="background-color:rgb(151, 150, 150)">
    © 2022 Copyright:

    <a [routerLink]="['/home']" style="color:white;text-decoration:
none;">Gopi's Kitchen story.com</a>

  </div>
</footer>
</body>
</html>
```

Kitchen: <http://localhost:4200/kitchen>

```
<nav class=" navbar navbar-expand-lg navbar-light" style="background-
color:black">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">
      
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
          <a [routerLink]="['/kitchen']" style="color:floralwhite" class="nav-
link active" aria-current="page"><i class="fa fa-leaf"></i>vegetables</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/utensils']" style="color:floralwhite" class="nav-
link"><i class="fa fa-lemon-o"></i>Fruits</a>
        </li>
```

```

        <li class="nav-item">
          <a [routerLink]="['/about']" style="color:floralwhite" class="nav-link
active" aria-current="page"><i class="fa fa-user-secret"></i>About us</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/contact']" style="color:floralwhite" class="nav-
link active" aria-current="page"><i class="fa fa-phone-square"></i>Contact us</a>
        </li>
      </ul>
      <ul class="navbar-nav ml-auto">
        <li class="nav-item">
          <a [routerLink]="['/cart']" style="color:floralwhite" class="nav-
link"><i class="fa fa-shopping-cart"></i>&nbsp;My cart</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/home']" style="color:floralwhite" class="nav-
link"><i class="fa fa-sign-out"></i>&nbsp;Logout</a>
        </li>
      </ul>
    </div>
  </div>
</nav>
<br>

  <div class="container" style="margin-top:20px;">
    <input class="form-control me-3" type="search" placeholder="Search
here" [(ngModel)]="searchterm" aria-label="Search" color="green">
  </div>
<meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
  <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"><
/script>
  <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></scrip
t>

  <div class="container" style="margin-top:20px;">
    <div class="row card-group">
      <div *ngFor='let mov of searchedItems' class="col-lg-3 col-md-4 col-sm-6
col-xs-12" style="width: 17rem;">
        <div class="card mt-4 " >

```

```
        <img [src]='mov.vegetableimg' class="card-img-top" alt="..."
width="300px" height="200px">
        <div class="card-body">
            <h5 class="card-title"><h4 style="color:green">
{{mov.vegetablename}}</h4></h5>
        </div>
        <ul class="list-group list-group-flush">
            <li class="list-group-item"><h5
style="color:red">{{mov.vegetablecost|currency:"INR"}}/kg</h5></li>
        </ul>
        <div class="card-body">
            <a [routerLink]="['/kitchen',mov.vegetableid]" class="card-
link"><button class="btn btn-info btn-dark se">Add to cart</button></a>
            <a [routerLink]="['/buy',mov.vegetableid]" class="card-link"><button
class="btn btn-info btn-dark se">Buy</button></a>
        </div>
    </div>
</div>
<router-outlet></router-outlet>
```

Cart: <http://localhost:4200/cart>

```
<nav class=" navbar navbar-expand-lg navbar-light" style="background-
color:black">
    <div class="container-fluid">
        <a class="navbar-brand" href="#">
            
            </a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarSupportedContent">
                <ul class="navbar-nav me-auto mb-2 mb-lg-0">
                    <li class="nav-item">
                        <a [routerLink]="['/kitchen']" style="color:floralwhite" class="nav-
link active" aria-current="page"><i class="fa fa-leaf"></i>vegetables</a>
```

```

        </li>
        <li class="nav-item">
            <a [routerLink]="['/utensils']" style="color:floralwhite" class="nav-link"><i class="fa fa-lemon-o"></i>Fruits</a>
        </li>
        <li class="nav-item">
            <a [routerLink]="['/about']" style="color:floralwhite" class="nav-link active" aria-current="page"><i class="fa fa-user-secret"></i>About us</a>
        </li>
        <li class="nav-item">
            <a [routerLink]="['/contact']" style="color:floralwhite" class="nav-link active" aria-current="page"><i class="fa fa-phone-square"></i>Contact us</a>
        </li>
    </ul>
    <ul class="navbar-nav ml-auto">
        <li class="nav-item">
            <a [routerLink]="['/home']" style="color:floralwhite" class="nav-link"><i class="fa fa-sign-out"></i>&nbsp;Logout</a>
        </li>
    </ul>
</div>
</div>
</nav>
<br>
<div class="container">
<div class='table-responsive'>
    <table class='table'>
        <thead>
            <tr class="bg-info">
                <th>Name</th>
                <th>cost</th>
                <th>quantity</th>
                <th>Total</th>
                <th>Delete</th>
            </tr>
        </thead>
        <tbody>
            <tr *ngFor='let item of items'>
                <td *ngIf='item.vegetablename'>{{item. vegetablename}} </td>
                <td *ngIf='item.vegetablecost'>{{item. vegetablecost|currency:"INR"}}
            </td>

```

```

        <td *ngIf='item.vegetablequantity'> <button class="btn btn-info"
(click)='increment(item.vegetableid)'+</button>{{item. vegetablequantity}}
        <button class="btn btn-info" (click)='decrement(item.vegetableid)'+
</button></td>
        <td
*ngIf='item.vegetabletotal'>{{item.vegetabletotal|currency:"INR"}}</td>
        <td><button class="btn btn-dark"
(click)='onDelete(item.vegetablename)'+>Remove</button></td>
    </tr>
    <tr *ngFor='let item1 of items1'>
        <td *ngIf='item1.fruitname'>{{item1. fruitname}} </td>
        <td *ngIf='item1.fruitcost'>{{item1. fruitcost|currency:"INR"}} </td>
        <td *ngIf='item1.fruitquantity'> <button class="btn btn-info"
(click)='increment1(item1.fruitid)'+</button>{{item1. fruitquantity}}
        <button class="btn btn-info"
(click)='decrement1(item1.fruitid)'+&nbsp;</button></td>
        <td
*ngIf='item1.fruittotal'>{{item1.fruittotal|currency:"INR"}}</td>
        <td><button class="btn btn-dark"
(click)='onDelete1(item1.fruitname)'+>Remove</button></td>

    </tr>

</tbody>
</table>

</div>
<div class="row">
<div class="col-md-6 ">
    <h2>Total :{{cartTotal+cartTotal1|currency:"INR"}}</h2>
</div>
<div class="col-md-6 text-right">
    <button class="btn btn-danger" (click)='clearCart()' (click)='clearCart1()'+
Remove all</button>

</div>
</div>
<div align="center">

<a [routerLink]="['/pay']" (click)='clearCart()' (click)='clearCart1()'+<button
class="btn btn-lg btn-success">Check out</button></a>
</div>
</div>

```


Buy: <http://localhost:4200/buy/3>

```
<nav class=" navbar navbar-expand-lg navbar-light" style="background-color:black">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">
      
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
          <a [routerLink]="['/kitchen']" style="color:floralwhite" class="nav-link active" aria-current="page"><i class="fa fa-leaf"></i>vegetables</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/utensils']" style="color:floralwhite" class="nav-link"><i class="fa fa-lemon-o"></i>Fruits</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/about']" style="color:floralwhite" class="nav-link active" aria-current="page"><i class="fa fa-user-secret"></i>About us</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/contact']" style="color:floralwhite" class="nav-link active" aria-current="page"><i class="fa fa-phone-square"></i>Contact us</a>
        </li>
      </ul>
      <ul class="navbar-nav ml-auto">
        <li class="nav-item">
          <a [routerLink]="['/home']" style="color:floralwhite" class="nav-link"><i class="fa fa-sign-out"></i>&nbsp;Logout</a>
        </li>
      </ul>
    </div>
  </div>
</nav>
<br>
```

```

<div class="container">
<div class='table-responsive'>
  <table class='table'>
    <thead>
      <tr class="bg-info">
        <th>Name</th>
        <th>cost</th>
        <th>quantity</th>
        <th>Total</th>
        <th>Delete</th>

      </tr>
    </thead>
    <tbody>

      <tr *ngFor='let item of items'>
        <td *ngIf='item.vegetablename'>{{item. vegetablename}} </td>
        <td *ngIf='item.vegetablecost'>{{item. vegetablecost|currency:"INR"}}
</td>
        <td *ngIf='item.vegetablequantity'> <button class="btn btn-info"
(click)='increment(item.vegetableid)'+</button>{{item. vegetablequantity}}
        <button class="btn btn-info" (click)='decrement(item.vegetableid)'+<
</button></td>
        <td
*ngIf='item.vegetabletotal'>{{item.vegetabletotal|currency:"INR"}}</td>
        <td><button class="btn btn-dark"
(click)='onDelete(item.vegetablename)'+>Remove</button></td>
      </tr>
      <tr *ngFor='let item1 of items1'>
        <td *ngIf='item1.fruitname'>{{item1. fruitname}} </td>
        <td *ngIf='item1.fruitcost'>{{item1. fruitcost|currency:"INR"}} </td>
        <td *ngIf='item1.fruitquantity'> <button class="btn btn-info"
(click)='increment1(item1.fruitid)'+</button>{{item1. fruitquantity}}
        <button class="btn btn-info"
(click)='decrement1(item1.fruitid)'+&nbsp;-</button></td>
        <td
*ngIf='item1.fruittotal'>{{item1.fruittotal|currency:"INR"}}</td>
        <td><button class="btn btn-dark"
(click)='onDelete1(item1.fruitname)'+>Remove</button></td>

      </tr>

    </tbody>
  </table>

```

```
</div>
<div class="row">
<div class="col-md-6 ">
  <h2>Total :{{cartTotal+cartTotal1|currency:"INR"}}</h2>
</div>
<div class="col-md-6 text-right">
  <button class="btn btn-danger" (click)='clearCart()' (click)='clearCart1()>
Remove all</button>

</div>
</div>
<div align="center">

<a [routerLink]="['/pay']" (click)='clearCart()' (click)='clearCart1()><button
class="btn btn-lg btn-success">Check out</button></a>
</div>
</div>
```

Pay: <http://localhost:4200/pay>

```
<nav class=" navbar navbar-expand-lg navbar-light" style="background-
color:black">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">
      
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-
bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
          <a [routerLink]="['/kitchen']" style="color:floralwhite" class="nav-
link active" aria-current="page"><i class="fa fa-leaf"></i>vegetables</a>
        </li>
        <li class="nav-item">
```

```

        <a [routerLink]="['/utensils']" style="color:floralwhite" class="nav-
link"><i class="fa fa-lemon-o"></i>Fruits</a>
    </li>
    <li class="nav-item">
        <a [routerLink]="['/about']" style="color:floralwhite" class="nav-link
active" aria-current="page"><i class="fa fa-user-secret"></i>About us</a>
    </li>
    <li class="nav-item">
        <a [routerLink]="['/contact']" style="color:floralwhite" class="nav-
link active" aria-current="page"><i class="fa fa-phone-square"></i>Contact us</a>
    </li>
</ul>
<ul class="navbar-nav ml-auto">
    <li class="nav-item">
        <a [routerLink]="['/home']" style="color:floralwhite" class="nav-
link"><i class="fa fa-sign-out"></i>&nbsp;Logout</a>
    </li>
</ul>
</div>
</div>
</nav>
<br>
<div class="container">
<div class='table-responsive'>
    <table class='table'>
        <thead>
            <tr class="bg-info">
                <th>Name</th>
                <th>cost</th>
                <th>quantity</th>
                <th>Total</th>
                <th>Delete</th>
            </tr>
        </thead>
        <tbody>

            <tr *ngFor='let item of items'>
                <td *ngIf='item.vegetablename'>{{item. vegetablename}} </td>
                <td *ngIf='item.vegetablecost'>{{item. vegetablecost|currency:"INR"}}
</td>
                <td *ngIf='item.vegetablequantity'> <button class="btn btn-info"
(click)='increment(item.vegetableid)'+</button>{{item. vegetablequantity}}

```

```

        <button class="btn btn-info" (click)='decrement(item.vegetableid)'+>-
</button></td>
        <td>
*ngIf='item.vegetabletotal'>{{item.vegetabletotal|currency:"INR"}}</td>
        <td><button class="btn btn-dark"
(click)='onDelete(item.vegetablename)'+>Remove</button></td>
    </tr>
    <tr *ngFor='let item1 of items1'>
        <td *ngIf='item1.fruitname'>{{item1. fruitname}} </td>
        <td *ngIf='item1.fruitcost'>{{item1. fruitcost|currency:"INR"}} </td>
        <td *ngIf='item1.fruitquantity'> <button class="btn btn-info"
(click)='increment1(item1.fruitid)'+>+</button>{{item1. fruitquantity}}
        <button class="btn btn-info"
(click)='decrement1(item1.fruitid)'+>&nbsp;-</button></td>
        <td>
*ngIf='item1.fruittotal'>{{item1.fruittotal|currency:"INR"}}</td>
        <td><button class="btn btn-dark"
(click)='onDelete1(item1.fruitname)'+>Remove</button></td>

    </tr>

</tbody>
</table>

</div>
<div class="row">
<div class="col-md-6 ">
    <h2>Total :{{cartTotal+cartTotal1|currency:"INR"}}</h2>
</div>
<div class="col-md-6 text-right">
    <button class="btn btn-danger" (click)='clearCart()' (click)='clearCart1()'+>
Remove all</button>

</div>
</div>
<div align="center">

<a [routerLink]='["/pay"]' (click)='clearCart()' (click)='clearCart1()'+><button
class="btn btn-lg btn-success">Check out</button></a>
</div>
</div>

```

Admin: <http://localhost:4200/admin>

```

<html>
  <nav class=" navbar navbar-expand-lg navbar-light" style="background-
color:black">
    <div class="container-fluid">
      <a class="navbar-brand" href="#">
        
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0">
          <li class="nav-item">
            <a [routerLink]='["/home"]' style="color:white;font-
size:medium;" class="nav-link active" aria-current="page"><i class="fa fa-
home"></i>Home</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

  <div class="container">

    

    <meta charset="utf-8">
    <meta name="viewport" content=
      "width=device-width, initial-scale=1,shrink-to-fit=no">
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"integ
rity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"crossorigin="ano
nymous">
    <link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.4.1/css/all.css"integrity="sha384-
5sAR7xN1Nv6T6+dT2mhtzEpVJvfS3NScPQTrOxhwjIuvCA67KV2R5Jz6kr4abQsz"
crossorigin="anonymous">
    <br><br>
    <div class="card-deck">

```

[illegible]

Change Password: <http://localhost:4200/change>

```

<div class="container" style="margin-top:70px;background-color: rgb(253, 253, 184);">
<br><br>
<div class="card container">
  <div class="card-header heading" align="center" style="background-color:rgb(235, 255, 255)">
    <h4 style="color:crimson"> Change your Password Here !!</h4>
  </div>
<div class="card-body lg-4 md-6 sm-12 xs-12" align="center">
  <form novalidate (ngSubmit)="Pass_change(regForm)" #regForm="ngForm">

    <div class="form-group row mb-2">
      <label class="col-md-2 col-form-label" for="Password">Current
Password</label>
      <div class="col-md-8">
        <input type="password" required
          id="Password"
          name="pass"
          [(ngModel)]=admin.password
          #pass="ngModel"
          minLength="7"
          [ngClass]="{'is-
invalid':(pass.touched||pass.dirty)&&!pass.valid}"/>

        <span class="invalid-feedback">
          <span *ngIf=pass.errors?.required>
            Password is required
          </span>

          <span *ngIf=pass.errors?.minLength>
            please enter valid password
          </span>
        </span>
      </div>
    </div>

    <div class="form-group row mb-2">
      <label class="col-md-2 col-form-label" for="NewPassword">New
Password</label>
      <div class="col-md-8">
        <input type="password" required
          id="NewPassword"

```



```

        name="pass_1"
        [(ngModel)]=new_pass
        #pass_1="ngModel"
        minlength="7"
        [ngClass]="{'is-
invalid':(pass_1.touched||pass_1.dirty)&&!pass_1.valid}"/>

        <span class="invalid-feedback">
            <span *ngIf=pass_1.errors?.required>
                Password is required
            </span>
            <span *ngIf=pass_1.errors?.minlength>
                The Password should be 7 characters long
            </span>
        </span>
    </div>
</div>

<!--Re Enter password -->
<div class="form-group row mb-2">
    <label class="col-md-2 col-form-label" for="RNewPassword">Re-enter
Password</label>
    <div class="col-md-8">
        <input type="password" required
            id="RNewPassword"
            name="pass_2"
            [(ngModel)]=r_new_pass
            #pass_2="ngModel"
            minlength="7"
            [ngClass]="{'is-
invalid':(pass_2.touched||pass_2.dirty)&&!pass_2.valid}"/>

        <span class="invalid-feedback">
            <span *ngIf=pass_2.errors?.required>
                Password is required
            </span>
            <span *ngIf=pass_2.errors?.minlength>
                The Password should be 7 characters long
            </span>
        </span>
    </div>
</div>

    <button class="btn btn-success" type="submit"
[disabled]="!regForm.valid">Submit</button> &nbsp;

```

```
      <a [routerLink]="['/admin']"><button class="btn btn-
info">Back</button></a>

    </form>
</div>
</div>
<br><br>
</div>
```

Admin fruit: <http://localhost:4200/adveg>

```
<nav class=" navbar navbar-expand-lg navbar-light" style="background-
color:black">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">
      
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
          <a [routerLink]="['/admin']" style="color:floralwhite" class="nav-
link active" aria-current="page"><i class="fa fa-user-circle-o"></i>Admin</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/adveg']" style="color:floralwhite" class="nav-
link active" aria-current="page"><i class="fa fa-leaf"></i>vegetables</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/adfruit']" style="color:floralwhite" class="nav-
link"><i class="fa fa-lemon-o"></i>Fruits</a>
        </li>
      </ul>
      <ul class="navbar-nav ml-auto">
```

```

        <li class="nav-item">
            <a [routerLink]="['/home']" style="color:floralwhite" class="nav-
link"><i class="fa fa-sign-out"></i>&nbsp;Logout</a>
        </li>
    </ul>
</div>
</div>
</nav>
<br>
<div class="container">
<div class='table-responsive'>
    <table class='table'>
        <thead>
            <tr class="bg-light">
                <th>Vegetables</th>
                <th>ID</th>
                <th>Name</th>
                <th>Cost</th>
                <th>Delete</th>

            </tr>
        </thead>
        <tbody>
            <tr *ngFor='let mov of vtbl1'>
                <td> <img [src]='mov.vegetableimg' [width]='imgWidth'
[height]='imgHeight'
                    [style.borderRadius.px]='imgRadius'></td>
                <td>{{mov.vegetableid}}</td>
                <td>{{mov.vegetablename}}</td>
                <td>{{mov.vegetablecost|currency:"INR"}}/kg</td>

                <td><a class="btn btn-info"
(click)="onDelete(mov.vegetablename)">Delete</a></td>
            </tr>
        </tbody>
    </table>
</div>
</div>

```

Order Successful: <http://localhost:4200/order>

```
<body style="background-color: rgb(237, 250, 237);">
  <br>
<div class="container" align="center" style="margin-top:50px" >
  <h1 style="color:green;font-family: BroadWay;"> Thanks for your Order</h1>

  
  <h3 style="color:crimson;"> Your order has been placed successfully with
Gopi'sKitchenStory.com</h3>
  -----
  ---
  <h2> Your Order number is : 20213452134</h2>
  -----
  ---
  <h6> For any queries reach us at Gopi@teksystems.com or call-us on :91+
8125169166</h6>
  <br>
  <div class="cardr-footer">
    <a [routerLink]="['/home']" ><button class="btn btn-danger">Thank
You</button> </a>
  <br><br>
  </div>
</div>
</body>
```

Utensils: <http://localhost:4200/utensils>

```

<nav class=" navbar navbar-expand-lg navbar-light" style="background-
color:black">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">
      
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <li class="nav-item">
          <a [routerLink]="['/kitchen']" style="color:floralwhite" class="nav-
link active" aria-current="page"><i class="fa fa-leaf"></i>vegetables</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/utensils']" style="color:floralwhite" class="nav-
link"><i class="fa fa-lemon-o"></i>Fruits</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/about']" style="color:floralwhite" class="nav-
link active" aria-current="page"><i class="fa fa-user-secret"></i>About us</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/contact']" style="color:floralwhite" class="nav-
link active" aria-current="page"><i class="fa fa-phone-square"></i>Contact us</a>
        </li>
      </ul>
      <ul class="navbar-nav ml-auto">
        <li class="nav-item">
          <a [routerLink]="['/cart']" style="color:floralwhite" class="nav-
link"><i class="fa fa-shopping-cart"></i>&nbsp;My cart</a>
        </li>
        <li class="nav-item">
          <a [routerLink]="['/home']" style="color:floralwhite" class="nav-
link"><i class="fa fa-sign-out"></i>&nbsp;Logout</a>
        </li>
      </ul>

```

```

    </div>
  </div>
</nav>
<br>

<div class="container" style="background-color:rgb(229, 253, 229)">
  <div class="card shadow" align="center">
    <div>
      <div class="firstdiv">
        <div class='table-responsive'>
          <table class='table'>
            <thead>
              <tr class="bg-light">
                <th>Fruit</th>
                <th>Quantity</th>
              </tr>
            </thead>
            <tbody>
              <tr>
                <td>{{kitchen1items.fruitname}}</td>
                <td>{{kitchen1items.fruitquantity}}</td>
              </tr>
            </tbody>
          </table>
        </div>
      </div>

      <img class="thirddiv" [src]='kitchen1items.fruiting' >

    </div>
    <div>
      <br>
      <div class="cardr-footer">
        <button class="btn btn-info haye"(click)='goback()'>Back</button>&nbsp;
        <button class="btn btn-info
haye" (click)='addToCart1(kitchen1items)'>Buy</button>&nbsp;

        <button class="btn btn-info haye"
(click)='increment1()'>+</button>Quantity
        <button class="btn btn-info haye" (click)='decrement1()'>-</button>
      <br><br>
    </div>
  </div>

```

