

Tuple

```
In [2]: t1 = ()
```

```
In [3]: t2 = (10,30,60) # tuple of integer numbers
```

```
In [4]: t3 = (10.77,30.66,60.89) # tuple of float numbers
```

```
In [5]: t4 = ('one','two','three') # tuple of strings
```

```
In [6]: t5 = ('Asif',25,(50,100),(100,90)) # Nested tuples
```

```
In [7]: t6 = (100,'Asif',17.765) # mixed data types
```

```
In [8]: t7 = ('Asif',25,[50,100],[150,90],{'John','David'},(99,22,33))
```

```
In [9]: len(t7)
```

```
Out[9]: 6
```

Tuple indexing

```
In [10]: t2[0] # Retrieve first element of the tuple
```

```
Out[10]: 10
```

```
In [11]: t4[0] # Retrieve first element of the tuple
```

```
Out[11]: 'one'
```

```
In [12]: t4[0][0]
```

```
Out[12]: 'o'
```

```
In [13]: t4[-1] # Last element of the tuple
```

```
Out[13]: 'three'
```

```
In [14]: t5[-1] # Last element of the tuple
```

```
Out[14]: (100, 90)
```

Tuple Slicing

```
In [15]: mytuple = ('one','two','three','four','five','six','seven','eight')
```

```
In [16]: mytuple[0:3]
```

```
Out[16]: ('one', 'two', 'three')
```

```
In [17]: mytuple[2:5]
```

```
Out[17]: ('three', 'four', 'five')
```

```
In [20]: mytuple[:3] # return first three items
```

```
Out[20]: ('one', 'two', 'three')
```

```
In [21]: mytuple[:2] # return first two items
```

```
Out[21]: ('one', 'two')
```

```
In [23]: mytuple[-3:] # return last three items
```

```
Out[23]: ('six', 'seven', 'eight')
```

```
In [24]: mytuple[-2:] # return last two items
```

```
Out[24]: ('seven', 'eight')
```

```
In [25]: mytuple[-1] # return last item of the tuple
```

```
Out[25]: 'eight'
```

```
In [26]: mytuple[:] # return whole tuple
```

```
Out[26]: ('one', 'two', 'three', 'four', 'five', 'six', 'seven', 'eight')
```

Remove & Change Items

```
In [28]: mytuple
```

```
Out[28]: ('one', 'two', 'three', 'four', 'five', 'six', 'seven', 'eight')
```

```
In [29]: for i in mytuple:  
         print(i)
```

```
one  
two  
three  
four  
five  
six  
seven  
eight
```

```
In [30]: for i in enumerate(mytuple):  
         print(i)
```

```
(0, 'one')
(1, 'two')
(2, 'three')
(3, 'four')
(4, 'five')
(5, 'six')
(6, 'seven')
(7, 'eight')
```

Tuple Membership

```
In [32]: mytuple
```

```
Out[32]: ('one', 'two', 'three', 'four', 'five', 'six', 'seven', 'eight')
```

```
In [33]: 'one' in mytuple # check if 'one' exist in the list
```

```
Out[33]: True
```

```
In [35]: 'ten' in mytuple # check if 'ten' exist in the list
```

```
Out[35]: False
```

```
In [37]: if 'three' in mytuple: # check if three exist in the list
          print('Three is present in the tuple')
        else:
          print('Three is not present in the tuple')
```

Three is present in the tuple

```
In [38]: if 'eleven' in mytuple: # check if eleven exist in the list
          print('eleven is present in the tuple')
        else:
          print('eleven is not present in the tuple')
```

eleven is not present in the tuple

Index position

```
In [43]: mytuple
```

```
Out[43]: ('one', 'two', 'three', 'four', 'five', 'six', 'seven', 'eight')
```

```
In [44]: mytuple.index('one')
```

```
Out[44]: 0
```

```
In [45]: mytuple.index('five')
```

```
Out[45]: 4
```

```
In [46]: mytuple1 = ('one', 'two', 'three', 'four', 'one', 'one', 'two', 'three')
```

```
In [47]: mytuple1
```

```
Out[47]: ('one', 'two', 'three', 'four', 'one', 'one', 'two', 'three')
```

```
In [48]: mytuple1.index('one')
```

```
Out[48]: 0
```

Sorting

```
In [49]: mytuple2 = (43,67,99,12,6,90,67)
```

```
In [50]: mytuple2
```

```
Out[50]: (43, 67, 99, 12, 6, 90, 67)
```

```
In [57]: sorted(mytuple2)
```

```
Out[57]: [6, 12, 43, 67, 67, 90, 99]
```

```
In [59]: sorted(mytuple2, reverse=True) # sort in descending order
```

```
Out[59]: [99, 90, 67, 67, 43, 12, 6]
```

Bitwise Number System

```
In [60]: 25
```

```
Out[60]: 25
```

```
In [61]: bin(25)
```

```
Out[61]: '0b11001'
```

```
In [62]: int(0b11001)
```

```
Out[62]: 25
```

```
In [63]: bin(35)
```

```
Out[63]: '0b100011'
```

```
In [64]: oct(25)
```

```
Out[64]: '0o31'
```

```
In [66]: int(0o31)
```

```
Out[66]: 25
```

```
In [67]: bin(7)
```

```
Out[67]: '0b111'
```

```
In [68]: hex(7)
```

Out[68]: '0x7'

In [69]: hex(256)

Out[69]: '0x100'

In []: