```
In [77]: 1+1 # ADDITION
Out[77]: 2
In [78]: 2-1
Out[78]: 1
In [79]: 3*4
Out[79]: 12
In [80]: 8/4 # Division
Out[80]: 2.0
In [81]: 8/5 # Float division
Out[81]: 1.6
In [82]: 8/4
Out[82]: 2.0
In [83]: 8 // 4 # integer division
Out[83]: 2
In [84]: 8 + 9 -7
Out[84]: 10
In [85]: 8 + 8 -
         Cell In[85], line 1
           8 + 8 -
       SyntaxError: invalid syntax
In [86]: 5 + 5 * 5 # BODMAS (Bracket || Oders || Divide || Multiply || Add || Substact)
Out[86]: 30
In [87]: 2 * 2 * 2 * 2 * 2 * 2 * exponentation
Out[87]: 64
In [88]: 2 * 5
Out[88]: 10
In [89]: 2 ** 5
Out[89]: 32
```

```
In [90]: 15 / 3
Out[90]: 5.0
In [91]: 10 // 3
Out[91]: 3
In [92]: 15 % 2 # Modulus
Out[92]: 1
In [93]:
          10 % 2
Out[93]: 0
In [94]: 15 %% 2
          Cell In[94], line 1
            15 %% 2
        SyntaxError: invalid syntax
In [95]:
          3 + 'nit'
        TypeError
                                                   Traceback (most recent call last)
        Cell In[95], line 1
        ----> 1 3 + 'nit'
       TypeError: unsupported operand type(s) for +: 'int' and 'str'
In [96]: a,b,c,d,e = 15,7.8,'nit',8+9j,True
         print(a)
         print(b)
         print(c)
         print(d)
         print(e)
        15
        7.8
        nit
        (8+9j)
        True
In [97]: print(type(a))
         print(type(b))
         print(type(c))
         print(type(d))
         print(type(e))
        <class 'int'>
        <class 'float'>
        <class 'str'>
        <class 'complex'>
        <class 'bool'>
In [98]:
           type(c)
```

```
Out[98]: str
```

string

```
In [99]:
         'Naresh IT'
Out[99]: 'Naresh IT'
          print('Max it')
In [100...
         Max it
          "max it technology"
In [101...
Out[101... 'max it technology'
In [102...
         s1 = 'max it technology'
          s1
Out[102... 'max it technology'
In [103...
          a = 2
          b = 3
          a + b
Out[103...
In [104...
          c = a + b
Out[104...
In [105...
          a = 3
          b = 'hi'
          type(b)
Out[105... str
In [106...
         print('max it's"Technology"') # \ has some special meaning to ignore the error
          Cell In[106], line 1
             print('max it's"Technology"') # \ has some special meaning to ignore the err
         SyntaxError: unterminated string literal (detected at line 1)
In [107...
         print('max it\'s"Technology"') #\ has some special meaning to ignore the error
         max it's"Technology"
         print('max it', 'Technology')
In [108...
         max it Technology
In [109...
          'nit' + ' nit'
```

1/30/25, 7:06 AM

```
Basic code
Out[109... 'nit nit'
In [110... 'nit' ' nit'
Out[110... 'nit nit'
In [111... 5 * 'nit'
Out[111... 'nitnitnitnitnit'
In [112... 5*' nit' # space between words
Out[112... ' nit nit nit nit'
In [113... print('c:\nit') #\n -- new line
         it
In [114... print(r'c:\nit') #raw string
         c:\nit
          variable
In [115... 2
```

```
Out[115... 2
In [116... x = 2
Out[116... 2
In [117... x + 3
Out[117... 5
In [118... y = 3
          У
Out[118... 3
In [119... x + y
Out[119... 5
In [120... x = 9
Out[120... 9
In [121... x + y
Out[121... 12
```

```
In [122... x + 10
Out[122... 19
In [123...
Out[123...
           22
In [124...
           _ + y
Out[124... 25
In [125...
Out[125... 28
In [126...
Out[126... 3
In [127...
          # string variable
           name = 'mit'
           name
Out[127...
           'mit'
In [128...
          name + 'technology'
Out[128... 'mittechnology'
In [129...
           name 'technology'
            Cell In[129], line 1
              name 'technology'
         SyntaxError: invalid syntax
In [130...
           name
           'mit'
Out[130...
In [131...
          len(name)
Out[131...
In [132...
           name[0]
Out[132... 'm'
In [133...
          name[5]
```

```
IndexError
                                                     Traceback (most recent call last)
         Cell In[133], line 1
         ----> 1 name[5]
         IndexError: string index out of range
In [134...
           name[7]
         IndexError
                                                     Traceback (most recent call last)
         Cell In[134], line 1
         ----> 1 name[7]
         IndexError: string index out of range
In [135...
           name[-1]
           't'
Out[135...
In [136...
           name[-2]
Out[136...
           'i'
In [137...
           name[-6]
                                                     Traceback (most recent call last)
         IndexError
         Cell In[137], line 1
         ----> 1 name[-6]
         IndexError: string index out of range
```

slicing

```
In [138...
            name
Out[138...
             'mit'
In [139...
            name[0:1]
             'm'
Out[139...
In [140...
            name[1:4]
Out[140...
             'it'
In [141...
            name[1:]
Out[141...
             'it'
In [142...
            name[:4]
Out[142...
             'mit'
```

```
In [143...
           name[3:9]
Out[143...
In [144...
           name
Out[144...
           'mit'
In [145...
           name1 = 'fine'
           name1
Out[145...
            'fine'
In [146...
           name1[0:1]
Out[146...
In [147...
           name1[0:1] = 'd'
         TypeError
                                                       Traceback (most recent call last)
         Cell In[147], line 1
          ----> 1 name1[0:1] = 'd'
         TypeError: 'str' object does not support item assignment
In [148...
          name1[0] = 'd'
         TypeError
                                                       Traceback (most recent call last)
         Cell In[148], line 1
          ----> 1 name1[0] = 'd'
         TypeError: 'str' object does not support item assignment
In [149...
           name1
Out[149...
            'fine'
In [150...
           name1[1:]
Out[150...
            'ine'
In [151...
           'd' + name1[1:] #i want to change fine to dine
Out[151...
            'dine'
In [152...
           num1.insert(2,''nit')
            Cell In[152], line 1
              num1.insert(2,''nit')
         SyntaxError: unterminated string literal (detected at line 1)
```

Introduce to ID()

```
In [154...
          num = 5 # variable address
          id(num)
Out[154... 140729894906424
In [155...
          name = 'nit'
          id(name) # Address will be different for both
Out[155... 1841196533344
In [156...
          a = 10
          id(a)
Out[156... 140729894906584
In [157... b = a # thats why python is more efficient
In [158...
          id(b)
Out[158... 140729894906584
In [159...
         id(10)
Out[159... 140729894906584
In [160...
          a = 20
          id(a)# as we change the value of then address will also change
Out[160... 140729894906904
In [161...
          id(b)
Out[161... 140729894906584
In [162...
          PI = 3.14 # In maths pi value is constant but in python we change pi value
Out[162... 3.14
In [163...
          PI = 3.15
Out[163... 3.15
In [164... type(PI)
Out[164... float
```

Arithmetic Operator

```
In [165... x1, y1 = 10,5
In [167... x1 ^ y1
```

```
Out[167... 15
In [168... x1 + y1
Out[168... 15
In [169... x1 - y1
Out[169... 5
In [170... x1 * y1
Out[170... 50
In [171... x1 / y1
Out[171... 2.0
In [172... x1 // y1
Out[172... 2
In [173... x1 % y1
Out[173... 0
In [174... x1 ** y1
Out[174... 100000
```

Assignment operator

unary operator

- unary means 1 || binary means 2
- Here we are applying unary minus operator(-) on the operand n; the value of m becomes -7, which indicates it as a negative value.

Relational operator

we are using this operator for comparing

```
In [190...
           a = 5
           b = 6
In [191...
           a < b
Out[191... True
In [192...
          a > b
Out[192... False
In [193... \# a = b \# we cannot use = operatro that means it is assigning
In [194...
           a == b
Out[194... False
In [196... a != b
Out[196... True
In [197... b = 5
In [198...
Out[198... 5
In [199... a == b
Out[199... True
In [200...
          a >= b
Out[200... True
In [201...
          a <=b
Out[201... True
In [202...
          a < b
Out[202... False
In [203... a > b
Out[203... False
In [204...
          b = 7
```

```
In [205... a != b

Out[205... True
```

Logical operator

• AND,OR,NOT

```
In [206... a = 5 b = 4 ]

In [207... a < 8 and b < 5 ]

Out[207... True ]

In [208... a < 8 and b < 2 ]

Out[208... False ]

In []: a > 8 and o
```