HTML_DAY_2_HANDS_ON_GOPIKRISHNA

HTML_DAY_2_HANDS_ON_PROBLEM_1_GOPIKRISHNA

1.Assessment Problem_1: Validate understanding of links and form elements.
Hands-on Tasks:

- Create two HTML pages and link them using navigation links
- Add a navigation bar with Home and Contact links
- Create a registration form with:
- Name
- Email
- Password
- Gender (radio buttons)
- Course selection (dropdown)
- Use required and placeholder attributes

2.Actual Code:

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Registration form</title>
</head>
<body><!--Gopi Krishna Mannava-->
   <nav>
      <a href="index.html">Home</a> |
      <a href="contact.html">Contact</a>
   </nav>
   <h2>This is my Home Page</h2>
    <h2>Registration Form</h2>

   <form>
      <label for="name">Name:</label><br>
      <input type="text" id="name" name="name" placeholder="Enter name" required>
      <br>
      <label for="email">Email:</label><br>
      <input type="email" id="email" name="email" placeholder="Enter email" required>
      <br>
      <label for="password">Password:</label><br>
      <input type="password" id="password" name="password" placeholder="Enter password" required>
      <br>
      <label>Gender:</label><br>
      <input type="radio" name="gender" value="Male" required> Male
      <input type="radio" name="gender" value="Female"> Female
      <br>
      <label for="course">Course:</label><br>
      <input list="courseList" id="course" name="course" placeholder="Type a course" required>
       <datalist id="courseList">
         <option value="Java">
         <option value="Python">
         <option value=".NET">
         <option value="Web Development">
      </datalist>
      <br><br>
      <input type="submit" value="Register">
   </form>
</body> </html>
```

contact.html

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Contact</title>
</head>
<body>
   <nav>
      <a href="index.html">Home</a> |
      <a href="contact.html">Contact</a>
   </nav>
   <h2>Contact Us</h2>
   <p>
      Email: name@gmail.com<br>
      Phone: +91 2345678900<br>
   </p>
</body>
</html>
```

3.Code Screenshot





4.Output Screenshot





5.Explanation

This solution demonstrates basic HTML navigation and form handling by using two static pages, index.html and contact.html, linked through a navigation bar (<nav>) with anchor (<a>) tags for Home and Contact. The home page includes a registration form with input fields for Name, Email, and Password, radio buttons for Gender, and a course selection control that provides selectable options. The form uses required and placeholder attributes to enforce mandatory input and improve usability, showing correct use of HTML links and form elements.

HTML_DAY_2_HANDS_ON_PROBLEM_2_GOPIKRISHNA

1. Assessment Problem_2: A small coaching institute wants a basic static website with multiple pages so students can easily navigate between sections like Home, Courses, and Contact.

Requirements

- Create 3 HTML pages:
- index.html (Home)
- courses.html
- contact.html

Use:

- <nav> element to create a navigation menu
- <a> anchor tags for navigation
- Navigation menu should appear on all pages
- Use relative paths to link pages

Include at least:

- One internal anchor link (#section)
- One external link (e.g., institute's social media)

2. Actual Code:

index.html

```
<!DOCTYPE html>
<html lang="en">
```

```
<head>
    <meta charset="UTF-8">
    <title>Home</title>
</head>
<body><!--Gopi Krishna Mannava-->
    <nav>
        <a href="index.html">Home</a> |
        <a href="courses.html">Courses</a> |
        <a href="contact.html">Contact</a> |
        <a href="#about">About Us</a> |
        <a href="https://www.linkedin.com/company/ueducation/posts/?feedView=all"
target="_blank">LinkedIn</a>
    </nav>
    <h1>Welcome to Our Coaching Institute</h1>
    <p>
        We provide quality coaching to help students achieve their goals.
    </p>
    <h2 id="about">About Us</h2>
    <p>
        Our institute offers professional training in various technical and academic courses.
    </p>

</body>
</html>
```

courses.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Courses</title>
</head>
<body>
    <nav>
        <a href="index.html">Home</a> |
        <a href="courses.html">Courses</a> |
        <a href="contact.html">Contact</a> |
        <a href=https://www.linkedin.com/company/ueducation/posts/?feedView=all
        target="_blank">LinkedIn</a>
    </nav>
    <h1>Our Courses</h1>
    <ul>
        <li>Java Programming</li>
        <li>Python Programming</li>
        <li>Web Development</li>
        <li>Data Science</li>
    </ul>
</body>
</html>
```

contacts.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Contact</title>
```

```
</head>
<body>
   <nav>
      <a href="index.html">Home</a> |
      <a href="courses.html">Courses</a> |
      <a href="contact.html">Contact</a> |
      <a href="https://www.linkedin.com/company/ueducation/posts/?feedView=all"
                target="_blank">LinkedIn</a>
   </nav>
   <h1>Contact Us</h1>
   <p>Email: info@coachinginstitute.com</p>
   <p>Phone: +91 98765 43210</p>
</body>
</html>
```

3. Code Screenshots



```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Courses</title>
</head>
<body>
    <nav>
        <a href="index.html">Home</a> |
        <a href="courses.html">Courses</a> |
        <a href="contact.html">Contact</a> |
        <a href="https://www.linkedin.com/company/ueducation/posts/?feedView=all" target="_blank">LinkedIn</a>
    </nav>

    <h1>Our Courses</h1>
    <ul>
        <li>Java Programming</li>
        <li>Python Programming</li>
        <li>Web Development</li>
        <li>Data Science</li>
    </ul>

</body>
</html>
```

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Contact</title>
</head>
<body>
    <nav>
        <a href="index.html">Home</a> |
        <a href="courses.html">Courses</a> |
        <a href="contact.html">Contact</a> |
        <a href="https://www.linkedin.com/company/ueducation/posts/?feedView=all" target="_blank">LinkedIn</a>
    </nav>

    <h1>Contact Us</h1>

    <p>Email: info@coachinginstitute.com</p>
    <p>Phone: +91 98765 43210</p>

</body>
</html>
```

4.Output Screenshot





5.Explanation

This implementation represents a simple multi-page static website built using pure HTML5, consisting of three pages: index.html, courses.html, and contact.html. A semantic <nav> element is used on all pages to provide a consistent navigation bar with anchor (<a>) tags linking pages through relative paths, enabling seamless navigation between Home, Courses, and Contact sections. The Home page includes an internal anchor link (#about) for in-page navigation and an external link to LinkedIn, demonstrating both internal and external linking. Content is structured using semantic headings (<h1>, <h2>) and lists (<ul>, <li>), ensuring clear information hierarchy and readability while validating correct usage of HTML links and navigation elements.

HTML_DAY_2_HANDS_ON_PROBLEM_3_GOPIKRISHNA

1. Assessment Problem_3: An institute wants a basic student registration form with built-in validation to reduce incorrect submissions.

Requirements

Create an HTML webpage that includes:

Create a form with following input types:

- text (Name)
- email
- tel
- number (Age)
- date

Use HTML5 built-in validation:

- required
- min, max
- pattern (for phone number)

Add submit button

2. Actual Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
```

```
    <title>Student Registration Form</title>
</head>
<body>
    <h2>Student Registration Form</h2>

    <form>
        <label for="name">Full Name:</label><br>
            <input type="text"  id="name"  name="name"  placeholder="Enter your full name"  required>
            <br><br>
        <label for="email">Email Address:</label><br>
            <input  type="email"  id="email"  name="email"  placeholder="example@mail.com"   required>
            <br><br>
        <label for="phone">Mobile Number:</label><br>
            <input  type="tel"  id="phone"  name="phone"  placeholder="10-digit mobile number"  pattern="[0-
             9]{10}"  required>
            <br><br>
        <label for="age">Age:</label><br>
            <input  type="number"  id="age"  name="age"  min="18"  max="30"  required>
            <br><br>
        <label for="dob">Date of Birth:</label><br>
            <input  type="date"  id="dob"  name="dob"  required >
            <br><br>

        <input type="submit" value="Register">
    </form>

</body>
</html>
```

3. Code Screenshots



4.Output Screenshot



5.Explanation

This webpage contains a student registration form built using HTML5 form elements, including text, email, tel, number, and date input types. It applies built-in HTML validation using required to ensure mandatory fields, min and max to limit valid age input, and pattern to enforce a 10-digit phone number format. A submit button is included to complete the form, demonstrating proper use of HTML5 input types and validation attributes.

HTML_DAY_2_HANDS_ON_PROBLEM_4_GOPIKRISHNA

1. Assessment Problem_4: A training portal website has multiple levels of pages and users often get confused about where they are. The company wants breadcrumbs for better navigation.

Requirements

Pages:

- Home
- Courses
- Web Development
- HTML Course

Implement:

- <nav> for main menu
- Breadcrumb navigation using anchor tags

Example:

Home > Courses > Web Development > HTML

Use:

- Hierarchical linking
- Relative paths

Breadcrumb should update based on page hierarchy

2. Actual Code:

index.html

```
<!DOCTYPE html>
<html lang="en">
```

```html
<head>
    <meta charset="UTF-8">
    <title>Home</title>
</head>
<body>
    <nav>
        <a href="index.html">Home</a> |
        <a href="courses.html">Courses</a>
    </nav>
    <hr>
    <nav>
        Home
    </nav>

    <h1>Welcome to Training Portal</h1>
    <p>Choose courses and grow your skills.</p>
    <a href="courses.html">Courses</a>

</body>
</html>
```

Courses.html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Courses</title>
</head>
<body>

    <nav>
        <a href="./index.html">Home</a> |
        <a href="courses.html">Courses</a>
    </nav>
    <hr>

    <nav>
        <a href="./index.html">Home</a> > Courses
    </nav>

    <h1>Courses</h1>

    <ul>
        <li>
            <a href="web-development.html">Web Development</a>
        </li>
    </ul>

</body>
</html>
```

web-development.html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Web Development | Training Portal</title>
</head>
<body>
    <nav>
        <a href="./index.html">Home</a> |
        <a href="./courses.html">Courses</a>
    </nav>
    <hr>
    <nav>
        <a href="./index.html">Home</a> >
        <a href="./courses.html">Courses</a>
        > Web Development
    </nav>
    <h1>Web Development</h1>
    <ul>
        <li>
            <a href="./html-course.html">HTML Course</a>
        </li>
    </ul>

</body>
</html>
```

html-course.html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>HTML Course | Training Portal</title>
</head>
<body>
    <nav>
        <a href="index.html">Home</a> |
        <a href="courses.html">Courses</a>
    </nav>
    <hr>
    <nav>
        <a href="index.html">Home</a> >
        <a href="courses.html">Courses</a>
        > <a href="web-development.html">Web Development</a>
        > HTML
    </nav>
    <h1>HTML Course</h1>
    <p>This course teaches the fundamentals of HTML5.</p>
</body>
</html>
```

CTS_.Net FSD

index.html | courses.html | web-development.html | html-course.html

HTML5_Day_2 > HTML5_Day_2_GopiKrishna > HTML5_Day_2_Hands_on_Problem4_GopiKrishna > index.html > ...

```html
<!--HTML5_Day_2_Hands_on_Problem4_GopiKrishna
Requirements
Pages:
    •   Home
    •   Courses
    •   Web Development
    •   HTML Course
Implement:
    •   <nav> for main menu
    •   Breadcrumb navigation using anchor tagsExample:Home > Courses > Web Development > HTML
Use:
    •   Hierarchical linking
    •   Relative paths
Breadcrumb should update based on page hierarchy
-->
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Home</title>
</head>
<body>
    <nav>
        <a href="index.html">Home</a> |
        <a href="courses.html">Courses</a>
    </nav>
    <hr>
    <nav>
        Home
    </nav>

    <h1>Welcome to Training Portal</h1>
    <p>Choose courses and grow your skills.</p>
    <a href="courses.html">Courses</a>

</body>
</html>
```

0 0 | Ln 1, Col 1 | Spaces: 4 | UTF-8 | LF | { } HTML | Port : 5500

CTS_.Net FSD

index.html | courses.html | web-development.html | html-course.html

HTML5_Day_2 > HTML5_Day_2_GopiKrishna > HTML5_Day_2_Hands_on_Problem4_GopiKrishna > courses.html > ...

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Courses</title>
</head>
<body>

    <nav>
        <a href="./index.html">Home</a> |
        <a href="courses.html">Courses</a>
    </nav>
    <hr>

    <nav>
        <a href="./index.html">Home</a> > Courses
    </nav>

    <h1>Courses</h1>

    <ul>
        <li>
            <a href="web-development.html">Web Development</a>
        </li>
    </ul>

</body>
</html>
```

CTS_.Net FSD

index.html | courses.html | web-development.html | html-course.html

HTML5_Day_2 > HTML5_Day_2_GopiKrishna > HTML5_Day_2_Hands_on_Problem4_GopiKrishna > web-development.html > ...

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Web Development | Training Portal</title>
</head>
<body>

    <nav>
        <a href="./index.html">Home</a> |
        <a href="./courses.html">Courses</a>
    </nav>
    <hr>

    <nav>
        <a href="./index.html">Home</a> >
        <a href="./courses.html">Courses</a>
        > Web Development
    </nav>

    <h1>Web Development</h1>

    <ul>
        <li>
            <a href="./html-course.html">HTML Course</a>
        </li>
    </ul>

</body>
</html>
```

0 0 | Ln Col 1 | Spaces: 4 | UTF-8 | LF | { } HTML | Port : 5500




```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>HTML Course | Training Portal</title>
</head>
<body>

    <nav>
        <a href="index.html">Home</a> |
        <a href="courses.html">Courses</a>
    </nav>
    <hr>

    <nav>
        <a href="index.html">Home</a> >
        <a href="courses.html">Courses</a>
        > <a href="web-development.html">Web Development</a>
        > HTML
    </nav>

    <h1>HTML Course</h1>

    <p>This course teaches the fundamentals of HTML5.</p>

</body>
</html>
```

4.Output Screenshot









5. Explanation

This implementation demonstrates a multi-page hierarchical website built using pure HTML5, consisting of Home, Courses, Web Development, and HTML Course pages. Each page includes a semantic <nav> element for the main menu and a breadcrumb navigation trail constructed with anchor (<a>) tags and the > symbol to clearly represent the user's current position in the page hierarchy. Breadcrumb links use relative paths to enable backward navigation (Home → Courses → Web Development → HTML) without broken links. The structure reflects real-world website hierarchy, improves navigation clarity, and validates correct use of semantic navigation and hierarchical linking in HTML.

HTML_DAY_2_HANDS_ON_PROBLEM_5_GOPIKRISHNA

1. Assessment Problem_5: An online learning platform wants to enhance user experience by showing course progress, skill levels, and suggested inputs while filling the form.

Requirements

Create an enrollment form using:

- <datalist> for course suggestions
- <progress> to show enrollment completion
- <meter> to indicate skill level (Beginner–Advanced)

Include modern input types:

- email
- range
- number

Use built-in validation

2. Actual Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Course Enrollment Form</title>
</head>
<body>
```

```html
    <form>
        <h3>Course Enrollment</h3>
        <h3>Student Details</h3>
        <label for="name">Name:</label><br>
        <input type="text" id="name" name="name" placeholder="Enter your name" required>
        <br><br>

        <label for="email">Email:</label><br>
        <input type="email" id="email" name="email" placeholder="Enter your email" required>
        <br><br>

        <label for="age">Age:</label><br>
        <input type="number" id="age" name="age" min="16" max="60" required>
        <br><br>

        <label for="course">Choose Course:</label><br>
        <input list="courses" id="course" name="course" placeholder="Select or type a course" required>
        <datalist id="courses">
            <option value="HTML">
            <option value="CSS">
            <option value="JavaScript">
            <option value="Python">
            <option value="Java">
        </datalist>
        <br><br>

        <section>
            <h3>Enrollment Completion</h3>
            <progress value="60" max="100">60%</progress>
        </section>

        <h3>Skill Level</h3>

        <label for="skill">Skill Level (Beginner → Advanced):</label><br>
        <meter id="skill" min="0" max="100" low="30" high="70" optimum="80" value="70"></meter>
        <br><br>

        <label for="experience">Experience Level:</label><br>
        <input type="range" id="experience" name="experience" min="0" max="10" value="5">
        <br><br>

        <input type="submit" value="Enroll">

    </form>

</body>
</html>
```

index.html

HTML5_Day_2 > HTML5_Day_2_GopiKrishna > HTML5_Day_2_Hands_on_Problem5_GopiKrishna > index.html > ...

```html
<html lang="en">
<body>
    <form>

        <label for="age">Age:</label><br>
        <input type="number" id="age" name="age" min="16" max="60" required>
        <br><br>

        <label for="course">Choose Course:</label><br>
        <input list="courses" id="course" name="course" placeholder="Select or type a course" required>
        <datalist id="courses">
            <option value="HTML">
            <option value="CSS">
            <option value="JavaScript">
            <option value="Python">
            <option value="Java">
        </datalist>
        <br><br>

        <section>
            <h3>Enrollment Completion</h3>
            <progress value="60" max="100">60%</progress>
        </section>

        <h3>Skill Level</h3>

        <label for="skill">Skill Level (Beginner → Advanced):</label><br>
        <meter id="skill" min="0" max="100" low="30" high="70" optimum="80" value="70"></meter>
        <br><br>

        <label for="experience">Experience Level:</label><br>
        <input type="range" id="experience" name="experience" min="0" max="10" value="5">
        <br><br>

        <input type="submit" value="Enroll">

    </form>

</body>
</html>
```

Ln 8, Col 14 Spaces: 4 UTF-8 LF { } HTML Go Live

index.html

HTML5_Day_2 > HTML5_Day_2_GopiKrishna > HTML5_Day_2_Hands_on_Problem5_GopiKrishna > index.html > ...

```html
<!-- HTML5_Day_2_Hands_on_Problem5_GopiKrishna
Requirements
Create an enrollment form using:
    •   <datalist> for course suggestions
    •   <progress> to show enrollment completion
    •   <meter> to indicate skill level (Beginner–Advanced)
Include modern input types:
    •   email
    •   range
    •   number
Use built-in validation
-->
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Course Enrollment Form</title>
</head>
<body>
    <form>
        <h3>Course Enrollment</h3>
        <h3>Student Details</h3>
        <label for="name">Name:</label><br>
        <input type="text" id="name" name="name" placeholder="Enter your name" required>
        <br><br>

        <label for="email">Email:</label><br>
        <input type="email" id="email" name="email" placeholder="Enter your email" required>
        <br><br>

        <label for="age">Age:</label><br>
        <input type="number" id="age" name="age" min="16" max="60" required>
        <br><br>

        <label for="course">Choose Course:</label><br>
        <input list="courses" id="course" name="course" placeholder="Select or type a course" required>
        <datalist id="courses">
            <option value="HTML">
            <option value="CSS">
            <option value="JavaScript">
```

Ln 8, Col 14 Spaces: 4 UTF-8 LF { } HTML Go Live

4.Output Screenshot



5. Explanation

This webpage implements a course enrolment form using advanced HTML5 form elements to enhance user input and data representation. The form uses an <input> with <datalist> to provide predefined course suggestions while still allowing custom entries, ensuring flexible input. A <progress> element visually represents enrolment completion as a static percentage, and a <meter> element displays the learner's skill level on a defined scale from beginner to advanced. Modern input types such as email, number, and range are used to capture structured data, along with built-in HTML validation through attributes like required, min, and max. The layout is clean and semantic, demonstrating real-time data visualization and enhanced form usability using pure HTML5.