#### **HTML CSS Extra Assessments**

## 1) Praroz.html:

```
2) <! DOCTYPE html>
3) <html Lang="en">
4) <head>
5)
      <meta charset="UTF-8" />
      <meta name="viewport" content="width=device-width,</pre>
  initial-scale=1.0" />
7)
     <title>PRAROZ</title>
8)
      <link rel="stylesheet" href="Praroz.css" />
9) </head>
10)
       <body>
          <div class="container">
11)
12)
            <h1 id="pra">PraRoz</h1>
13)
            14)
              <a href="#"> Home </a>
15)
              <a href="#"> About </a>
16)
              <a href="#"> Services </a>
17)
              <a href="#"> Design </a>
18)
              <a href="#"> Contact </a>
19)
            <div class="search">
20)
21)
              <input type="text" placeholder="Hello guys"</pre>
22)
              <button id="se">Search</putton>
23)
            </div>
24)
          </div>
          <div class="design">
25)
            <div class="cont1">
26)
              <h1 id="de">
27)
28)
                Web Design & amp; < br />
29)
                <span id="dev">Development</span> <br />
30)
                Course
31)
              </h1>
32)
              >
                Lorem ipsum dolor sit, amet consectetur
33)
  adipisicing elit. Voluptatibus
34)
                officiis esse quam fugit?
```

```
35)
               36)
               Lorem ipsum dolor sit amet consectetur
  adipisicing elit.
               Lorem ipsum dolor sit.
37)
               <button id="jo"><span id="js"></span>Join
38)
 us</button>
39)
             </div>
40)
           <div class="cont2">
41)
               <button id="lo"> Login Here </button> <br>
  <br>
42)
               <input type="text" placeholder="Enter your</pre>
  Name" class="name"> <br> <br>
               <input type="password" placeholder="Enter</pre>
43)
  your Password" class="name"> <br> <br>
44)
               <button id="sub"> Login </button> <br>< <br>
45)
                Don't have an account? 
                <a href="#" id="sign">Sign
46)
  up</a> here 
47)
               \langle p \ id = "Lo" \rangle  Log in with \langle /p \rangle
48)
               <div class="icon">
                 <a href="#"> <ion-icon name="logo-
49)
  facebook"> </ion-icon> </a>
                 <a href="#"> <ion-icon name="logo-
50)
  instagram"> </ion-icon> </a>
51)
                 <a href="#"> <ion-icon name="logo-
  twitter"> </ion-icon> </a>
                 <a href="#"> <ion-icon name="logo-
52)
  google"> </ion-icon> </a>
53)
                 <a href="#"> <ion-icon name="logo-skype">
  </ion-icon> </a>
54)
               </div>
55)
          </div>
56)
           <script
  src="https://unpkg.com/ionicons@5.4.0/dist/ionicons.js"
 ></script>
57)
         </body>
58)
       </html>
59)
```

#### Praroz.css:

```
body {
 margin: 10px;
 background-image: url("Single\ tree.jpg");
 background-size: cover;
 color: #fff;
#pra {
 color: #ff7200;
 margin: 25px;
#pra:hover {
  color: #fff;
.container {
 width: 100%;
 display: flex;
 justify-content: space-between;
ul li {
 list-style-type: none;
 margin-top: 10px;
ul li a {
 text-decoration: none;
 color: #fff;
 text-transform: uppercase;
 font-weight: bold;
 position: relative;
ul li a::after {
 content: "";
```

```
width: 0;
 height: 3px;
 position: absolute;
 left: 0;
 bottom: 0;
 top: 30px;
 background-color: #ff7200;
ul li a:hover::after {
 width: 100%;
 transition: 0.5s;
.navbar {
 margin-top: 30px;
 width: 800px;
 display: flex;
 justify-content: space-around;
ul li a:hover {
  color: #ff7200;
.search {
 display: flex;
 position: relative;
 margin-top: 30px;
input {
 width: 190px;
 height: 30px;
 border-right: none;
 border: 1px solid #ff7200;
 border-radius: 5px;
 margin-bottom: 10px;
 text-align: center;
```

```
padding-right: 5px;
#se {
 width: 55px;
 height: 33px;
 position: absolute;
 right: 0px;
 background-color: #ff7200;
 border-radius: 5px;
 border: none;
#se:hover {
 background-color: #fff;
#dev {
  color: #ff7200;
#jo {
 width: 150px;
 height: 50px;
 border-radius: 10px;
 position: relative;
 background: transparent;
#de {
 font-size: 50px;
.cont2 {
 width: 500px;
 height: 400px;
 text-align: center;
  border-radius: 15px;
```

```
margin-right: 25px;
  background-color: black;
  padding: 25px;
.name {
 border-width: 0;
 border-bottom: 2px solid #fff;
 width: 300px;
 background-color: black;
 color: #ff7200;
#Lo {
 width: 250px;
 color: #ff7200;
 background-color: #fff;
 height: 50px;
 border-radius: 10px;
 padding: 15px;
 margin-right: 10px;
#Lo:hover {
 background-color: #ff7200;
  color: #fff;
#sign {
  color: #ff7200;
  text-decoration: none;
.design {
 width: 100vw;
 height: 100vh;
 display: flex;
 justify-content: space-between;
```

```
margin-left: 25px;
 margin-top: 100px;
#sub {
 width: 250px;
 color: #000;
 background-color: #ff7200;
 height: 50px;
 border-radius: 10px;
 padding: 15px;
#sub:hover {
 background-color: #fff;
::placeholder {
  color: #ff7200;
 font-family: Arial, Helvetica, sans-serif;
 font-weight: bold;
 text-align: center;
#jo {
 position: relative;
#js {
 background-color: #ff7200;
 width: 0;
 height: 100%;
 position: absolute;
 left: 0;
 bottom: 0;
  z-index: -1;
```

```
#jo:hover #js {
 width: 100%;
 transition: 0.5s;
#js:hover {
 border: none;
#jo:hover {
  border-radius: 10px;
.icon a {
 margin-right: 20px;
 margin-top: 10px;
 text-align: center;
 text-decoration: none;
 color: #fff;
 margin-left: 15px;
.icon a:hover {
 color: #ff7200;
```

https://www.awesomescreenshot.com/image/42803080?key=dd71ed693dc7 1d3ccf5521d04052b810

## 2) Home Recipes.html:

```
<!DOCTYPE html>
<html Lang="en">
 <head>
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0" />
   <title>Home Recipes</title>
   <link rel="stylesheet" href="Home Recipes.css" />
   k
     rel="stylesheet"
     href="https://stackpath.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css"
   />
 </head>
 <body>
   <div class="entire">
     <div class="container">
       <div class="img">
         <img src="Praroz logo.png" id="co" />
       </div>
       <div class="list">
         <1i>>
             <a href="#">
              <i class="fa fa-home" aria-</pre>
hidden="true"></i> Home
             </a>
           <a href="#"> About </a>
           <a href="#"> Dessert </a>
           <a href="#"> Appetizer </a>
           <a href="#"> Pasta </a>
           <a href="#"> Salad </a>
           <a href="#"> Burger </a>
           <a href="#"> Pizza </a>
           <1i>>
            <a href="#" id="mr"
```

```
><i class="fa fa-caret-down" aria-</pre>
hidden="true"></i> More
             Recipes
            </a>
            <div class="submenu">
             <u1>
               <a href="#"> Cookies
</a>
               <a href="#"> Sandwich
</a>
             </div>
          </div>
     </div>
     <div class="btns">
      <h1 id="Ho">Homie Recipes</h1>
      <div class="btn">
        <button id="b1">Watch Videos
        <button id="b2">Basic Skills
        <button id="b3">Learn More</button>
      </div>
     </div>
   </div>
 </body>
</html>
```

## **Home Recipes.css:**

```
body {
  margin: 0px;
 background-image: linear-gradient(
      rgba(255, 255, 255, 0.2),
      rgba(255, 255, 255, 0.2),
     rgba(255, 255, 255, 0.2)
    url("Beach.jpg");
 font-family: Cambria, Cochin, Georgia, Times, "Times New
Roman", serif;
 background-size: cover;
.entire {
 position: relative;
.container {
 display: flex;
 justify-content: space-between;
.list li {
  list-style-type: none;
.list li a {
 text-decoration: none;
 margin: 10px;
 color: #fff;
 text-transform: uppercase;
.list li a:hover {
 background-color: #fff;
 width: 100%;
 color: black;
```

```
padding: 10px;
.lis {
 display: flex;
 width: 80%;
 justify-content: space-around;
 position: absolute;
 top: 25px;
 left: 150px;
#co {
 margin: 5px;
.btns {
 text-align: center;
 margin-top: 5%;
.btns button {
 width: 200px;
 margin-right: 10px;
 height: 30px;
 background: transparent;
 border-color: #fff;
.btns button:hover {
 background-color: #fff;
  color: black;
#Ho {
 color: #fff;
 font-size: 50px;
 text-transform: uppercase;
```

```
.cook,
.sand {
  margin-top: 15px;
}
```

https://www.awesomescreenshot.com/image/42803141?key=b6a23c12f186 0a5d5479c809e928d5b6

## 3) Design of House.html:

```
<!DOCTYPE htmL>
<html Lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0" />
    <title>Design of Your House</title>
    <link rel="stylesheet" href="Design of house.css" />
  </head>
  <body>
    <div class="container">
      <img src="interior.png" />
      <li><a href="#"> Home </a></li>
        <a href="#"> Bedroom </a>
        <a href="#"> Dining </a>
        \langle li \rangle \langle a | href = "#" \rangle Kitchen <math>\langle /a \rangle \langle /li \rangle
        <a href="#"> Backyard </a>
      </div>
    <div class="cont1">
      <h1>Design of Your House</h1>
      >
```

## **Design of House.css:**

```
body {
  margin: 0px;
 background-image: linear-gradient(
      rgba(10, 10, 10, 0.75),
      rgba(10, 10, 10, 0.75)
    url("interior-backgrounds.jpg");
  background-size: cover;
 font-family: Arial, Helvetica, sans-serif;
  color: white;
ul li {
  list-style-type: none;
  position: relative;
ul li a {
  color: white;
 text-decoration: none;
 text-transform: uppercase;
 font-weight: bold;
  position: relative;
```

```
ul li a::after {
 content: "";
 width: 0;
 height: 3px;
 position: absolute;
 left: 0;
 bottom: 0;
 top: 30px;
 background-color: #009688;
ul li a:hover::after {
 width: 100%;
 transition: 0.5s;
h1 {
  text-transform: uppercase;
 font-size: 40px;
 font-size: 25px;
.container {
 display: flex;
 justify-content: space-between;
.list {
 margin-right: 20px;
 margin-top: 20px;
 width: 500px;
 display: flex;
 justify-content: space-around;
```

```
.cont1 {
 text-align: center;
 margin-top: 200px;
img {
 margin: 10px;
button {
 width: 150px;
 height: 40px;
 border-radius: 30px;
 cursor: pointer;
 position: relative;
 background: transparent;
span {
 background-color: #009688;
 width: 0;
 height: 100%;
 border-radius: 30px;
 position: absolute;
 left: 0;
 bottom: 0;
 z-index: -1;
 transition: 0.5s;
button:hover span {
 width: 100%;
button:hover {
  border: none;
```

https://www.awesomescreenshot.com/image/42803162?key=c31ee70f2f81e 51707764f3e1c9d573e

## 4) Time Table:

```
<!DOCTYPE html>
<html Lang="en">
 <head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0" />
  <title>Time Table</title>
 </head>
 <body>
  <h1 <a href="margin-top: 200px">TIME</a>
TABLE</h1>
  cellspacing="0">
    Day/Period
     I <br />
      9:30-10:20
     align</u>="center">
      II <br />
      10:20-11:10
     III <br />
      11:10-12:00
     12:00-12:40
     IV <br />
      12:40-1:30
```

```
align</u>="center">
  V <br />
  1:30-2:20
 VI <br />
  2:20-3:10
 align</u>="center">
  VII <br />
  3:10-4:30
 align</u>="center">Monday
 align</u>="center">Eng
 Mat
 align</u>="center">Che
 <br />U<br />N<br />C<br />H </b>
 align="center" colspan="3">LAB
 Phy
align</u>="center">Tuesday
 align</u>="center" colspan="3">LAB
 align</u>="center">Eng
 align</u>="center">Che
 align</u>="center">Mat
 SPORTS
Wednesday
 align</u>="center">Mat
 Phy
 Eng
```

```
Che
   align</u>="center" colspan="3">LIBRARY
  align</u>="center">Thrusday
   align</u>="center">Phy
   Eng
   Che
   LAB
   Mat
  align</u>="center">Friday
   align</u>="center" colspan="3">LAB
   Mat
   align</u>="center">Che
   align</u>="center">Eng
   Phy
  Saturday
   align</u>="center">Eng
   Che
   Mat
   align</u>="center" colspan="3">SEMINAR
   SPORTS
  </body>
</html>
```

https://www.awesomescreenshot.com/image/42803187?key=1835c915ede5 95a0ddb82061474d6284

## 5) LITTLE TACO SHOP

## **About us Page:**

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Little Taco Shop - LTS</title>
  </head>
  <body>
     <h1 id="BtoT">Welcome to The Little Taco Shop</h1>
     <nav>
       <l
         <a href="#lts"> About us </a>
         <a href="#menu"> Our Menu </a>
         <a href="Store Hours.html"> Store Hours </a>
         <a href="Contact us.html"> Contact us </a>
        </nav>
    </header>
        src="tacos and drink .png"
       height="300"
       width="500"
       alt="tacos and drinks"
     <figcaption>Tacos and a Drink</figcaption>
    <hr />
    <h2 id="lts">About LTS</h2>
     A taco (US: /'taːkoʊ/, UK: /'tækoʊ/, Spanish: ['tako]) is a traditional
     Mexican food consisting of a small hand-sized corn- or wheat-based
     tortilla topped with a filling. The tortilla is then folded around the
     filling and eaten by hand. A taco can be made with a variety of
fillings,
     including beef, pork, chicken, seafood, beans, vegetables, and cheese,
     allowing for great versatility and variety. They are often garnished
with
     various condiments, such as salsa, guacamole, or sour cream, and
     vegetables, such as lettuce, onion, tomatoes, and chiles. Tacos are a
     common form of antojitos, or Mexican street food, which have spread
around
     the world. Tacos can be contrasted with similar foods such as burritos,
```

```
which are often much larger and rolled rather than folded; taquitos,
which
   are rolled and fried; or chalupas/tostadas, in which the tortilla is
fried
   before filling.
  <h3>Taco Trivia</h3>
  When did Tacos first appear in United States?
  <h2 id="menu">Our Menu</h2>
  <caption>
    Our Tacos
   </caption>
    Tacos
     <abbr title="Quantity"> Qty </abbr>
     Price
    </thead>
   Crunchy
    1
    $1.50
   2
    $2.50
   3
    $3.25
   Soft
    1
    $2.00
   2
    $3.00
   3
    $4.00
```

```
Chips & amp; Salsa $2
    <br />
  <a href="#BtoT" align="center"> BacktoTop </a>
  <hr />
  <footer>Copyright &copy; The Little Taco Shop</footer>
 </body>
</html>
```

## Welcome to The Little Taco Shop

- About us
   Our Menu
   Store Hours



Tacos and a Drink

#### **About LTS**

A taco (US: /ˈtɑːkoʊ/, UK: /ˈtækoʊ/, Spanish: [ˈtako]) is a traditional Mexican food consisting of a small hand-sized corn- or wheat-based tortilla topped with a filling. The tortilla is then folded around the filling and eaten by hand. A taco can be made with a variety of fillings, including beef, pork, chicken, seafood, beans, vegetables, and cheese, allowing for great versatility and variety. They are often garnished with various condiments, such as salsa, guacamole, or sour cream, and vegetables, such as lettuce, onion, tomatoes, and chiles. Tacos are a common form of antoityots, or Mexican street food, which have spread around the world. Tacos can be contrasted with similar foods such as burritos, which are often much larger and rolled rather than folded; taquitos, which are rolled and fried; or chalupas/tostadas, in which the tortilla is fried before filling.

#### Taco Trivia

• When did Tacos first appear in United States?

#### Our Menu

Our racos					
Tacos	Qty	Price			
Crunchy	1	\$1.50			
	2	\$2.50			
	3	\$3.25			
Soft	1	\$2.00			
	2	\$3.00			
	3	\$4.00			
Chips & Salsa \$2					

#### **BacktoTop**

## **Store Hours:**

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
   <title>Store Hours - LTS</title>
   <header>
     <h1 id="ltssphr">Little Taco Shop Hours</h1>
       <l
        <a href="Little Taco Shop.html#lts"> About us </a>
        <a href="Little Taco Shop.html#menu"> Our Menu </a>
        <a href="#"> Store Hours </a>
        <a href="Contact us.html"> Contact us </a>
       <figure>
        src="tacos_tray_.png"
        width="400px"
        height="300px"
        alt="A Tray of Tacos"
       <figcaption>A Tray Of Tasty Tacos</figcaption>
   </header>
   <hr />
   We are open 7 days a week!
   Sunday - Thrusday
         11am - 9pm
   Friday - Saturday
       11am - 11pm
   <a href="#ltssphr"> BacktoTop </a>
   <hr />
   <footer>Copyright &copy;The Little Taco Shop</footer>
 </body>
</html>
```

# **Little Taco Shop Hours**

- About us
- Our Menu
- Store Hours
- Contact us



A Tray Of Tasty Tacos

We are open 7 days a week!

Sunday - Thrusday

11am - 9pm

Friday - Saturday

11am - 11pm

#### **BacktoTop**

Copyright ©The Little Taco Shop

#### Contact us:

```
<body>
  <header>
   <h1 id="BtoT">Contact us</h1>
   <nav>
     <l
        <a href="Little Taco Shop.html#lts"> About us </a>
       <a href="Little Taco Shop.html#menu"> Our Menu </a>
       <a href="Store Hours.html"> Store Hours </a>
       <a href="#"> Contact us </a>
     </nav>
 </header>
     src="tacos close up .png"
     width="300px"
     height="300px"
     alt="LTS Tacos"
    <figcaption>Little Taco Shop Tacos</figcaption>
  </figure>
 <h2>Our Contact Form</h2>
  <form>
   <fieldset>
     <legend>Send us a Message
     <label> Name: </label>
     <input type="text" name="name" placeholder="Enter Your Name:" /> <br/> <br/>/> <br/>// 
     <br />
     <br />
     <label> Email: </label>
     <input</pre>
       type="email"
       name="Email"
       placeholder="Enter Your E-mail:"
     <br />
     <label> Your Message: </label> <br />
     <textarea rows="6" cols="25"> Enter Your Message </textarea>
   </fieldset>
 </form>
  <br />
 <button name="send">Send</button> &nbsp; &nbsp;
  <button name="reset">Reset</putton>
 <h2>Our Location</h2>
  <address>
   555, Taco Temptation lane, Suite T Kansas City, MO 55555-55555
```

## Contact us

- About us
- Our Menu
- Store Hours
- · Contact us



Little Taco Shop Tacos

#### **Our Contact Form**



#### **Our Location**

555, Taco Temptation lane, Suite T Kansas City, MO 55555-55555 Phone: <u>555-555-55555</u>

BacktoTop


## 6) A SURVEY FORM

#### **HTML Code:**

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Survey Form</title>
  </head>
  <body>
    <h1 align="center">GeeksforGeeks Survey Form</h1>
    <form style="background-color: azure">
      <fieldset>
       <legend>Survey Form</legend>
        <label> <b> Name </b> </label>
        <input type="text" placeholder="Enter Your Name" />
        <br />
        <label> <b> Password </b> </label> <br />
        <input type="password" placeholder="Enter Your password" /><br />
        <br />
        <br />
        <label> <b> Age </b> </label> <br />
        <input type="text" placeholder="Enter Your Age" /><br />
        <br />
        <label> <b> Which option best describes you? </b> </label> <br />
        <br />
        <select>
         <option>Student
         <option>Fresher</option>
         <option>Professional
         <option>Manager
        </select>
        <br />
        <br />
        <br />
        <label>
         <b> Would you recommend GeeksforGeeks to your friend? </b>
        </label>
        <br />
        <br />
        <input type="radio" name="yes" value="yes" /> Yes <br />
        <input type="radio" name="yes" value="no" /> No <br />
        <br />
```

```
<input type="radio" name="yes" value="maybe" /> Maybe <br />
        <br />
        <label>
          <br/>
<br/>
Languages anf Frameworks known(check all that apply) </b>
        </label>
        <br />
        <br />
        <input type="checkbox" name="c" value="cc" /> C <br />
        <input type="checkbox" name="c++" value="cc++" /> C++ <br />
        <input type="checkbox" name="c#" value="cc#" /> C# <br />
        <input type="checkbox" name="java" value="ccja" /> JAVA <br />
        <input type="checkbox" name="Py" value="Pcc" /> Python <br />
        <input type="checkbox" name="js" value="jcc" /> JavaScript <br />
        <input type="checkbox" name="Re" value="Rcc" /> React <br />
        <input type="checkbox" name="An" value="acc" /> Angular <br />
        <input type="checkbox" name="dc" value="dcc" /> Django <br />
        <input type="checkbox" name="sc" value="scc" /> Spring <br />
        <br />
        <br />
        <label>
          <br/>
<br/>
Any comments or suggestions </b>
        </label>
        <textarea rows="5" cols="25"> Enter Your Comments.....</textarea><br
        <input type="submit" name="submit" width="800px" height="30px" />
      </fieldset>
    </form>
 </body>
</html>
```

## GeeksforGeeks Survey Form



Languages anf Frameworks known(check all that apply)					
☑ C					
<b>▼</b> C++					
C#					
□ JAVA					
✓ Python					
☐ JavaScript					
React					
☐ Angular ☐ Django					
Any comments or suggestions					
Enter Your Comments					
Submit					