

Task 4 HTML Code:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Task 3</title>
    <link rel="stylesheet" href="Task 4.css" />
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link
      href="https://fonts.googleapis.com/css2?family=Rubik&display=swap"
      rel="stylesheet"
    />
  </head>
  <body>
    <section class="container">
      <div class="internal">
        <div class="cont">
          <div class="tocode">
            <p class="learn">
              Learn to code by<br />
              watching others
            </p>
            <p class="developer">
              See how experienced developers solve problems in real-time.<br
            />
              Watching scripted tutorials is great, but understanding how <br
            />
              developers think is invaluable
            </p>
          </div>
        </div>
      </div>
      <div class="btnform">
        <div class="btntry">
          <a href="#">
            <button>
              <span class="try"> Try it free 7 days </span>then
              $20/mo.thereafter
            </button></a>
          >
        </div>
      </div>
      <div class="form">
        <form>
          <input type="text" class="fname" />
          <svg
            xmlns="http://www.w3.org/2000/svg"
            fill="none"
          />
        </form>
      </div>
    </section>
  </body>
</html>
```

```

        viewBox="0 0 24 24"
        stroke-width="1.5"
        stroke="currentColor"
        class="caution1"
    >
        <path
            stroke-linecap="round"
            stroke-linejoin="round"
            d="M12 9v3.75m9-.75a9 9 0 11-18 0 9 9 0 0118 0zm-9
3.75h.008v.008H12v-.008z"
        />
    </svg>
    <label class="names" class="first"
        >First Name cannot be empty</label>
    <<br />
    <input type="text" class="lname" />
    <svg
        xmlns="http://www.w3.org/2000/svg"
        fill="none"
        viewBox="0 0 24 24"
        stroke-width="1.5"
        stroke="currentColor"
        class="caution2"
    >
        <path
            stroke-linecap="round"
            stroke-linejoin="round"
            d="M12 9v3.75m9-.75a9 9 0 11-18 0 9 9 0 0118 0zm-9
3.75h.008v.008H12v-.008z"
        />
    </svg>
    <label class="names" class="last">Last Name cannot be
empty</label>
    <<br />
    <input
        type="email"
        class="Email"
        placeholder="email@example/com"
    /><br />
    <svg
        xmlns="http://www.w3.org/2000/svg"
        fill="none"
        viewBox="0 0 24 24"
        stroke-width="1.5"
        stroke="currentColor"
        class="caution3"
    >
        <path

```

```

        stroke-linecap="round"
        stroke-linejoin="round"
        d="M12 9v3.75m9-.75a9 9 0 11-18 0 9 9 0 0118 0zm-9
3.75h.008v.008H12v-.008z"
    />
</svg>
<label class="names" class="em"
    >Looks like this is not an Email</label>
<<br />
<input type="password" class="Password" />
<svg
    xmlns="http://www.w3.org/2000/svg"
    fill="none"
    viewBox="0 0 24 24"
    stroke-width="1.5"
    stroke="currentColor"
    class="caution4"
>
    <path
        stroke-linecap="round"
        stroke-linejoin="round"
        d="M12 9v3.75m9-.75a9 9 0 11-18 0 9 9 0 0118 0zm-9
3.75h.008v.008H12v-.008z"
    />
</svg>
<label class="names" class="Pass">Password cannot be
empty</label>
<input
    type="submit"
    class="claim"
    value="Claim your free trial"
/><br />
<p class="click">
    By clicking the button you are agreeing to our
    <span class="terms">Terms and Services</span>
</p>
</form>
</div>
</div>
</div>
</section>
</body>
</html>

```

Task 4 CSS Code:

```
.container {
```

```
margin: auto;
width: 1200px;
height: 700px;
background-image: url("bg-intro-desktop.png");
background-color: hsl(0, 100%, 74%);
font-size: 16px;
font-family: "Rubik", sans-serif;
position: relative;
}

.tocode {
  color: #fff;
}

.learn {
  font-size: 50px;
  font-weight: 900;
}

.internal {
  display: flex;
  margin: auto;
}

.cont {
  margin: 100px 50px 100px 50px;
}

.form {
  width: 500px;
  height: 450px;
  background-color: #fff;
  margin: auto;
  border-radius: 10px;
  padding: 30px;
  position: relative;
}

.btntry button {
  width: 550px;
  height: 50px;
  background-color: hsl(248, 32%, 49%);
  color: #fff;
  border-radius: 10px;
  border: none;
}

.btntry {
```

```
margin-top: 50px;
}

.try {
  font-weight: bold;
  color: #fff;
}

.btnform {
  display: flex;
  flex-direction: column;
  align-items: center;
  gap: 20px;
}

.form input {
  width: 500px;
  height: 50px;
  border: 2px solid red;
  border-radius: 5px;
  margin-top: 20px;
}

.form label {
  color: red;
  font-size: 10px;
  position: absolute;
  right: 25px;
}

::placeholder {
  color: red;
  padding-left: 30px;
}

.click {
  font-size: 12px;
  text-align: center;
}

.terms {
  color: red;
  font-weight: bold;
}

.claim {
  background-color: hsl(154, 59%, 51%);
  color: #fff;
}
```

```
    font-weight: bold;
    text-transform: uppercase;
    border: none;
}

input.claim {
    border: none;
}

.caution1 {
    width: 25px;
    height: 25px;
    position: absolute;
    right: 35px;
    top: 65px;
    background-color: red;
    color: #fff;
    border-radius: 50%;
}

.caution2 {
    width: 25px;
    height: 25px;
    position: absolute;
    right: 35px;
    top: 160px;
    background-color: red;
    color: #fff;
    border-radius: 50%;
}

.caution3 {
    width: 25px;
    height: 25px;
    position: absolute;
    right: 35px;
    bottom: 230px;
    background-color: red;
    color: #fff;
    border-radius: 50%;
}

.caution4 {
    width: 25px;
    height: 25px;
    position: absolute;
    right: 35px;
    bottom: 135px;
```

```
background-color: red;
color: #fff;
border-radius: 50%;
}

.developer {
  line-height: 27px;
}
```

Task 4 Output:

Try it free 7 days then \$20/mo thereafter

Learn to code by watching others

See how experienced developers solve problems in real-time. Watching scripted tutorials is great, but understanding how developers think is invaluable

First Name cannot be empty

Last Name cannot be empty

Looks like this is not an Email

Password cannot be empty

[CLAIM YOUR FREE TRIAL](#)

By clicking the button you are agreeing to our [Terms and Services](#)