
1.Design a login page?

XML CODE

```
<LinearLayout
   android:layout_width="match_parent"
    android: layout_height="match_parent"
    android:orientation="vertical"
   xmlns:android="http://schemas.android.com/apk/res/android">
    <TextView
        android:layout_height="wrap_content"
        android: layout_width="wrap_content"
        android:id="@+id/tv1"
        android:text="Username"/>
    <EditText
        android:layout_width="wrap_content"
        android: layout_height="wrap_content"
        android:id="@+id/et1"/>
   <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:id="@+id/tv2"
        android:text="Password"/>
    <EditText
        android:layout_width="wrap_content"
        android: layout_height="wrap_content"
        android:id="@+id/et2"
        />
    <Button
        android:layout_width="wrap_content"
        android: layout_height="wrap_content"
        android:id="@+id/b1"
        android:text="Login"/>
    <Button
        android:id="@+id/b2"
        android:layout_width="wrap_content"
        android: layout_height="wrap_content"
        android:text="Cancel" />
</LinearLayout>
```

Output




2. Change the content in the textview on button click?

XML CODE:

```
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    android:gravity="center"
    xmlns:android="http://schemas.android.com/apk/res/android">
    <TextView
        android:id="@+id/tv"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Sandra"/>
    <Button
        android:id="@+id/btn1"</pre>
```

```
android:layout width="wrap content"
         android:layout_height="wrap_content"
         android:text="Change"
         android:onClick="change"/>
</LinearLayout>
JAVA CODE
public class MainActivity extends AppCompatActivity {
TextView tv;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
         super.onCreate(savedInstanceState);
         setContentView(R.layout.activity_main);
         tv = findViewById(R.id.tv);
    public void change(View view) {
         tv.setText("Essa");
Output
             1 C <LinearLayout</pre>
                                                arent"
                                                parent"
                                           (1)
                                                .android.com/apk/res/android">
  12:19 💠 🕩 🖺
                                           1
  content change
                                                ap_content"
                                           1
                                                rap_content"
                                                ap_content"
                                                ap_content"
                                          0
                                           0
                 Gopika
                                           4
                CHANGE
                                           0
                                           71 Profiler
                 ™ TODO
         4: Run
ents ago)
```




3.Read a content from edit text and print it in a textview?


XML CODE

```
<LinearLayout
   android:layout_width="match_parent"
   android:layout_height="match_parent"
   android:orientation="vertical"
   android:gravity="center"
   xmlns:android="http://schemas.android.com/apk/res/android">
<TextView
   android:layout_width="wrap_content"
   android:layout_height="wrap_content"
   android:id="@+id/tv"
   android:text="Gopika"/>
    <EditText
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:id="@+id/et"
        android:hint="Enter Text"/>
    <Button
        android:layout_width="wrap_content"
```

```
android:layout_height="wrap_content"
        android:id="@+id/btn"
        android:text="Change TextView"
        android:onClick="click"/>
</LinearLayout>
JAVA CODE
public class MainActivity extends AppCompatActivity {
TextView tv;
EditText et;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
    public void click(View view) {
        tv = findViewById(R.id.tv);
        et = findViewById(R.id.et);
        tv.setText(et.getText());
    }
}
```

Output





4. Change the background color on a button click


XML CODE

```
<LinearLayout
    android:id="@+id/l1"
    android:layout width="match parent"
    android:layout height="match parent"
    android:orientation="vertical"
    android:gravity="center"
    xmlns:android="http://schemas.android.com/apk/res/android" >
<Button
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:id="@+id/b1"
    android:text="submit"
    android:onClick="click"/>
</LinearLayout>
JAVA CODE
```

package com.example.sjcet.backgroundcolor;

```
import android.support.v7.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.LinearLayout;
public class MainActivity extends AppCompatActivity {
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        Button button1;
        final LinearLayout Layout;
        Layout = findViewById(R.id.11);
        button1 = findViewById(R.id.b1);
        button1.setOnClickListener(new View.OnClickListener() {
             @Override
             public void onClick(View view) {
                 Layout.setBackgroundResource(R.color.colorPrimaryDark);
        });
    }
```

OUTPUT





5.Create a sample calculator?

XML CODE

```
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/relative1"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">
    <EditText
        android:id="@+id/edt1"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
    <Button
        android:id="@+id/button1"
        style="?android:attr/buttonStyleSmall"
        android:layout_width="wrap_content"
        android:layout_height="wrap content"
        android:layout_alignEnd="@+id/button4"
```

```
android:layout alignRight="@+id/button4"
    android:lavout below="@+id/edt1"
    android:layout marginTop="94dp"
    android:text="1" />
<Button
    android:id="@+id/button2"
    style="?android:attr/buttonStyleSmall"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
    android:layout_alignTop="@+id/button1"
    android:layout_toLeftOf="@+id/button3"
    android:layout_toStartOf="@+id/button3"
    android:text="2" />
<Button
    android:id="@+id/button3"
    style="?android:attr/buttonStyleSmall"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_alignTop="@+id/button2"
    android:layout centerHorizontal="true"
    android:text="3" />
<Button
    android:id="@+id/button4"
    style="?android:attr/buttonStyleSmall"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
    android:layout below="@+id/button1"
    android:layout toLeftOf="@+id/button2"
    android:text="4" />
<Button
    android:id="@+id/button5"
    style="?android:attr/buttonStyleSmall"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout alignBottom="@+id/button4"
    android:layout_alignLeft="@+id/button2"
    android:layout alignStart="@+id/button2"
    android:text="5" />
<Button
    android:id="@+id/button6"
    style="?android:attr/buttonStyleSmall"
    android:layout_width="wrap_content"
    android:layout height="wrap content"
    android:layout alignLeft="@+id/button3"
    android:layout alignStart="@+id/button3"
    android:layout below="@+id/button3"
    android:text="6" />
<Button
    android:id="@+id/button7"
    style="?android:attr/buttonStyleSmall"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:layout below="@+id/button4"
    android:layout toLeftOf="@+id/button2"
    android:text="7" />
<Rutton
    android:id="@+id/button8"
    style="?android:attr/buttonStyleSmall"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_alignLeft="@+id/button5"
    android:layout_alignStart="@+id/button5"
    android:layout_below="@+id/button5"
```

```
android:text="8" />
<Button
    android:id="@+id/button9"
    style="?android:attr/buttonStyleSmall"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:layout alignLeft="@+id/button6"
    android:layout alignStart="@+id/button6"
    android:layout below="@+id/button6"
    android:text="9" />
<Button
    android:id="@+id/buttonadd"
    style="?android:attr/buttonStyleSmall"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
    android:layout alignEnd="@+id/edt1"
    android:layout_alignRight="@+id/edt1"
    android:layout_alignTop="@+id/button3"
    android:layout marginLeft="46dp"
    android:layout_marginStart="46dp"
    android:layout toRightOf="@+id/button3"
    android:text="+" />
<Button
    android:id="@+id/buttonsub"
    style="?android:attr/buttonStyleSmall"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout alignEnd="@+id/buttonadd"
    android:layout_alignLeft="@+id/buttonadd"
    android:layout_alignRight="@+id/buttonadd"
    android:layout_alignStart="@+id/buttonadd"
    android:layout_below="@+id/buttonadd"
    android:text="-" />
<Button
    android:id="@+id/buttonmul"
    style="?android:attr/buttonStyleSmall"
    android:layout_width="wrap_content"
    android:layout_height="wrap content"
    android:layout_alignLeft="@+id/buttonsub"
    android:layout_alignParentEnd="true"
    android:layout_alignParentRight="true"
    android:layout_alignStart="@+id/buttonsub"
    android:layout below="@+id/buttonsub"
    android:text="*" />
<Button
    android:id="@+id/button10"
    style="?android:attr/buttonStyleSmall"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:layout_below="@+id/button7"
    android:layout toLeftOf="@+id/button2"
    android:text="." />
<Button
    android:id="@+id/button0"
    style="?android:attr/buttonStyleSmall"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_alignLeft="@+id/button8"
    android:layout_alignStart="@+id/button8"
    android:layout below="@+id/button8"
    android:text="0" />
<Button
    android:id="@+id/buttonC"
```

```
style="?android:attr/buttonStyleSmall"
         android:lavout width="wrap content"
         android:layout height="wrap content"
         android:layout alignLeft="@+id/button9"
         android:layout alignStart="@+id/button9"
         android:layout below="@+id/button9"
         android:text="C" />
    <Button
         android:id="@+id/buttondiv"
         style="?android:attr/buttonStyleSmall"
         android:layout_width="wrap_content"
         android:layout_height="wrap_content"
         android:layout alignEnd="@+id/buttonmul"
         android:layout_alignLeft="@+id/buttonmul"
         android:layout_alignRight="@+id/buttonmul"
         android:layout alignStart="@+id/buttonmul"
         android:layout below="@+id/buttonmul"
         android:text="/" />
    <Button
         android:id="@+id/buttoneql"
         android:layout width="wrap content"
         android:layout height="wrap content"
         android:layout alignEnd="@+id/buttondiv"
         android:layout alignLeft="@+id/button10"
         android:layout alignRight="@+id/buttondiv"
         android:layout_alignStart="@+id/button10"
         android:layout_below="@+id/button0"
         android:layout marginTop="37dp"
         android:text="=" />
</RelativeLayout>
JAVA CODE
package com.example.sjcet.calculator;
import android.os.Bundle;
import android.support.v7.app.AppCompatActivity;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
public class MainActivity extends AppCompatActivity {
    Button button0, button1, button2, button3, button4, button5, button6,
    button7, button8, button9, buttonAdd, buttonSub, buttonDivision,
             buttonMul, button10, buttonC, buttonEqual;
    EditText crunchifyEditText;
    float mValueOne, mValueTwo;
    boolean crunchifyAddition, mSubtract, crunchifyMultiplication, crunchifyDivision;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
         super.onCreate(savedInstanceState);
         setContentView(R.layout.activity main);
         button0 = (Button) findViewById(R.id.button0);
         button1 = (Button) findViewById(R.id.button1);
         button2 = (Button) findViewById(R.id.button2);
         button3 = (Button) findViewById(R.id.button3);
         button4 = (Button) findViewById(R.id.button4);
         button5 = (Button) findViewById(R.id.button5);
         button6 = (Button) findViewById(R.id.button6);
         button7 = (Button) findViewById(R.id.button7);
         button8 = (Button) findViewById(R.id.button8);
         button9 = (Button) findViewById(R.id.button9);
         button10 = (Button) findViewById(R.id.button10);
         buttonAdd = (Button) findViewById(R.id.buttonadd);
         buttonSub = (Button) findViewById(R.id.buttonsub);
         buttonMul = (Button) findViewById(R.id.buttonmul);
```

```
buttonDivision = (Button) findViewById(R.id.buttondiv);
buttonC = (Button) findViewBvId(R.id.buttonC):
buttonEqual = (Button) findViewById(R.id.buttoneql);
crunchifyEditText = (EditText) findViewById(R.id.edt1);
button1.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        crunchifyEditText.setText(crunchifyEditText.getText() + "1");
});
button2.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        crunchifyEditText.setText(crunchifyEditText.getText() + "2");
});
button3.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        crunchifyEditText.setText(crunchifyEditText.getText() + "3");
});
button4.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        crunchifyEditText.setText(crunchifyEditText.getText() + "4");
});
button5.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        crunchifyEditText.setText(crunchifyEditText.getText() + "5");
    }
});
button6.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        crunchifyEditText.setText(crunchifyEditText.getText() + "6");
});
button7.setOnClickListener(new View.OnClickListener() {
    public void onClick(View v) {
         crunchifyEditText.setText(crunchifyEditText.getText() + "7");
    }
});
button8.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
         crunchifyEditText.setText(crunchifyEditText.getText() + "8");
    }
});
button9.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
         crunchifyEditText.setText(crunchifyEditText.getText() + "9");
});
button0.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
         crunchifyEditText.setText(crunchifyEditText.getText() + "0");
    }
```

```
buttonAdd.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        if (crunchifyEditText == null) {
             crunchifyEditText.setText("");
        } else {
             mValueOne = Float.parseFloat(crunchifyEditText.getText() + "");
             crunchifyAddition = true;
             crunchifyEditText.setText(null);
        }
    }
});
buttonSub.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        mValueOne = Float.parseFloat(crunchifyEditText.getText() + "");
        mSubtract = true;
        crunchifyEditText.setText(null);
});
buttonMul.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        mValueOne = Float.parseFloat(crunchifyEditText.getText() + "");
        crunchifyMultiplication = true;
        crunchifyEditText.setText(null);
    }
});
buttonDivision.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        mValueOne = Float.parseFloat(crunchifyEditText.getText() + "");
        crunchifyDivision = true;
        crunchifyEditText.setText(null);
    }
});
buttonEqual.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        mValueTwo = Float.parseFloat(crunchifyEditText.getText() + "");
        if (crunchifyAddition == true) {
             crunchifyEditText.setText(mValueOne + mValueTwo + "");
             crunchifyAddition = false;
        if (mSubtract == true) {
             crunchifyEditText.setText(mValueOne - mValueTwo + "");
             mSubtract = false:
        if (crunchifvMultiplication == true) {
             crunchifyEditText.setText(mValueOne * mValueTwo + "");
             crunchifyMultiplication = false;
        if (crunchifyDivision == true) {
             crunchifyEditText.setText(mValueOne / mValueTwo + "");
             crunchifyDivision = false;
        }
});
buttonC.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
         crunchifyEditText.setText("");
```

```
}
});
button10.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        crunchifyEditText.setText(crunchifyEditText.getText() + ".");
    }
});
}
```

OUTPUT



