SREE NARAYANA GURUKULAM COLLEGE OF ENGINEERING

KADAYIRUPPU, KOLENCHERY 682 311

(Affiliated to APJ Abdul Kalam Technological University)

ACADEMIC YEAR 2021-23



20 MCA 132|PROGRAMMING LABORATORY RECORD

Submitted by

GOPIKA UDAYAN

REG NO: SNG21MCA-2016

in partial fulfillment for the award of the degree in

MASTER OF COMPUTER APPLICATIONS

SREE NARAYANA GURUKULAM COLLEGE OF

ENGINEERING KADAYIRUPPU, KOLENCHERY 682 311

(Affiliated to APJ Abdul Kalam Technological University)



MCA PROGRAMMING LABORATORY RECORD

| Certified that this is a Bonafide | record of practical work done by GOPIKA UDAYAN |
|-----------------------------------|---|
| to the APJ Abdul Kalam Techno | logical University in partial fulfillment of the requiremen |
| for the award of the Degree in | Master of Computer Applications of Sree Narayana |
| Gurukulam College of Engine | ering done during the Academic year 2021-23. |
| Kadayiruppu | Course Instructor |
| Date: | |
| | |

Head of the Department

Prof.Dr. SANDHYA R

Submitted for University Practical Examination

Reg No: SNG21MCA-2016 on -----

External Examiner InternalExaminer

| SL NO. | DATE | NAME OF EXPERIMENT | PAGE NO. | REMARK |
|-----------|----------|---|----------|--------|
| Ι | CO1 | | | |
| 1 | 24/11/21 | Familiarizing Text Editor, IDE, Code Analysis Tools etc | 1 | |
| 2 | 24/11/21 | Leap Year | 3 | |
| 3 | 24/11/21 | List comprehensions | 4 | |
| 4 | 24/11/21 | occurrences of each word | 6 | |
| 5 | 24/11/21 | Prompt the user for a list of integers. | 7 | |
| 6 | 24/11/21 | Store a list of first names. | 8 | |
| 7 | 24/11/21 | Checking list are of same length,sums to same value,any value occur in both | 9 | |
| 8 | 24/11/21 | Get a string from an input string and replacing a character | 11 | |
| 9 | 24/11/21 | Create a string from given string where first and last characters exchanged. | 12 | |
| 10 | 24/11/21 | Accept the radius from user and find area of circle | 13 | |
| 11 | 29/11/21 | Find biggest of 3 numbers entered | 14 | |
| 12 | 29/11/21 | Accept a file name from user and print extension of that | 15 | |
| 13 | 29/11/21 | Create a list of colors, Display first and last colors. | 16 | |
| 14 | 29/11/21 | Accept an integer n and compute n+nn+nnn | 17 | |
| 15 | 29/11/21 | Print out all colors from color-list1 not contained in color-list2 | 18 | |
| 16 | 29/11/21 | Create a single string separated with space from two strings by swapping the character at position 1. | 19 | |
| 17 | 29/11/21 | Sort dictionary in ascending and descending order | 20 | |
| 18 | 29/11/21 | Merge two dictionaries | 21 | |
| 19 | 29/11/21 | Find gcd of 2 numbers. | 22 | |

| | 20 | 29/11/21 | From a list of integers, create a list removing even numbers. | 23 | |
|---|-----|---|---|----|--|
| | II | CO2 | | | |
| | 1 | 1/12/21 Program to find the factorial of a number | | 24 | |
| | 2 | 1/12/21 | Generate Fibonacci series of N terms | 25 | |
| | 3 | 1/12/21 | Find the sum of all items in a list | 26 | |
| - | 4 | 1/12/21 | Generate a list of four digit numbers in a given range with all their digits even and the number is a perfect square. | 27 | |
| | 5 | 1/12/21 | Display the given pyramid with step number accepted from user | 28 | |
| | 6 | 1/12/21 | Count the number of characters (character frequency) in a string | 29 | |
| | 7 | 8/12/21 | Add 'ing' at the end of a given string. If it already ends with 'ing', then add 'ly' | 30 | |
| | 8 | 8/12/21 | 8/12/21 Accept a list of words and return length of longest word | | |
| | 9 | 8/12/21 | Construct pattern using nested loop | 32 | |
| | 10 | 8/12/21 | Generate all factors of a number. def print_factors(x): | 34 | |
| | 11 | 8/12/21 | Write lambda functions to find area of square, rectangle and triangle. | 35 | |
| • | III | CO3 | | | |
| | 1 | 15/12/21 | Work with built-in packages | 36 | |
| | 2 | 15/12/21 | Creation of packages | 41 | |
| | IV | CO4 | | | |
| | 1 | 9/1/22 | Compare two Rectangle objects by their area | 44 | |
| | 2 | 9/1/22 | Create a Bank account with members account number, name, type of account and balance. | 46 | |
| | 3 | 9/1/22 | Overload '<' operator to compare the area of 2 rectangles. | 49 | |
| L | | | | | |

| 4 | 9/1/22 | Overload '+' operator to find sum of 2 time | 51 | |
|---|---------|--|----|--|
| 5 | 9/1/22 | Use base class constructor invocation and method overriding. | 53 | |
| V | CO5 | | | |
| 1 | 30/1/22 | Write a Python program to read a file line by line and store it into a list. | 55 | |
| 2 | 30/1/22 | Python program to copy odd lines of one file to other | 56 | |
| 3 | 30/1/22 | Write a Python program to read each row from a given csv file and print a list of strings. | 57 | |
| 4 | 30/1/22 | Write a Python program to read specific columns of a given CSV file | 58 | |
| 5 | 30/1/22 | Write a Python program to write a Python dictionary to a csv file. | 59 | |

COURSE OUTCOME 1(CO1)

PROGRAM NO: 1

DATE:24/11/2021

AIM: Familiarizing Text Editor, IDE, Code Analysis Tools etc // Use any IDE like PyCharm, PyDev...

A text editor is a tool that allows a user to create and revise documents in a computer.

An integrated development environment (IDE) is a software application that provides comprehensive facilities to computer programmers for software development.

An IDE normally consists of at least a source code editor, build automation tools a debugger

Source code analysis tools, also known as Static Application Security Testing (SAST) Tools, can help analyze source code or compiled versions of code to help find security flaws.

Top Python IDE's

- PyCharm
- Spyder
- Eclipse PyDev
- Wing
- IDLE

SPYDER

Spyder is a very powerful and easy-to-use environment that is written in python, for python. What makes it special is the diverse functionalities that it offers.

| | • |
|--|---|
| | |
| | |

For example, easy debugging, advanced editing, aesthetically pleasing visualization techniques, interactive executions, and many more. In this article, you will get accustomed to some vital parts of the IDE and its key panes and functionality.

Spyder support multiple language multi-language. The editor allows writing code of different languages and integrates several powerful tools for easy-to-use, effective editing practice. Some of the Editor's chief traits include highlighting syntaxes, seeking the help of an unknown command, real-time code analysis, function and class browser, horizontal and vertical splitting, and many more.

DATE:24/11/2021

AIM:Display future leap years from current year to a final year entered by users

```
print("enter the starting year")
start=int(input())
print("enter the final year")
end=int(input())
print("start year",start,"\nend year",end)
for y in range(start,end):
    if (y % 4 == 0) and (y % 100 != 0) or (y % 400 == 0):
        print(y)
```

OUTPUT

```
enter the starting year
2000
enter the final year
2020
start year 2000
end year 2020
2004
2008
2012
```

```
PROGRAM NO: 3
```

DATE:24/11/2021

AIM: List comprehensions

Generate positive list of numbers from a given list of integers

```
list1=[3,-4,,8,-7,-1]
list2=[]
for i in list1:
    if i>0:
list2.append(i)
print("Resultant list",list2)
```

OUTPUT

Resultant list [3, 8]

Square of N number

```
n=int(input("Enter the limit:"))
list1=[]
sq=1
for i in range(1,n+1):
    sq=i*i
    list1.append(sq)
print("Result:",list1)
```

OUTPUT

Enter the limit:5 Result: [1, 4, 9, 16,25]

Form a list of vowels selected from a given word

```
list1=[]
w1=input("Enter the word:")
```

Dept. Of Computer Applications, SNGCE

```
for i in w1:
    if i in 'aeiouAEIOU':
        list1.append(i)
print("Resultant list:",list1)
```

OUTPUT

Enter the word:hello world Resultant list: ['e', 'o', 'o']

List ordinal value of each element of a word (Hint: use ord() to get ordinal Values)

```
w1=input("Enter the word:")
for i in w1:
    print(i," ")
print(ord(i))
```

OUTPUT

Enter the word:python

p:112 y:121 t:116 h:104 o:111 n:110

DATE:24/11/2021

AIM:Count the occurrences of each word in a line of text

```
str1=input("Enter the text:")
list1=str1.split(" ")
print(list1)
for i in list1:
   count=list1.count(i)
   print(" ",i," ",count)
```

OUTPUT

```
Enter the text:how old are you you
```

```
['how', 'old', 'are', 'you', 'you']
how 1
old 1
are 1
```

you 2

you 2

DATE:24/11/2021

AIM:Prompt the user for a list of integers. For all values greater than 100, store 'over' instead

```
list1=[]
n1=int(input("Enter the limit:"))
for i in range(n1):
    n2=int(input("Enter the number:"))

if n2>100:
    list1.append("over")
else:
    list1.append(n2)
print(list1)
```

OUTPUT

Enter the limit:3

Enter the number:200

Enter the number:7

Enter the number:5

['over', 7, 5]

DATE:24/11/2021

AIM:Store a list of first names. Count the occurrences of 'a' within the list

```
list1=["d","b","c","d","d"]
print("List:\n",list1)
print("Occurence of a:",list1.count('a'))
```

OUTPUT

List: ['d', 'b', 'c', 'd', 'd']
Occurence of d: 3

DATE:24/11/2021

AIM:Enter 2 lists of integers. Check (a) Whether list are of same length (b)whether list sums to same value (c) whether any value occur in both

```
list1=[]
list2=[]
s1 = 0
s2=0
n1=int(input("Enter the number of elements in list1:"))
for i in range(n1):
     x=int(input("Enter the elements:"))
 s1=s1+x
     list1.append(x)
n2=int(input("\nEnter the number of elements in list2:"))
for i in range(n2):
     x=int(input("Enter the elements:"))
     s2=s2+x
     list2.append(x)
print("\nlist1\n",list1)
print("\nlist2\n",list2)
```

```
if len(list1)==len(list2):
  print("\nLength of 2 list is same")
else:
  print("\nLength of 2 list is not same")
if s1 == s2:
 print("Sum is equal")
else:
print("Sum is not equal")
print("common elements:",set(list1).intersection(set(list2)))
      OUTPUT
Enter the number of elements in list1:3
Enter the elements:8
Enter the elements:15
Enter the elements:7
Enter the number of elements in list2:3
Enter the elements:6
Enter the elements:15
Enter the elements:8
list1
 [8, 15, 7]
list2
 [6, 15, 8]
Length of 2 list is same
Sum is not equal
common elements: {8, 15}
```

DATE:24/11/2021

AIM:Get a string from an input string where all occurrences of first character replaced with '\$', except first character. [eg: onion -> oni\$n]

```
string1=input("Enter the string:")
print("Old string:",string1)
first=string1[0]
print("New String:",first+string1[1:].replace(first,'$'))
```

OUTPUT

Enter the string: hello world

Old string: hello world New String: hello \$orld

DATE:24/11/2021

AIM:Create a string from given string where first and last characters exchanged. [eg: python - > nythop]

```
string1=input("Enter a string:")
print("Old string:",string1)
first=string1[0]

last=string1[-1]
print("New string:",last+string1[1:-1]+first)
```

OUTPUT

Enter a string:hello world Old string: hello world New string: dello worlh

DATE:24/11/2021

AIM:Accept the radius from user and find area of circle.

```
r=float(input("Enter the radius:"))
print("radius=",r)
area=3.14*r*r
print("Area=",'%.2f'% area)
```

OUTPUT

Enter the radius:2 radius= 2.0 Area= 12.56

DATE:29/11/2021

AIM:Find biggest of 3 numbers entered

```
n1=int(input("Enter the first number:"))
n2=int(input("Enter the second number:"))
n3=int(input("Enter the third number:"))
large=n1
if(n2>large):
large=n2
if(n3>large):
large=n3
print("Largest number is:",large)
```

OUTPUT

Enter the first number:3 Enter the second number:4 Enter the third number:2 Largest number is: 4

DATE:29/11/2021

AIM:Accept a file name from user and print extension of that

```
file1=input("Enter the file name:")
ext=file1.split('.')
print("File Name=",file1)
print("File Extension=",ext[-1])
```

OUTPUT

Enter the file name:hello.java File Name= hello.java File Extension= java

DATE:29/11/2021

AIM:Create a list of colors from comma-separated color names entered by user.Display first and last colors.

```
list1=[]
n=int(input("Enter the number of colors:"))
for i in range(n):
    x=input("Enter the color:")
    list1.append(x)
    print("\nList:",list1)
    print("First color:",list1[0])
    print("last color:",list1[n-1])
```

OUTPUT

Enter the number of colors:3

Enter the color:blue Enter the color:black

Enter the color:green

List: ['blue', 'black', 'green']

First color: blue last color: green

DATE:29/11/2021

AIM:Accept an integer n and compute n+nn+nnn

```
n=input("Enter the number:")
print("Number is",n)
print("Result=",int(n)+ int(n*2) + int(n*3))
```

OUTPUT

Enter the number:4 Number is 4 Result= 492

DATE:29/11/2021

AIM:Print out all colors from color-list1 not contained in color-list2

```
list1=["black","green","red"]
list2=["black","blue","red"]
print("Difference:",set(list1) ^ set(list2))
```

OUTPUT

Difference: {'green', 'blue'}

DATE:29/11/2021

AIM:Create a single string separated with space from two strings by swapping the character at position 1.

```
str1=input("Enter the first string:")
str2=input("Enter the second string:")
c1=str1[0]
c2=str2[0]
print("\nString 1:",str1)
print("string 2:",str2)
print("Resultant string:",c2+str1[1:]+" "+c1+str2[1:])
```

OUTPUT

Enter the first string:hello Enter the second string:world

String 1: hello string 2: world

Resultant string: wello horld

DATE:29/11/2021

AIM:Sort dictionary in ascending and descending order.

```
import operator

d={1:2,3:3,4:3,2:1,0:0}

print("original dictionary:",d)

sorted_d=sorted(d.items(),key=operator.itemgetter(1))

print("dictionary in ascending order by value",sorted_d)

sorted_d=dict(sorted(d.items(),key=operator.itemgetter(1),reverse=True))

print("dictionary in descending order by value:",sorted_d)
```

Output

```
original dictionary: {1: 2, 3: 3, 4: 3, 2: 1, 0: 0}
dictionary in ascending order by value [(0, 0), (2, 1), (1, 2), (3, 3), (4, 3)]
dictionary in descending order by value: {3: 3, 4: 3, 1: 2, 2: 1, 0: 0}
```

DATE:29/11/2021

AIM:Merge two dictionaries

```
d1={1:4,2:5,3:8}
print("First dictionary:",d1)
d2={1:6,2:8,4:9}

print("Second dictionary:",d2)
d3=d1.copy()
d3.update(d2)
print("Merged dictionary:",d3)
```

OUTPUT

First dictionary: {1: 4, 2: 5, 3: 8} Second dictionary: {1: 6, 2: 8, 4: 9}

Merged dictionary: {1: 6, 2: 8, 3: 8, 4: 9}

DATE:29/11/2021

AIM:Find gcd of 2 numbers.

```
n1=int(input("Enter the first number:"))
n2=int(input("Enter the second number:"))
i=1
while i<=n1 and i<=n2:
    if(n1%i==0 and n2%i==0):
        gcd=i
    i=i+1
print("Gcd=",gcd)</pre>
```

OUTPUT

Enter the first number:20 Enter the second number:40

Gcd= 20

DATE:29/11/2021

AIM:From a list of integers, create a list removing even numbers.

```
list1=[]
list2=[]
n=int(input("Enter the limit:"))
for i in range(n):
    x=int(input("Enter the element:"))
list1.append(x)
    if x%2!=0:
        list2.append(x)
print("\nEntered List:",list1)
print("\nResultant List:",list2)
```

OUTPUT

Enter the limit:4
Enter the element:1

Enter the element:2 Enter the element:3 Enter the element:4

Entered List: [1, 2, 3, 4] Resultant List: [1, 3]

DATE:1/12/2021

AIM:Program to find the factorial of a number

```
n1=int(input("Enter the number:"))
f=1
for i in range(1,n1+1):
    f=f*i
print("Factorial of",n1,"is:",f)
```

OUTPUT

Enter the number:6 Factorial of 6 is: 720

DATE:1/12/2021

AIM:Generate Fibonacci series of N terms

```
n=int(input("Enter the limit:"))
f=0
s=1
r=0
c=1

print("Fibonacci series:")
while c<=n:
    print(r,end=" ")
    c=c+1
    f=s
    s=r
    r=f+s</pre>
```

OUTPUT

Enter the limit:5 Fibonacci series: 0 1 1 2 3

DATE:1/12/2021

AIM:Find the sum of all items in a list

```
list1=[]
s=0
n=int(input("Enter the limit:"))
for i in range(n):
    x=int(input("Enter the number:"))
    list1.append(x)
    s=s+x
print("List:",list1)
print("Sum=",s)
```

OUTPUT

Enter the limit:4
Enter the number:5
Enter the number:3
Enter the number:2
Enter the number:1
List: [5, 3, 2, 1]
Sum= 11

DATE:1/12/2021

AIM:Generate a list of four digit numbers in a given range with all their digits even and the number is a perfect square.

```
import math
n=int(input("Enter the limit:"))
print("Perfect numbers:\n")
for i in range(1000,n+1):
    t=int(math.sqrt(i))
if t*t==i and i%2==0:
    print(i,end=" ")
```

OUTPUT

Enter the limit:1200 Perfect numbers:

1024 1156

DATE:1/12/2021

AIM:Display the given pyramid with step number accepted from user.

```
n=int(input("Enter the limit:"))
for i in range(1,n+1):
   for j in range(1,i+1):
      print(i*j,end=" ")
   print("\n")
```

OUTPUT

Enter the limit:4

1

24

369

481216

DATE:1/12/2021

AIM:Count the number of characters (character frequency) in a string.

```
str1=input("Enter the string:")
f={}
for i in str1:
    if i in f:
        f[i]=f[i]+1
    else:
        f[i]=1
    print(f)
```

OUTPUT

Enter the string:hello

```
{'h': 1, 'e': 1, 'I': 2, 'I': 2, '0': 1}
```

DATE:8/12/2021

AIM:Add 'ing' at the end of a given string. If it already ends with 'ing', then add 'ly'

```
str=input("Enter the string:")
print("Entered string:",str)

if(str.endswith("ing")):
    str=str+"ly"
else:
    str=str+"ing"
print("Resultant string:",str)
```

OUTPUT

Enter the string:play
Entered string: play
Resultant string: playing

DATE:8/12/2021

AIM:Accept a list of words and return length of longest word

```
list1=[]
n=int(input("Enter the number of strings:"))
for i in range(n):
    str=input("Enter the string:")
    list1.append(str);
lword=list1[0]
max=len(list1[0])
for i in list1:
    if(len(i)>max):
        max=len(i)
        lword=i
print("Longest word:",lword)
print("Length:",max)
```

OUTPUT

Enter the number of strings:3 Enter the string:hai Enter the string:hello Enter the string:hi Longest word: hello Length: 5

DATE:8/12/2021

AIM:Construct following pattern using nested loop

```
*
* *
* * *
* * * *
* * * *
* * *
* *
n=int(input("Enter the limit:"))
for i in range(n+1):
 for j in range(1,i+1):
  print("*",end=" ")
 print("\n")
for i in range(n,0,-1):
 for j in range(i):
  print("*",end=" ")
 print("\n")
```

OUTPUT

Enter the limit:4

*

* *

* * *

* * * *

* * * *

* * *

* *

*

DATE:8/12/2021

AIM:Generate all factors of a number. def print_factors(x):

```
def fact(n):
  print("Factors of",n,":")
  for i in range(1,n+1):
    if n%i==0:
      print(i)
    n=int(input("Enter the number:"))
fact(n)
```

OUTPUT

Enter the number:16

Factors of 16:

1

2

4

8

16

DATE:8/12/2021

AIM: Write lambda functions to find area of square, rectangle and triangle.

```
a_sq=lambda a:a*a
a_rec=lambda l,b:l*b
a_tri=lambda b,h:1/2*b*h

print("Area of square=",a_sq(2))
print("Area of rectangle=",a_rec(2,2))
print("Area of triangle=",a_tri(2,5))
```

OUTPUT

Area of square= 4 Area of rectangle= 4 Area of triangle= 5.0

COURSE OUTCOME 3(CO3)

PROGRAM NO: 1

DATE:15/12/2021

AIM:Work with built-in packages

Time Module

```
import time

print("Current time in sec:",time.time())

print("Current time:",time.ctime())

print("Time After 30 sec:",time.ctime(time.time()+30))

t=time.localtime()

print("Time:",t)

print("Time-current year:",t.tm_year)

print("Time:-current month",t.tm_mon)

print("Time:-current day",t.tm_mday)

print("Time:-current hour",t.tm_hour)

print("Time:-current minute",t.tm_min)

print("Time:-current sec",t.tm_sec)

print("Time:-current week day",t.tm_wday)

print("Time:-current year day",t.tm_yday)
```

OUTPUT

Time:-current day 19

Current time in sec: 1639915265.630671

Current time: Sun Dec 19 17:31:05 2021

Time After 30 sec: Sun Dec 19 17:31:35 2021

```
Time: time.struct_time(tm_year=2021, tm_mon=12, tm_mday=19, tm_hour=17, tm_min=31, tm_sec=5, tm_wday=6, tm_yday=353, tm_isdst=0)
Time-current year: 2021
Time:-current month 12
```

Dept. Of Computer Applications, SNGCE

Time:-current hour 17

Time:-current minute 31

Time:-current sec 5

Time:-current week day 6 Time:-current year day 353

Math module

import math
print(math.factorial(4))
print (math.gcd(3, 6))
print (math.sqrt(9))

OUTPUT

24

3

3.0

Calendar module

```
import calendar
mm=int(input("Enter month:"))
yy=int(input("Enter year:"))
print("\n")
print(calendar.month(yy,mm))
```

OUTPUT

Enter month:1
Enter year:2022

January 2022

```
Mo Tu We Th Fr Sa Su
1 2
3 4 5 6 7 8 9
10 11 12 13 14 15 16
```

```
17 18 19 20 21 22 23
24 25 26 27 28 29 30
31
```

DateTime module

```
import datetime
t=datetime.time(22,56,20,67)
print(t)
print("Hour",t.hour)
print("Minutes",t.minute)
print("Seconds",t.second)
print("Microsecond:",t.microsecond)
print("\n")
d=datetime.date.today()
print(d)
print("Year:",d.year)
print("Month:",d.month)
print("Day:",d.day)
d1=datetime.date.today()
print(d1)
td=datetime.timedelta(days=2)
print(td)
d2=d1+td
print(d2)
dt=datetime.datetime.combine(d1,t)
print(dt)
```

OUTPUT

22:56:20.000067 Hour 22 Minutes 56 Seconds 20 Microsecond: 67

```
2021-12-19
Year: 2021
Month: 12
Day: 19
2021-12-19
2 days, 0:00:00
2021-12-21
2021-12-19 22:56:20.000067
```

Statistics module

```
import statistics
print(statistics.mean([3,4,3]))
print(statistics.median([1, 3, 5, 7, 9, 11, 13]))
print(statistics.mode([1, 1, -3, 3, 7, -9]))
print(statistics.variance([1, 3, 5, 7, 9, 11]))
```

print(statistics.stdev([1, 3, 5, 7, 9, 11]))

OUTPUT

```
3.3333333333333333
7
1
14
3.7416573867739413
```

Random module

```
import random
random.seed(10)
print(random.random())
mylist = ["apple", "banana", "cherry"]
print(random.sample(mylist, k=2))
print(random.random())
```

```
mylist2 = ["apple", "banana", "cherry"]
random.shuffle(mylist2)
print(mylist2)
mylist3 = ["apple", "banana", "cherry"]
print(random.choice(mylist3))
```

40

OUTPUT

0.5714025946899135 ['banana', 'cherry'] 0.5780913011344704 ['cherry', 'banana', 'apple'] banana

Dept. Of Computer Applications , SNGCE

DATE:15/12/2021

AIM:

Create a package graphics with modules rectangle, circle and sub-package 3D-graphics with modules cuboid and sphere. Include methods to find area and perimeter of respective figures in each module. Write programs that finds area and perimeter of figures by different importing statements. (Include selective import of modules and import * statements)

graphics package

circle module

```
def area(r):
  return(3.14*r*r)

def perimeter(r):
  return(2*3.14*r)
```

rectangle module

```
def area(l,b):
  return(l*b)

def perimeter(l,b):
  return(2*(l+b))
```

3dgraphics package

sphere module

```
def area(r):
 return(4*3.14*r*r)
def perimeter(r):
 return(2*3.14*r)
cuboid module
def area(l,w,h):
 return(2*1*w+2*1*h+2*h*w)
def perimeter(l,b,h):
 return(4*(1+b+h))
from graphics import rectangle
from graphics import circle
from dgraphics import cuboid
from dgraphics import sphere
print("Rectangle:")
l=int(input("Enter the length:"))
b=int(input("Enter the breadth:"))
print("Area=",rectangle.area(l,b))
print("Perimeter=",rectangle.perimeter(l,b))
print("\nCircle:")
r=int(input("Enter the radius:"))
print("Area=",circle.area(r))
print("Perimeter=",circle.perimeter(r))
print("\nCuboid:")
l=int(input("Enter the length:"))
w=int(input("Enter the width:"))
h=int(input("Enter the height:"))
b=int(input("Enter the breadth:"))
```

```
43
```

```
print("Area=",cuboid.area(l,w,h))
print("perimeter=",cuboid.perimeter(1,b,h))
print("\nSphere:")
r=int(input("Enter the radius:"))
print("Area=",sphere.area(r))
print("perimeter=",sphere.perimeter(r))
OUTPUT
Rectangle:
Enter the length:2
Enter the breadth:2
Area = 4
Perimeter= 8
Circle:
Enter the radius:2
Area= 12.56
Perimeter= 12.56
Cuboid:
Enter the length:2
Enter the width:2
Enter the height:1
Enter the breadth:2
Area= 16
perimeter= 20
Sphere:
Enter the radius:2
Area = 50.24
perimeter= 12.56
```

COURSE OUTCOME 4(CO4)

PROGRAM NO: 1

DATE:9/1/2022

AIM: Create Rectangle class with attributes length and breadth and methods to find area and perimeter. Compare two Rectangle objects by their area

```
class rectangle:
  def __init__(self,length,breadth):
     self.length=length
     self.breadth=breadth
  def area(self):
     area=self.length*self.breadth
     print("Area=",area)
     return(area)
  def perimeter(self):
     per=2*(self.length+self.breadth)
     print("Perimeter=",per)
print("First Rectangle:")
b1=rectangle(2,2)
a1=b1.area()
b1.perimeter()
print("\nSecond Rectangle:")
b2=rectangle(3,3)
```

Dept. Of Computer Applications, SNGCE

```
a2=b2.area()
b2.perimeter()

if a1 > a2:
    print("\nArea of first rectangle is larger")
else:
    print("\nArea of second rectangle is larger")
```

OUTPUT

First Rectangle:

Area= 4

Perimeter= 8

Second Rectangle:

Area= 9

Perimeter= 12

Area of second rectangle is larger

Dept. Of Computer Applications, SNGCE

DATE:9/1/2022

AIM: Create a Bank account with members account number, name, type of account and balance. Write constructor and methods to deposit at the bank and withdraw an amount from the bank.

```
class bank:
 bal=0
 def __init__(self,accno,name,ac_type,bal):
  self.accno=accno
  self.name=name
  self.ac_type=ac_type
  self.bal=bal
 def display(self):
  print("\nAccount Info:")
  print("Account Number:",self.accno)
  print("Account Name:",self.name)
  print("Account Type:",self.ac_type)
  print("Account Balance:",self.bal)
 def deposit(self):
  dep=int(input("Enter the amount to deposit:"))
  self.bal=self.bal+dep
 def withdraw(self):
   w=int(input("Enter the amount to withdraw:"))
   if w > self.bal:
      print("Insufficient Balance")
   else:
      self.bal=self.bal-w
      print("RS-",w,"Withdrawn successfully")
```

```
acc_no=int(input("Enter the Account Number:"))
acc_name=input("Enter the name:")
acc type=input("Enter the account type-(savings/current):")
balance=int(input("Enter the initial balance:"))
b1=bank(acc_no,acc_name,acc_type,balance)
while(1):
 print("\n1.Account Info\n2.Deposit\n3.Withdraw\n4.Exit")
 opt=int(input("Select your option:"))
 if opt == 1:
  b1.display()
 elif opt == 2:
  b1.deposit()
 elif opt == 3:
  b1.withdraw()
 elif opt == 4:
  print("Exited")
  break
 else:
  print("Invalid Option")
OUTPUT
Enter the Account Number:12345
Enter the name:gopika
Enter the account type-(savings/current):fixed
Enter the initial balance: 1000
1.Account Info
2.Deposit
3.Withdraw
4.Exit
Select your option:2
Enter the amount to deposit:2000
1.Account Info
```

Dept. Of Computer Applications, SNGCE

- 2.Deposit
- 3.Withdraw
- 4.Exit

Select your option:1

Account Info:

Account Number: 12345 Account Name: gopika Account Type: fixed Account Balance: 3000

- 1.Account Info
- 2.Deposit
- 3.Withdraw
- 4.Exit

Select your option:3

Enter the amount to withdraw:1000 RS- 1000 Withdrawn successfully

- 1.Account Info
- 2.Deposit
- 3.Withdraw
- 4.Exit

Select your option:1

Account Info:

Account Number: 12345 Account Name: gopika Account Type: fixed Account Balance: 2000

- 1.Account Info
- 2.Deposit
- 3.Withdraw
- 4.Exit

Select your option:4

Exited

DATE:9/1/2022

AIM: Create a class Rectangle with private attributes length and width. Overload '<' operator to compare the area of 2 rectangles.

```
class rectangle:
  def __init__(self,l,b):
     self.__length=l
     self. breadth=b
  def area(self):
     self.area=self.__length*self.__breadth
     print("Area=",self.area)
  def __lt__(self,second):
   if self.area < second.area:
     return True
   else:
     return False
print("first Rectangle:")
len1=int(input("Enter the length:"))
bread1=int(input("Enter the breadth:"))
obj1=rectangle(len1,bread1)
obj1.area()
print("\nSecond Rectangle:")
len2=int(input("Enter the length:"))
bread2=int(input("Enter the breadth:"))
obj2=rectangle(len2,bread2)
```

```
obj2.area()
if obj1 < obj2:
```

print("\nArea of second rectangle is larger")
else:

print("\nArea of first rectangle is larger")

OUTPUT

first Rectangle:

Enter the length:2

Enter the breadth:4

Area= 8

Second Rectangle:

Enter the length:2

Enter the breadth:2

Area= 4

Area of first rectangle is larger

DATE:9/1/2022

AIM: Create a class Time with private attributes hour, minute and second.

Overload '+' operator to find sum of 2 time

```
class time:
 def __init__(self,hour,minute,second):
  self. hour=hour
  self.__minute=minute
  self.__second=second
 def __add__(self,second):
   print("\nHour:",self.__hour + second.__hour)
   if self.__minute + second.__minute > 60:
    h1=(self.__minute + second.__minute)//60
    m1=(self.__minute + second.__minute)%60
    print("Minutes:",h1," hour ",m1," minutes")
   else:
    print("Minutes:",self.__minute + second.__minute)
   if self.__second+second.__second > 60:
    m1=(self.__second+second.__second)//60
    s1=(self.__second+second.__second)%60
    print("seconds:",m1," minutes ",s1," seconds")
   else:
    print("Seconds:",self.__second + second.__second)
```

```
hour1=int(input("Enter the hour:"))
minute1=int(input("Enter the minutes:"))
sec1=int(input("Enter the second:"))
obj1=time(hour1,minute1,sec1)
hour2=int(input("\nEnter the hour:"))
minute2=int(input("Enter the minutes:"))
sec2=int(input("Enter the second:"))
obj2=time(hour2,minute2,sec2)
obj1 + obj2
```

OUTPUT

Enter the hour:3

Enter the minutes:44

Enter the second:35

Enter the hour:4

Enter the minutes:55 Enter the second:45

Hour: 7

Minutes: 1 hour 39 minutes seconds: 1 minutes 20 seconds

DATE:9/1/2022

AIM:

Create a class Publisher (name). Derive class Book from Publisher with attributes title and author. Derive class Python from Book with attributes price and no_of_pages. Write a program that displays information about a Python book. Use base class constructor invocation and method overriding.

```
class publisher:
 def __init__(self,pname):
   self.pname=pname
 def display(self):
  print("Publisher Name:",self.pname)
class book(publisher):
 def get(self,title,author):
   self.title=title
   self.author=author
 def display(self):
  print("Title Name:",self.title)
  print("Author Name:",self.author)
class python(book):
def __init__(self,price,nop,pname):
super().__init__(pname)
 self.price=price
```

```
self.nop=nop 54
```

```
def details(self):
    print("Price:",self.price)
    print("No of pages:",self.nop)
s1=python(400,52,"vallathol")
s1.get("poem","vallathol")
s1.display()
s1.details()
```

OUTPUT

Title Name: poem

Author Name:vallathol

Price: 400

No of pages: 52

COURSE OUTCOME 5(CO5)

PROGRAM NO: 1

DATE:30/1/2022

AIM:Write a Python program to read a file line by line and store it into a list.

```
f1=open("sample.txt","w")
f1.write("This is my first line.\n This is my second line \n This is my third line")
f1=open("sample.txt","r")
ff=f1.readlines()
print(ff)
```

OUTPUT

['This is my first line.\n', 'This is my second line \n', 'This is my third line']

This is my first line.
This is my second line
This is my third line

DATE:30/1/2022

AIM:Python program to copy odd lines of one file to other

```
f1=open("sample.txt","r")
ff=f1.readlines()
with open("odd.txt","w") as f2:
for x in range(0,len(ff)):
    if(x%2!=0):
    f2.write(ff[x])
```

OUTPUT

This is my second line

DATE:30/1/2022

AIM: Write a Python program to read each row from a given csv file and print a list of strings.

```
import csv
with open('departments.csv', newline=") as csvfile:
  data = csv.reader(csvfile, delimiter=' ', quotechar='|')
for r in data:
    print(', '.join(r))
```

department.csv

```
department_id,department_name,manager_id,location_id 10,Administration,200,1700 20,Marketing,201,1800 30,Purchasing,114,1700
```

OUTPUT

```
department_id,department_name,manager_id,location_id 10,Administration,200,1700 20,Marketing,201,1800 30,Purchasing,114,1700
```

DATE:30/1/2022

AIM: Write a Python program to read specific columns of a given CSV file and print the content of the columns

```
import csv
with open('departments.csv', newline=") as csvfile:
  data = csv.DictReader(csvfile)
  print("id Department")
  print("-----")
  for r in data:
     print(r['department_id']," ",r['department_name']
```

department.csv

department_id,department_name,manager_id,location_id 10,Administration,200,1700 20,Marketing,201,1800 30,Purchasing,114,1700

OUTPUT

id Department
10 Administration
20 Marketing
30 Purchasing

DATE:30/1/2022

AIM: Write a Python program to write a Python dictionary to a csv file.

After writing the CSV file read the CSV file and display the content.

cars.csv

No, Company, Model

Dept. Of Computer Applications , SNGCE





