

```
import java.util.*;

class StringOperations {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        ArrayList<String> list = new ArrayList<>();
        int choice;

        do {
            System.out.println("\n--- MENU ---");
            System.out.println("1. Append");
            System.out.println("2. Insert");
            System.out.println("3. Search");
            System.out.println("4. Display strings beginning with a letter");
            System.out.println("5. Display all strings");
            System.out.println("6. Exit");
            System.out.print("Enter your choice: ");
            choice = sc.nextInt();
            sc.nextLine();

            switch (choice) {
                case 1:
                    System.out.print("Enter string: ");
                    list.add(sc.nextLine());
                    System.out.println("String appended.");
                    break;

                case 2:
                    System.out.print("Enter position: ");
                    int pos = sc.nextInt();
                    sc.nextLine();
                    System.out.print("Enter string: ");
                    String str = sc.nextLine();
                    list.add(pos, str);
                    System.out.println("String inserted.");
                    break;

                case 3:
                    System.out.print("Enter string to search: ");
                    String search = sc.nextLine();
                    if (list.contains(search))
                        System.out.println("String found.");
                    else
                        System.out.println("String not found.");
```

```

        break;

    case 4:
        System.out.print("Enter starting letter: ");
        char ch = sc.nextLine().charAt(0);

        System.out.println("Strings beginning with " + ch + ":");
        for (String s : list) {
            if (s.toLowerCase().charAt(0) == Character.toLowerCase(ch))
                System.out.println(s);
        }
        break;

    case 5:
        System.out.println("All strings:");
        for (String s : list)
            System.out.println(s);
        break;

    case 6:
        System.out.println("Exiting...");
        break;

    default:
        System.out.println("Invalid choice.");
    }
} while (choice != 6);

sc.close();
}
}

```

Output:

--- MENU ---

1. Append
2. Insert
3. Search
4. Display strings beginning with a letter
5. Display all strings
6. Exit

Enter choice: 1
Enter string: Apple
String appended.

Enter choice: 1
Enter string: Mango
String appended.

Enter choice: 5
All strings:
Apple
Mango

Enter choice: 3
Enter string to search: Apple
String found.

Enter choice: 6
Exiting...