


PNETLab | Topology
(3) WhatsApp
surennetworkgit/Notes
labs.surennetwork.com/legacy/topology
SUREN NETWORK
PLAY WITH TECHNOLOGIES
!!!!!! Neenga kudutha fees
10,000 RS
e0
Net
.1
e0/0
12.1
e0/1
Win-1
R1
192.50.20.100
QEMU (Win-1)
My Documents
C:\WINDOWS\system32\cmd.exe
Windows IP Configuration
Ethernet adapter Local Area Connection:
Connection-specific DNS Suffix . :
IP Address. . . . . : 192.50.20.100
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : 192.50.20.1
C:\Documents and Settings\user>ping 223.0.50.10
Pinging 223.0.50.10 with 32 bytes of data:
Reply from 223.0.50.10: bytes=32 time=2ms TTL=125
Reply from 223.0.50.10: bytes=32 time=1ms TTL=125
Reply from 223.0.50.10: bytes=32 time=1ms TTL=125
Reply from 223.0.50.10: bytes=32 time=1ms TTL=125
Ping statistics for 223.0.50.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\Documents and Settings\user>ping 172.36.0.10
Pinging 172.36.0.10 with 32 bytes of data:
Reply from 172.36.0.10: bytes=32 time=2ms TTL=124
Reply from 172.36.0.10: bytes=32 time=2ms TTL=124
Reply from 172.36.0.10: bytes=32 time=2ms TTL=124
Reply from 172.36.0.10: bytes=32 time=1ms TTL=124
Ping statistics for 172.36.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\Documents and Settings\user>
My Comp
My Netv Place
Recycle
Intern Explor
Cisc ASDM-
Old Java
TTY
ENG
11:27
26°


PNETLab | Topology
(3) WhatsApp
surennetworkgit/Notes
labs.surennetwork.com/legacy/topology
Notifications
QEMU (Win-2)
My Documents
My Computer
My Network Places
Recycle Bin
Internet Explorer
Cisco ASDM-I...
Old Java ASDM
C:\WINDOWS\system32\cmd.exe
Connection-specific DNS Suffix . :
IP Address. . . . . : 223.0.50.10
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : 223.0.50.1
C:\Documents and Settings\user>ping 192.50.20.100
Pinging 192.50.20.100 with 32 bytes of data:
Reply from 192.50.20.100: bytes=32 time=2ms TTL=125
Reply from 192.50.20.100: bytes=32 time=1ms TTL=125
Reply from 192.50.20.100: bytes=32 time=1ms TTL=125
Reply from 192.50.20.100: bytes=32 time=1ms TTL=125
Ping statistics for 192.50.20.100:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\Documents and Settings\user>ping 172.36.0.10
Pinging 172.36.0.10 with 32 bytes of data:
Reply from 172.36.0.10: bytes=32 time=3ms TTL=124
Reply from 172.36.0.10: bytes=32 time=2ms TTL=124
Reply from 172.36.0.10: bytes=32 time=2ms TTL=124
Reply from 172.36.0.10: bytes=32 time=2ms TTL=124
Ping statistics for 172.36.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 2ms, Maximum = 3ms, Average = 2ms
C:\Documents and Settings\user>
Net
Win-1
172.36.0.10
01 : 00 : 00
START
ENG
IN
65%
11:34 PM
14-10-2026

PNETLab | Topology

(3) WhatsApp

surennetworkgit/Notes

labs.surennetwork.com/legacy/topology

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!! Neenga kudutha fees !!!!!

10,000 RS



Notifications

QEMU (Win-3)

```
C:\WINDOWS\system32\cmd.exe

Ethernet adapter Local Area Connection:

        Connection-specific DNS Suffix  . :
        IP Address. . . . . . . . . . . . : 172.36.0.10
        Subnet Mask . . . . . . . . . . . : 255.255.0.0
        Default Gateway . . . . . . . . . : 172.36.0.1

C:\Documents and Settings\user>ping 192.50.20.100

Pinging 192.50.20.100 with 32 bytes of data:

Reply from 192.50.20.100: bytes=32 time=4ms TTL=124
Reply from 192.50.20.100: bytes=32 time=2ms TTL=124
Reply from 192.50.20.100: bytes=32 time=1ms TTL=124
Reply from 192.50.20.100: bytes=32 time=2ms TTL=124

Ping statistics for 192.50.20.100:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 4ms, Average = 2ms

C:\Documents and Settings\user>ping 223.0.50.10

Pinging 223.0.50.10 with 32 bytes of data:

Reply from 223.0.50.10: bytes=32 time=2ms TTL=124
Reply from 223.0.50.10: bytes=32 time=2ms TTL=124
Reply from 223.0.50.10: bytes=32 time=2ms TTL=124
Reply from 223.0.50.10: bytes=32 time=3ms TTL=124

Ping statistics for 223.0.50.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 2ms, Maximum = 3ms, Average = 2ms

C:\Documents and Settings\user>
```

Old Java ASDM

Win-3

72.36.0.10

START

26°

ENG
IN

64%

11:40 PM
14-10-2026


PNETLab | Topology | (3) WhatsApp | surennetworkgit/Notes


labs.surennetwork.com/legacy/topology

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!!

10,000 RS







223.0.50.10

Physical 01 : 00 : 00 START


PNETLab | Topology | (3) WhatsApp | surennetworkgit/Notes

labs.surennetwork.com/legacy/topology

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!!

10,000 RS



R2

```
 static route
       o - ODR, P - periodic downloaded static route, H - NHRP, l
 - LISP
       a - application route
       + - replicated route, % - next hop override, p - overrides
 from PfR

Gateway of last resort is not set

      12.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C        12.0.0.0/8 is directly connected, Ethernet0/0
L        12.0.0.2/32 is directly connected, Ethernet0/0
      23.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C        23.0.0.0/8 is directly connected, Ethernet0/2
L        23.0.0.1/32 is directly connected, Ethernet0/2
      24.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C        24.0.0.0/8 is directly connected, Ethernet0/3
L        24.0.0.1/32 is directly connected, Ethernet0/3
      26.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C        26.0.0.0/8 is directly connected, Ethernet0/1
L        26.0.0.1/32 is directly connected, Ethernet0/1
S     32.0.0.0/8 [1/0] via 23.0.0.2
S     45.0.0.0/8 [1/0] via 24.0.0.2
S     172.36.0.0/16 [1/0] via 23.0.0.2
S     192.50.20.0/24 [1/0] via 12.0.0.1
S     223.0.50.0/24 [1/0] via 26.0.0.2
R2#
R2#
```

Win-2

Physical | 01 : 00 : 00 | START


PNETLab | Topology | (3) WhatsApp | surennetworkgit/Notes

labs.surennetwork.com/legacy/topology

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!!

10,000 RS



R6

```
      ia - IS-IS inter area, * - candidate default, U - per-user s
tatic route
      o - ODR, P - periodic downloaded static route, H - NHRP, l -
 LISP
      a - application route
      + - replicated route, % - next hop override, p - overrides f
rom PfR

Gateway of last resort is not set

S     12.0.0.0/8 [1/0] via 26.0.0.1
S     23.0.0.0/8 [1/0] via 26.0.0.1
S     24.0.0.0/8 [1/0] via 26.0.0.1
      26.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C        26.0.0.0/8 is directly connected, Ethernet0/1
L        26.0.0.2/32 is directly connected, Ethernet0/1
S     32.0.0.0/8 [1/0] via 26.0.0.1
S     45.0.0.0/8 [1/0] via 26.0.0.1
S     172.36.0.0/16 [1/0] via 26.0.0.1
S     192.50.20.0/24 [1/0] via 26.0.0.1
      223.0.50.0/24 is variably subnetted, 2 subnets, 2 masks
C        223.0.50.0/24 is directly connected, Ethernet0/0
L        223.0.50.1/32 is directly connected, Ethernet0/0
R6#
```

Win-2

223.0.50.10

Physical

01 : 00 : 00

START

PNETLab | Topology | (5) WhatsApp | surennetworkgit/Notes

labs.surennetwork.com/legacy/topology

SUREN NETWORK


Notifications

R4

```
R4(config)#ip route 223.0.50.0 255.255.255.0 24.0.0.1
R4(config)#exit
R4#
*Oct 14 17:20:00.936: %SYS-5-CONFIG_I: Configured from console by console
R4#sh ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
       D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
       ia - IS-IS inter area, * - candidate default, U - per-user static route
       o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
       a - application route
       + - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S     12.0.0.0/8 [1/0] via 24.0.0.1
S     23.0.0.0/8 [1/0] via 24.0.0.1
      24.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C        24.0.0.0/8 is directly connected, Ethernet0/0
L        24.0.0.2/32 is directly connected, Ethernet0/0
S     26.0.0.0/8 [1/0] via 24.0.0.1
S     32.0.0.0/8 [1/0] via 45.0.0.2
      45.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C        45.0.0.0/8 is directly connected, Ethernet0/1
L        45.0.0.1/32 is directly connected, Ethernet0/1
S     172.36.0.0/16 [1/0] via 32.0.0.2
S     192.50.20.0/24 [1/0] via 24.0.0.1
S     223.0.50.0/24 [1/0] via 24.0.0.1
R4#
```



Win-2

223.0.50.10

Physical

01 : 00 : 00


START


R5


```
      ia - IS-IS inter area, * - candidate default, U - per-user static route
      o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
      a - application route
      + - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S     12.0.0.0/8 [1/0] via 32.0.0.1
S     23.0.0.0/8 [1/0] via 32.0.0.1
S     24.0.0.0/8 [1/0] via 45.0.0.1
S     26.0.0.0/8 [1/0] via 45.0.0.1
      32.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C        32.0.0.0/8 is directly connected, Ethernet0/1
L        32.0.0.2/32 is directly connected, Ethernet0/1
      45.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C        45.0.0.0/8 is directly connected, Ethernet0/2
L        45.0.0.2/32 is directly connected, Ethernet0/2
      172.36.0.0/16 is variably subnetted, 2 subnets, 2 masks
C        172.36.0.0/16 is directly connected, Ethernet0/0
L        172.36.0.1/32 is directly connected, Ethernet0/0
S     192.50.20.0/24 [1/0] via 45.0.0.1
                     [1/0] via 32.0.0.1
S     223.0.50.0/24 [1/0] via 45.0.0.1
R5#
```






PNETLab | Topology
WhatsApp
surennetworkgit/Notes
labs.surennetwork.com/legacy/topology
SUREN NETWORK
PLAY WITH TECHNOLOGIES
Notifications
R3
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR
Gateway of last resort is not set
S 12.0.0.0/8 [1/0] via 23.0.0.1
23.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 23.0.0.0/8 is directly connected, Ethernet0/0
L 23.0.0.2/32 is directly connected, Ethernet0/0
S 24.0.0.0/8 [1/0] via 23.0.0.1
S 26.0.0.0/8 [1/0] via 23.0.0.1
32.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 32.0.0.0/8 is directly connected, Ethernet0/1
L 32.0.0.1/32 is directly connected, Ethernet0/1
S 45.0.0.0/8 [1/0] via 32.0.0.2
S 172.36.0.0/16 [1/0] via 32.0.0.2
S 192.50.20.0/24 [1/0] via 23.0.0.1
S 223.0.50.0/24 [1/0] via 23.0.0.1
R3#
R3
32.1
e0/1
32.2
e0/1
R5
e0/0
.1
Net
e0
Win-3
172.36.0.10
e0/2
45.2
R4
e0/1
45.1
.1
Net
e0
Win-2
223.0.50.10
Physical
01 : 00 : 00
START

PNETLab | Topology | (3) WhatsApp | GITHUB.mp4 - Google Dr | CCNA/projects/project 1- | surennetworkgit/Notes | Gopinath-net/CCNA


labs.surennetwork.com/legacy/topology

Notifications

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!!

10,000 RS



Physical

01 : 00 : 00 START

27°

ENG IN

59%

12:10 AM
15-10-2026