
P Pingie

OCTOBER 2026

PRODUCT HANDBOOK

AI customer support that answers only from what you teach it.

What Pingie is, who it serves, what it does, and how its parts fit together: a visual guide for product, support and engineering readers.



Product	Evidence	Audience	Example chat
Pingie · AI support chatbot SaaS	ping repository, main @ 1e01ad8	Product, support and engineering	Illustrative, built from the widget's design

HANDBOOK

Contents

Nine sections, from what Pingie is to how it is built. Each page covers one idea.

01 **Product overview** 3
- What Pingie is 3
- Who it serves and what it solves 4

02 **Capabilities** 5
- Capability map 5

03 **Features** 6
- The chat widget 6
- Knowledge: teaching the bot 7
- Answers you can trust 8
- Conversations inbox 9
- Live chat and human handoff 10
- Learning from conversations 11
- Insights and analytics 12
- Appearance and installation 13
- Teams, roles and sharing 14
- Plans and limits 15

04 **User workflows** 16
- Getting started 16
- Who answers a visitor's message 17

05 **Architecture** 18
- System map 18
- Component responsibilities 19
- How an answer is made 20
- Sequence: a visitor asks a question 21

06 **Data flows & integrations** 22
- How information moves 22
- What a workspace owns, and who Pingie talks to 23

07 **Security & permissions** 24
- Trust boundaries 24
- Security controls and stored data 25

08 **Limitations & scope** 26
- What is built, partial, or only described 26

09 **Quick reference** 27
- Quick reference 27
- Flashcards 28
- Glossary 29

01 · PRODUCT OVERVIEW

What Pingie is

01

Pingie puts an AI support assistant on a business's website. The business teaches it with its own files, pages and written answers. The assistant answers visitors only from that material, shows its sources, and says so when it doesn't know. The support team sees every chat in one dashboard and can take over any conversation.

Answers from your content

Files, web pages, sitemaps and team-written answers are the only knowledge the assistant uses.

Sources on every answer

Only the passages an answer actually cites become source chips under the reply.

Honest fallback, human handoff

When nothing relevant is found, it says so and offers a person or takes the visitor's email.

One dashboard for the team

Knowledge, conversations, live chat, analytics, appearance and team access in one place.

Four steps — from the product brief

01 **Teach**
Upload files, add pages or a sitemap, write team answers.

02 **Install**
One script tag, limited to allowed domains.

03 **Answer**
Retrieve passages, write a short cited reply.

04 **Improve**
Review chats, teach missed answers.

KEY TAKEAWAY

Pingie trades breadth for trust: it would rather say “I don't know” than answer from outside the business's own material.

01 · PRODUCT OVERVIEW

Who it serves and what it solves

Small and growing businesses whose support or marketing staff are mostly non-technical. The design goal is a live bot within ten minutes of signing up.

PROBLEM → HOW PINGIE RESPONDS

PROBLEM	RESPONSE
Visitors wait hours for an email reply.	Answers stream word by word within seconds, around the clock, from the business's own content.
The team answers the same questions again and again.	Common questions are answered automatically. An answer taught once is reused word for word.
Questions the bot can't answer get lost.	Each one becomes a lead, a live handoff, or a knowledge gap listed on the Overview page.

Who uses which part

	USES
Website visitors	Chat widget
Support team	Dashboard: owner, editor or viewer
Pingie team	Admin console: plans and workspaces
Everyone	Documentation site and API reference

How to read this handbook

Every capability carries a status. Status reflects the code in the ping repository (main @ 1e01ad8, 20 Oct 2026). Screenshots come from the product brief and can show a newer build.

- IMPLEMENTED — Verified in the source code.
- PARTIAL — Works, with narrower scope than described.
- IN BRIEF ONLY — Described in the product brief; not found in this repository.

02 · CAPABILITIES

Capability map

02

Everything Pingie does, grouped the way the dashboard groups it. Status shows what the repository implements today.

Chat widget

IMPLEMENTED

One-file widget with streamed answers, source chips, suggestions, feedback and memory across pages.

Knowledge sources

IMPLEMENTED

Files up to 25 MB, single pages, sitemaps up to 200 pages, and team answers.

Grounded answers

IMPLEMENTED

Similarity floor, cited passages, partial and fallback outcomes, no general-knowledge answers.

Conversations inbox

IMPLEMENTED

Filters, search, full transcripts with outcomes and citations, leads and CSV export.

Live chat & handoff

IMPLEMENTED

Visitors ask for a person; available agents are alerted, take over and hand back.

Teach the bot

IMPLEMENTED

Answers written from the inbox join the “Team answers” source and are sent word for word.

Chat memory

PARTIAL

Finished chats a teammate answered are scrubbed and added to retrieval automatically.

Insights

IMPLEMENTED

KPIs with period comparison, trends, outcomes, top pages, top questions and knowledge gaps.

Appearance

IMPLEMENTED

Title, welcome text, suggestions, accent colour, theme, launcher icon, position and badge.

Install & domains

IMPLEMENTED

Snippets for HTML, React, Next.js and WordPress; allowed-domain list; install check; JS API.

Teams & sharing

IMPLEMENTED

Workspaces with owner, editor and viewer roles, invitations, and single-bot sharing.

Plans & admin

IMPLEMENTED


Plans stored in the database, enforced as limits, managed from the admin console.

03 · FEATURES

The chat widget

03

What visitors see: a small chat window opened from a corner button. It is one script, about 10 kB gzipped, rendered in a Shadow DOM so the site's styles and the widget's never mix.



Screenshot from the product brief; it may show a newer build than the repository.

1. **Who is answering**
   The header shows the agent's name during a live chat.
2. **End or restart**
   Visitors can start a new conversation.
3. **Thumbs up / down**
   On every answer; dislikes feed the inbox filter.
4. **Handoff notice**
   “Connecting you with a person…” while waiting.
5. **Agent reply**
   Team messages are labelled and styled apart from the bot.
6. **Satisfaction survey**
   Rate the chat on ending it.

   IN BRIEF ONLY

Behaviour

- **Streamed answers** appear word by word, with escaped Markdown. — IMPLEMENTED
- **Source chips** under answers; web sources link to the page. — IMPLEMENTED
- **Up to 4 suggested questions** until the first message. — IMPLEMENTED
- **Talk to a person** when a teammate is available; email capture otherwise. — IMPLEMENTED
- **Remembers the chat** for 7 days across page loads. — IMPLEMENTED
- **Full screen** at 480 px wide or less; Esc closes. — IMPLEMENTED
- **Help Center** articles inside the widget. — IN BRIEF ONLY


FAILURE MODE

If the bot is unknown, the domain isn't allowed or the API is unreachable, the widget stays hidden and logs one console warning. It never breaks the host page.

03 · FEATURES


Knowledge: teaching the bot

A bot can answer only from its sources. The Sources page adds them, shows their indexing status and keeps them fresh.



Screenshot from the product brief; it may show a newer build than the repository.

FIG 01 **Source status**



1. **Health at a glance**
   Sources ready, chunks indexed, indexing now, last sync.
2. **Upload files**
   PDF, DOCX, TXT, MD, CSV, up to 25 MB each.
3. **Single page or sitemap**
   Sitemaps become child pages, crawled four at a time.
4. **Status per source**
   Queued, indexing, ready, or failed with the error.
5. **Re-sync or edit**
   Fetch a page again or edit team answers.
6. **Help Center column**
   Publishing sources as help articles.

IN BRIEF ONLY

HOW IT BEHAVES

Files go straight to Memora. Pages are fetched, cleaned to Markdown and indexed. A sweeper refreshes status every 20 seconds.

03 · FEATURES

Answers you can trust

Pingie is built to avoid made-up answers. Every reply gets an outcome that says how well the sources supported it.

EVERY BOT REPLY IS TAGGED WITH ONE OUTCOME

answered

Answered from the sources. Only the passages it cites become source chips.

partial

Part of the question was covered; the reply says what is missing.

fallback

Nothing relevant was found, so the bot shows its fallback message instead of guessing.

smalltalk

Greetings and thanks get a short reply without searching or calling the model.

lead

The visitor left an email after a fallback; the team is notified.

offline

The bot is paused and replies with its offline message.

SETTING	EFFECT	STATUS
Similarity threshold	Passages below it (default 0.30) are dropped before the model sees them.	IMPLEMENTED
Tone · reply language	Friendly, professional or concise; auto, English, Hindi or Tamil.	IMPLEMENTED
Model tier	Fast, balanced or best, limited by plan.	IMPLEMENTED
Strictness presets · blocked topics	Strict / Balanced / Helpful modes; refusing named topics.	IN BRIEF ONLY

KEY TAKEAWAY

The model never answers from general knowledge: if the passages don't cover a request, it must reply NO_ANSWER and the visitor sees the fallback.


SCOPE NOTE

Off-topic questions are declined because nothing in the sources matches them, not by a separate topic filter.

03 · FEATURES

Conversations inbox

Every chat is saved with its outcomes, sources and feedback. The inbox is where the team reviews the bot, replies live, and turns misses into knowledge.



Screenshot from the product brief; it may show a newer build than the repository.

1 Filters and search
All, Live, Unanswered, Disliked, Handoffs. Search covers text, name and email.

2 Status and outcome badges
Who is on the chat and its worst answer outcome.

3 Save as knowledge
Turn this chat into a team answer or summary.

4 Hand back · End chat
Return the chat to the bot, or close it.

5 Teach from a message
Under fallbacks and dislikes: write the right answer once.

6 Reply box
Enter sends; the visitor sees it within seconds. Saved replies ("/") are brief-only.

PARTIAL

7 Export CSV
One row per message for the whole bot.

LIMITS

- **Unhappy** needs satisfaction ratings, which the repository lacks.
- Leads live under **Handoffs**; there is no leads screen.

03 · FEATURES

Live chat and human handoff

When a visitor needs a person, an available teammate takes the chat in the dashboard. No websocket server is involved: state lives in PostgreSQL.

FIG 02 **Conversation status** live_service.py



Being available

- Switch on **Available for live chat** from **Live** in the top bar.
- An open tab checks in every 30 s; you count as away 75 s after the last check-in.
- Owners, editors and editor shares can reply. Viewers can only read.

Alerts when a visitor waits

- Browser notification and chime; amber **Live** count; count in the tab title. — IMPLEMENTED
- Missed chats email the bot's handoff address. — IMPLEMENTED
- Slack and webhook alerts. — IN BRIEF ONLY

Not in this repository

- Business hours with “back at …” messages. — IN BRIEF ONLY
- Handoff styles: immediate, button first, bot first. — IN BRIEF ONLY
- Saved replies inserted with “/”. — IN BRIEF ONLY

03 · FEATURES

Learning from conversations

Two paths turn real chats into knowledge: an answer a teammate writes on purpose, and the automatic memory of chats the team handled.

Teach the bot

answer_service.py · implemented

01 **Spot a miss**
A fallback or thumbs-down answer in a transcript.

02 **Write the answer**
The question is pre-filled; write it as the bot should say it.

03 **Re-index**
All team answers are rebuilt into one source and pushed to Memora.

04 **Answer verbatim**
When “Team answers” ranks first and the question matches, the bot sends it word for word.

Chat memory

memory_service.py · partial

01 **Team replies**
A teammate answered in the chat.

02 **Chat finishes**
Closed, or idle for 30 minutes with nobody live.

03 **Scrub**
Only team replies are kept; emails and phone numbers are removed.

04 **Remember**
Pushed to Memora as a past conversation for future retrieval.

KEY TAKEAWAY

Team answers can also be shared with other bots in the same workspace, and count as one source on the plan.


PARTIAL

Chat memory is automatic and on by default. The brief's manual and review-before-adding modes are not in this repository.

03 · FEATURES

Insights and analytics

The Overview page shows how the bot is doing over 24 hours, 7, 30 or 90 days, compared with the previous period.



Screenshot from the product brief; it may show a newer build than the repository.

1 Range picker
24h, 7d, 30d or 90d, with deltas against the previous period.

2 Eight KPIs
Conversations, resolution rate, first response, sources ready, visitors, thumbs down, handoffs to email, messages.

3 Satisfaction KPI
Shown in the brief's build; this repository shows Messages here.

IN BRIEF ONLY

4 Trend chart
Conversations and unanswered ones per day or hour.

5 Answer outcomes
Share of answered, partial and fallback replies.

6 Bot navigation
Bot, Knowledge, Widget and Manage groups.


Below the fold

- Messages per day, top pages
- **Knowledge gaps**: questions that keep falling back
- **Top questions** with resolution rate and source

03 · FEATURES

Appearance and installation

The widget is styled from the dashboard with a live preview, then installed with one script tag that only loads on allowed domains.



ALLOWED DOMAIN ENTRY	MATCHES
`help.acme.com`	Exactly that host
`*.acme.com`	acme.com and every subdomain
Allow localhost	localhost for testing; drafts run only there

1 Add your domain
The widget refuses to load anywhere else.

2 Platform snippets
HTML, React, Next.js and WordPress.

3 One script tag
`data-bot-id`, optional `data-api` and `data-open`.

4 Copy
Paste before `</body>`.

5 Verify installation
Shows the last host that loaded the widget.

6 Allowed domains
Hostnames with when each last loaded the widget.

Appearance options

- Title, welcome, placeholder, 4 suggestions, accent, theme, launcher icon, side, sources, badge. — IMPLEMENTED
- Layouts, gradient headers, logo, fonts, bubble styles. — IN BRIEF ONLY

03 · FEATURES

Teams, roles and sharing

Each business works in its own workspace. People join the whole workspace, or get access to one bot. Only owners manage people.

PERMISSION MATRIX

	OWNER	EDITOR	VIEWER
Read overview, chats, sources, test retrieval	✓	✓	✓
Change settings, knowledge, appearance, domains	✓	✓	—
Reply in live chat, take over	✓	✓	—
Create bots in the workspace	✓	✓	—
Delete bots, clear history, rename workspace	✓	—	—
Invite, change roles, remove people, share bots	✓	—	—

KEY TAKEAWAY

Removing someone or lowering their role takes effect on their next request: roles are read from the database every time.

	WORKSPACE MEMBER	SHARED BOT
Access to	Every bot	One bot
Shows in	Workspace switcher	Shared with me
Counts against	Member seats	People per shared bot
Roles	Editor · viewer	Editor · viewer

Invitations

- Valid for 7 days; emailed when SMTP is set up, or copied as a link.
- Accepting needs Google sign-in with the **invited email**.
- Only a SHA-256 hash of the token is stored.

03 · FEATURES

Plans and limits

Plans live in the database and are edited in the admin console, so prices and limits change without a deploy. Upgrades are handled by email.

	FREE	PRO	ENTERPRISE
Price	$0	$49 / month	Custom
Messages per month	100	100,000	Unlimited
Bots	3	10	Unlimited
Sources per bot	5	25	Unlimited
Workspace members	1	5	Unlimited
People per shared bot	3	Unlimited	Unlimited
Model tiers	Fast	Fast, Balanced	Fast, Balanced, Best
Remove “Powered by Pingie”	—	✓	✓

At a limit

- Monthly messages: the widget stops answering and the API returns `402 quota_exceeded`.
- Bots, sources, members: the action is refused with an upgrade message.
- Model tier outside the plan: disabled in settings; `402 plan_restriction`.

LIMITS

- No self-serve payment: customers email support@pingie.app and an admin changes the plan.
- Values shown are the documented defaults; the live catalogue can differ.

04 · USER WORKFLOWS

Getting started

04

From sign-in to a live bot. The new-bot wizard covers the first three steps; the rest happen on the bot's own pages.

01 **Sign in**
Google sign-in creates a personal workspace.

02 **Create a bot**
Name and website; the site becomes an allowed domain.

03 **Add knowledge**
Crawl a sitemap, upload files, or skip for now.

04 **Test**
Test retrieval shows passages, scores and the answer.

05 **Customise**
Tone, instructions, appearance and fallback.

06 **Install & go live**
Paste the snippet, then switch the bot to Live.

A BOT IS ALWAYS IN ONE OF THREE STATES

Draft
Loads only on localhost with Allow localhost on. New bots start here.

Live
Loads on allowed domains and answers visitors.

Paused
Shows Offline; every message gets the offline message.

KEY TAKEAWAY
Test retrieval runs the same search the bot runs, without saving anything: use it before going live.


04 · USER WORKFLOWS

Who answers a visitor's message

Before any search, the backend checks the conversation's state in a fixed order. The first check that matches decides the reply.

FIG 03 **Message routing**

chat_service.begin() · down: yes · right: no



Asking twice is deliberate

The first “talk to a person” gets a normal answer, so a taught reply can help. Asking again starts the handover.

Waiting has a deadline

If nobody joins within 2 minutes, the chat returns to the bot, which asks for an email.

Repeat questions are cached

A chat's first question with unchanged knowledge reuses the earlier answer.

05 · ARCHITECTURE


System map

05

Five apps in one repository and three outside services. Every request enters the backend through one of three doors, each with its own authentication.

FIG 04 **Pingie system map**

left: people · centre: ping-backend · right, dashed: outside the repository



KEY TAKEAWAY

Memora finds passages; Pingie decides what to say. Memora never writes Pingie's answers.

KNOWN LIMIT

Crawls, status refresh and rate limiting run inside the API process. With several workers they need a queue and Redis.

05 · ARCHITECTURE

Component responsibilities

What each part owns. Apps in the repository first, then the services Pingie depends on.

ping-backend

API · PYTHON

Auth, workspaces, bots, ingestion, the answer pipeline, inbox, live chat, sharing and plans. Also serves widget.js.

FastAPI · SQLAlchemy 2 · Alembic

ping-frontend

DASHBOARD

The support team's app. Calls the API through its own origin, so the session cookie stays first-party.

Next.js 16 · React 19 · CSS modules

ping-widget

EMBEDDABLE

The visitor chat: one dependency-free file in a Shadow DOM, with a small JS API.

TypeScript · Vite · IIFE

ping-admin

INTERNAL

Pingie staff manage plans and workspaces, including custom limits, without SQL.

Next.js 16

ping-doc

DOCS

Customer guides, how Pingie works, and an API reference generated from the backend's OpenAPI schema.

Next.js 16 · Markdown

Memora

EXTERNAL · RETRIEVAL

Extracts, chunks, embeds and searches. Each bot is a subject; each source a Memora source.

HNSW · MMR · rerank

LLM provider

EXTERNAL · GENERATION

Writes answers per model tier. VizhiOps by default, logging cost and latency; Nebius or build.nvidia direct.

OpenAI-compatible, streamed

PostgreSQL (Neon)

EXTERNAL · STATE

Users, workspaces, bots, sources, chats, messages, leads, plans, and live-chat state.

psycopg 3

Background sweeper

INSIDE THE BACKEND

Every 20 seconds: refreshes indexing status, expires waiting handoffs and pushes finished chats to chat memory.

Tests

PING-BACKEND/TESTS

pytest unit and integration tests with in-memory fakes of Memora and the LLM gateway. Integration tests need a throwaway PostgreSQL.

05 · ARCHITECTURE

How an answer is made


Retrieval and reasoning are separate. Memora returns candidate passages; Pingie's pipeline decides whether they are good enough, writes the answer, then checks it.

PURPOSE	HOW IT BEHAVES
Answer only when the business's content supports it.	Weak passages are dropped before the model sees them. The model must cite [n] or reply NO_ANSWER.
WHY IT MATTERS	**LIMITS**
Fallbacks are measurable, so gaps show up on Overview.	Answers are capped at 700 tokens at temperature 0.2.

Recorded per reply

Outcome, cited passages, a trace (standalone query, scores, kept passages, timings), latency, time to first token, tokens and model.

FIG 05 **Answer pipeline** app/reasoning/




05 · ARCHITECTURE

Sequence: a visitor asks a question

The services behind one streamed answer. Shortcuts return before the knowledge base is touched.

FIG 06 **A visitor asks a question** routes/widget.py → chat_service → reasoning



06 · DATA FLOWS & INTEGRATIONS

How information moves

06

Two flows matter most: knowledge going into Memora, and live-chat messages moving between widget and dashboard through the database.

FIG 07 Knowledge ingestion

source_service · crawler · memory_service





FIG 08 Live chat by polling

no websocket server




06 · DATA FLOWS & INTEGRATIONS

What a workspace owns, and who Pingie talks to

A conceptual view of stored data, not the full schema, and the outside services each with its role.

FIG 09 **What a workspace owns** app/db/models



Memora

Retrieval only: called with generate=false, returns ranked passages with file names.

VizhiOps / LLM

One model token per tier. Gateway logs link to each reply.

PostgreSQL

All state, including live-chat status and presence.

Google Sign-In

The only sign-in, for the dashboard and admin console.

SMTP

Lead, missed-chat and invite emails, only when configured.


07 · SECURITY & PERMISSIONS

Trust boundaries

07

Three kinds of caller reach the backend, and each passes a different gate. The widget can't hold a session, so the page's Origin plus a signed per-conversation token stand in for one.

FIG 10 **Trust boundaries**



KEY TAKEAWAY

Outsiders get 404, not 403, so they can't learn which bot IDs exist.

KNOWN LIMIT

Origin checks stop other websites, not scripts that forge headers. Rate limits and monthly quotas bound the cost.

07 · SECURITY & PERMISSIONS

Security controls and stored data

Controls verified in the backend, followed by what Pingie keeps and why.

IMPLEMENTED

Google-only sign-in

Token checked for Pingie's client ID and a verified email; HttpOnly, SameSite=Lax cookie.

IMPLEMENTED

Workspace isolation

Every bot route joins membership or a share; an ID in the URL is never trusted alone.

IMPLEMENTED

SSRF-safe crawling

Private, loopback and link-local addresses refused; robots.txt honoured.

IN BRIEF ONLY

Formula-safe CSV export

Escaping cells that start with = + - @.

DATA	WHY IT IS KEPT	NOTE
Team members' Google name, email, avatar	Sign-in and team features	—
Sources	Answering	Text and embeddings in Memora; deleted with the source or bot
Conversations and messages	Inbox, analytics, live chat	Owners can clear a bot's history
Visitors	Continuity across visits	Anonymous ID; email or name only if given or set by the site
Leads	Follow-up	Email and the unanswered question

08 · LIMITATIONS & SCOPE

What is built, partial, or only described

08

The product brief describes more than the repository contains. This page lists every difference found while verifying the brief against the code.

IMPLEMENTED — In the repository

- Widget, knowledge, grounded answers
  files, pages, sitemaps, team answers
- Inbox, leads via Handoffs, CSV export
- Live chat, presence, browser alerts
  polling, 2-minute handoff wait
- Overview analytics and knowledge gaps
- Roles, invitations, bot sharing
- Plans, quotas, admin console

PARTIAL — Narrower than the brief

- Chat memory
  automatic only; no manual or review mode
- Alerts
  browser and email; no Slack or webhooks
- Stay on topic
  by grounding; no topic list
- Leads list
  under the Handoffs filter, not its own screen

IN BRIEF ONLY — Not found in the repository

- Help Center inside the widget
- Satisfaction survey and Unhappy filter
- Business hours and handoff styles
- Saved replies
- Strictness presets and blocked topics
- Advanced widget design options
- Answer-quality evaluation suite
  pytest tests exist; no eval dataset
- Formula-safe CSV export

TECHNICAL LIMITS AND NEXT CHECKS

- Background work (crawls, status sweeps, rate limits) is in-process; scaling out needs a queue and Redis.
- Self-serve billing does not exist; plan changes are manual.
- The screenshots suggest a newer build exists. Re-verify these statuses against it and update one field per item in handbook.mjs.

09 · QUICK REFERENCE

09 Quick reference

The numbers people ask about most, with their defaults from the backend configuration.

Upload size **25** MB PDF · DOCX · TXT · MD · CSV	Sitemap crawl **200** pages 4 at a time · 5 MB · 15 s	Similarity floor **0.30** per bot, Bot settings	Passages retrieved **5** after MMR and rerank
Widget messages **20** /min per visitor IP per bot	Live-chat polls **60** /min per visitor IP	Handoff wait **2** min then ask for email	Agent away after **75** s heartbeat every 30 s
Conversation token **30** days X-Conversation-Token	Dashboard session **7** days HttpOnly cookie	Admin session **8** hours separate secret	Chat memory idle **30** min before a chat is remembered

Widget JavaScript API

`Pingie.open()` · `close()` · `toggle()` · `ask(text)` · `identify({ email, name })` · `reset()` · `destroy()` · `version`

Calls made before the widget loads are queued.

Ports in local development

backend `:8080` · dashboard `:3000` · admin `:3001` · docs `:3003` · Memora `:8000`

09 · QUICK REFERENCE

Flashcards

Check your understanding. Each answer fits on one line.

Q01
Where does the bot's knowledge come from?
A Only the bot's sources and team answers.

Q02
What happens when no passage clears the similarity floor?
A No LLM call; the fallback message is shown.

Q03
Which service writes the answer text?
A The LLM, via VizhiOps by default. Never Memora.

Q04
When is a team answer sent word for word?
A When “Team answers” ranks first and the question matches.

Q05
How does a visitor reach a person?
A Ask twice, or press Talk to a person, while an agent is online.

Q06
What if nobody joins a waiting chat?
A After 2 minutes the bot asks for an email.

Q07
How does live chat work without websockets?
A Widget and dashboard poll; status lives in PostgreSQL.

Q08
Why does an outsider get 404 for a bot?
A So nobody can learn which bot IDs exist.

Q09
What stops other sites embedding a bot?
A The Origin check against allowed domains.

Q10
What can a viewer do?
A Read everything; change nothing.

Q11
What does a draft bot allow?
A Loading on localhost only, for testing.

Q12
How do customers upgrade?
A Email support; an admin changes the plan.

09 · QUICK REFERENCE

Glossary

Terms used in the dashboard, the API and this handbook.

Workspace `organization`
Owns bots, members and the plan's limits.

Bot `bot_…`
One assistant with its own sources, settings, appearance and domains.

Source
A file, page or sitemap the bot may answer from.

Team answers
One source holding every answer the team wrote.

Chat memory
Finished chats a teammate answered, scrubbed and added to retrieval.

Subject
Memora's container for one bot's sources.

Similarity floor `min_similarity`
Minimum passage score to count as evidence.

Condense
Rewriting a follow-up into a standalone query.

Outcome
answered, partial, fallback, smalltalk, lead or offline.

Fallback
The reply used when the sources don't cover a question.

Lead
A visitor email captured after a fallback.

Handoff
Passing a chat from the bot to a person.

Conversation status
bot, waiting, human or closed.

Take over
A teammate joins any chat; the bot stops answering.

Presence
A heartbeat row saying an agent is available.

Allowed domain
A hostname where the widget may load.

Conversation token
Signed token that authorises one chat for 30 days.

Model tier
fast, balanced or best; limited by plan.

Share
Access to one bot for someone outside the workspace.

Sweeper
Background loop that syncs status every 20 s.

VizhiOps
The default LLM gateway, one token per tier.

Memora
The retrieval engine Pingie builds on.

Quota
Monthly message allowance; over it the API returns 402.

Draft · Live · Paused
A bot's status: testing, answering, or offline.