

Configuration group Celje WiFi

MESTNA OBČINA CELJE

KONFIGURACIJA 2024-02-23

WLAN: Celje WiFi

user_bridging:	False
deny_intra_vlan_traffic:	True
very_high_throughput_disable:	True
high_throughput_disable:	True
high_efficiency_disable:	True
tspec:	False
tspec_bandwidth:	2000
strict_svp:	False
use_ip_for_calling_station:	False
called_station_id_type:	macaddr
wmm_background_dscp:	
wmm_best_effort_dscp:	
wmm_video_dscp:	
wmm_voice_dscp:	
auth_req_threshold:	0
dot11r:	False
mdid:	1
dot11k:	True
dot11v:	False
mac_authentication_delimiter:	:
mac_authentication_upper_case:	True
auth_pkt_delimiter:	
zone:	
explicit_ageout_client:	False
opmode_transition_disable:	True
download_role:	False
wmm_uapsd:	True
management_frame_protection:	True
gw_profile_name:	
cluster_name:	
dmo_client_threshold:	6
ftm_responder_enable:	True
cluster_group_name:	
secondary_cluster_name:	
secondary_cluster_group_name:	
cluster_preemption:	False
mpsk_local_profile:	
rrm_quiet_ie:	True
disable_6ghz_on_mesh:	False

rf_band_6ghz:	False
a_beacon_rate:	default
g_beacon_rate:	default
advertise_ap_name:	False
reconnect_client_on_failover:	False
forward_mode:	bridge
default_role:	
pmk_cache:	True
captive_portal:	external
captive_profile_name:	Celje Centralka_#guest#_
captive_exclude:	[]
captive_portal_proxy_ip:	
captive_portal_proxy_port:	
called_station_id_incl_ssid:	False
called_station_id_deli:	
auth_pkt_upper_case:	False
name:	Celje WiFi
ssid:	Celje WiFi
type:	guest
content_filtering:	False
enforce_dhcp:	True
wispr:	False
hide_ssid:	False
mac_authentication:	True
rf_band:	all
inactivity_timeout:	1000
multicast_rate_optimization:	True
broadcast_filter:	arp
dtim_period:	1
dynamic_multicast_optimization:	True
work_without_uplink:	False
dmo_channel_util_threshold:	90
air_time_limit:	
bandwidth_limit:	
per_user_limit:	
wmm_background_share:	0
wmm_best_effort_share:	0
wmm_video_share:	0
wmm_voice_share:	0
g_min_tx_rate:	12
g_max_tx_rate:	54
a_min_tx_rate:	12

a_max_tx_rate:	54
max_clients_threshold:	64
local_probe_req_threshold:	0
vlan:	DEFAULT_VLAN
opmode:	enhanced-open
termination:	False
reauth_interval:	0
blacklist:	False
leap_use_session_key:	False
l2_auth_failthrough:	False
max_auth_failures:	0
radius_accounting:	True
radius_interim_accounting_interval:	5
radius_accounting_mode:	user-authentication
server_load_balancing:	False
l2switch_mode:	False
hotspot_profile:	
local_probe_req_threshold_ai:	true
auth_req_threshold_ai:	true
air_time_limit_cb:	False
bandwidth_limit_cb:	False
per_user_limit_cb:	False
disable_ssid:	False
okc:	False
time_range_profiles_status:	[]
auth_server1:	AS1_#guest#_
auth_server2:	AS2_#guest#_
accounting_server1:	
accounting_server2:	
auth_survivability:	False
priority_use_local_cache_auth:	False
cloud_guest:	True
cloud_auth:	False
auth_cache_timeout:	24
wpa_passphrase:	
wep_key:	
wep_index:	0
set_role_machine_auth_machine_only:	
set_role_machine_auth_user_only:	
set_role_pre_auth:	Celje Centralka_#guest#_
set_role_mac_auth:	
roles:	[]

dynamic_vlans:	[]
oos_def:	vpn-down
oos_name:	none
oos_time:	30
ssid_encoding:	utf8
index:	1
access_type:	unrestricted
dpp:	False

WLAN: Vln

user_bridging:	False
deny_intra_vlan_traffic:	False
very_high_throughput_disable:	True
high_throughput_disable:	True
high_efficiency_disable:	True
tspec:	False
tspec_bandwidth:	2000
strict_svp:	False
use_ip_for_calling_station:	False
called_station_id_type:	macaddr
wmm_background_dscp:	
wmm_best_effort_dscp:	
wmm_video_dscp:	
wmm_voice_dscp:	
auth_req_threshold:	0
dot11r:	True
mdid:	1
dot11k:	False
dot11v:	False
mac_authentication_delimiter:	
mac_authentication_upper_case:	False
auth_pkt_delimiter:	
zone:	
explicit_ageout_client:	False
opmode_transition_disable:	True
download_role:	False
wmm_uapsd:	True
management_frame_protection:	True
gw_profile_name:	
cluster_name:	
dmo_client_threshold:	6
ftm_responder_enable:	True
cluster_group_name:	
secondary_cluster_name:	
secondary_cluster_group_name:	
cluster_preemption:	False
mpsk_local_profile:	
rrm_quiet_ie:	False
disable_6ghz_on_mesh:	False

rf_band_6ghz:	False
a_beacon_rate:	default
g_beacon_rate:	default
advertise_ap_name:	False
reconnect_client_on_failover:	False
forward_mode:	bridge
default_role:	
pmk_cache:	True
captive_portal:	disable
captive_profile_name:	
captive_exclude:	[]
captive_portal_proxy_ip:	
captive_portal_proxy_port:	
called_station_id_incl_ssid:	False
called_station_id_deli:	
auth_pkt_upper_case:	False
name:	Vino
ssid:	Vino
type:	employee
content_filtering:	False
enforce_dhcp:	True
wispr:	False
hide_ssid:	False
mac_authentication:	False
rf_band:	all
inactivity_timeout:	1000
multicast_rate_optimization:	True
broadcast_filter:	arp
dtim_period:	1
dynamic_multicast_optimization:	True
work_without_uplink:	False
dmo_channel_util_threshold:	90
air_time_limit:	
bandwidth_limit:	
per_user_limit:	
wmm_background_share:	0
wmm_best_effort_share:	0
wmm_video_share:	0
wmm_voice_share:	0
g_min_tx_rate:	9
g_max_tx_rate:	54
a_min_tx_rate:	12

a_max_tx_rate:	54
max_clients_threshold:	1024
local_probe_req_threshold:	0
vlan:	DEFAULT_VLAN
opmode:	wpa2-psk-aes
termination:	False
reauth_interval:	0
blacklist:	True
leap_use_session_key:	False
l2_auth_failthrough:	False
max_auth_failures:	0
radius_accounting:	False
radius_interim_accounting_interval:	0
radius_accounting_mode:	user-authentication
server_load_balancing:	False
l2switch_mode:	False
hotspot_profile:	
local_probe_req_threshold_ai:	false
auth_req_threshold_ai:	false
air_time_limit_cb:	False
bandwidth_limit_cb:	False
per_user_limit_cb:	False
disable_ssid:	True
okc:	False
time_range_profiles_status:	[]
auth_server1:	InternalServer
auth_server2:	
accounting_server1:	
accounting_server2:	
auth_survivability:	False
priority_use_local_cache_auth:	False
cloud_guest:	False
cloud_auth:	False
auth_cache_timeout:	24
wpa_passphrase:	*****
wep_key:	
wep_index:	0
set_role_machine_auth_machine_only:	
set_role_machine_auth_user_only:	
set_role_pre_auth:	
set_role_mac_auth:	
roles:	[]

dynamic_vlans:	[]
oos_def:	vpn-down
oos_name:	none
oos_time:	30
ssid_encoding:	utf8
index:	2
access_type:	unrestricted
dpp:	False

