## ORIGINAL RESEARCH

## Effectiveness of Task Shifting in the Management of Malnourished Children in Northern Kenya: A Cluster-Randomized Controlled Trial

Bonventure Mwangi¹, Hermann Pythagore Pierre Donfouet¹,², Tewoldeberhan Daniel³, Calistus Wilunda¹, Elizabeth Mwaniki¹, James Njiru⁴, Emily Keane⁵, Lily Schofield⁵, Lucy Maina⁶, Edward Kutondo⁶, Olivia Agutu⁶, Peter Okoth⁶, Judith Raburu⁶, Betty Samburu⁶, Taddese Alemu Zerfu¹,², Jemimah Khamadi Wekhombaঙ, Pilar Charle Cuellarঙ, Daniel Kavoo¹ⴰ, Lydia Karimurio¹ⴰ, Charles Matanda¹ⴰ, Alex Mutua¹ⴰ, Grace Gichohi¹ⴰ, Martin Chabi¹¹, Patrick Codjia⁶, Saul Guerrero Oteyza¹², Elizabeth Kimani-Murage¹.

<sup>1</sup>African Population and Health Research Center, P.O. Box 10787-00100, APHRC Campus, Kitisuru, Nairobi, Kenya.

<sup>2</sup>The World Bank Health Nutrition and Population Global Practice, 1818 H Street, NW Washington, D.C. 20433 USA.

<sup>3</sup>UNICEF Eastern and Southern Africa Regional Office, Nairobi, Kenya

<sup>4</sup>Save the Children International, 3rd Floor ABC Place Waiyaki Way, Westlands Box 19423, 00202 KNH Nairobi, Kenya.

<sup>5</sup>Save the Children UK, St Vincent House 30 Orange Street London WC2H 7HH, United Kingdom

<sup>6</sup>UNICEF Kenya Country Office, P.O. Box 44145-00100, Nairobi, Kenya

<sup>7</sup>International Food Policy Research Institute, P.O. Box 5689, Addis Ababa, Ethiopia

<sup>8</sup>Action Against Hunger-Kenya, Old Dagoretti Estate, House 26, Off Ngong Road 13-Amboleli Road P.O. Box: 39900-00623, Nairobi, Kenya

<sup>9</sup>Action Against Hunger, 6 Mitre Passage, London SE10 0ER, United Kingdom

<sup>10</sup>Ministry of Health, P.O. Box 30016-00100, Nairobi, Kenya

World Health Organization, U-Block, Third floor, United Nations Office in Nairobi, Kenya

<sup>12</sup>UNICEF Headquarters, New York, USA.

<sup>1</sup>Corresponding Author Email: bmwangi@aphrc.org

## **Abstract**

Treating children with acute malnutrition can be challenging, particularly regarding access to healthcare facilities during treatment. Task shifting, a strategy of transferring specific tasks to health workers with shorter training and fewer qualifications, is being considered as an effective approach to enhancing health outcomes in primary healthcare. This study aimed to assess the effectiveness of integrating the treatment of acute malnutrition by community health volunteers (CHVs) into integrated community case management (iCCM) in two sub-counties in northern Kenya (Loima and Isiolo). We conducted a two-arm non-inferiority cluster-randomized controlled trial across 20 community health units. Participants were children aged 6-59 months with uncomplicated acute malnutrition. In the intervention group, CHVs used simplified tools and protocols to identify and treat eligible children at home and provided the usual iCCM package. In the control group, CHVs provided the usual iCCM package only (screening and referral of the malnourished children to the health facilities). The primary outcome was recovery (MUAC ≥12.5 cm for two consecutive weeks). Results show that children in the intervention group were more likely to recover than those in the control group [73.3 vs. 50.3; risk difference (RD)=25.7% (95% CI 11.7 to 39.6) and risk ratio (RR)=1.53 (95% CI 1.18 to 1.97)]. The probability of defaulting was lower in the intervention group than in the control group: RD=-20.8% (95% CI -31.3 to -10.2) and RR=0.29 (95% CI 0.17 to 0.49). The intervention reduced the length of stay by about 13 days, although this was not statistically significant and varied substantially by sub-county. Integrating the treatment of acute malnutrition by CHVs into the iCCM program led to better malnutrition treatment outcomes. There is a need to integrate acute malnutrition treatment into iCCM and review policies to allow CHVs to treat uncomplicated acute malnutrition.

**Keywords:** Task shifting, community health volunteers, non-inferiority cluster-randomized controlled trial, child malnutrition