Futures DeskMate

Agent Guide — every tab, every sub-mode, every drawer view, with annotated screenshots and example outputs

BINANCE FUTURES SUPPORT WORKSPACE · GENERATED 2026-05-03

Futures DeskMate — Agent Guide

A field guide to every tab in **Futures DeskMate** (the workspace formerly known as FD Macro Generator), aimed at the support agent picking up a ticket.

Workspace overview

The app is a six-tab single-page workspace plus an **Admin** chip in the header (visible only when an admin token is set). The six tabs are:

#	Tab	When to reach for it
01	**Macro Generator**	Customer asks “why didn’t my Stop trigger?” / “why was my TP filled at a worse price?” — generates a complete macro reply with live OHLC backing
02	**Price Lookup**	“What was the price at X UTC?” / “did Mark Price ever touch Y?” / “why did my Trailing Stop trigger here?”
03	**Funding Macro**	“Why was I charged a funding fee?” — produces a copy-paste explanation with live funding rate + mark price
04	**Average Calculator**	“What’s my real average entry across these 6 fills?” — works for one-way mode, hedge mode, and Long↔Short flips
05	**Margin Restrictions**	“Can’t transfer ASSET to Margin” / “Buy long rejected on ASSET” — confirms whether the asset is on Binance’s restricted list and produces a customer reply
06	**Balance Log Analyzer**	Customer disputes a balance change, asks for a wallet reconciliation, or you need a per-type / per-symbol breakdown of pasted Balance Log rows
Drawer	**Balance Story**	Sub-tool inside Balance Log — opens a side drawer with Narrative, Audit (full reconciliation), Charts, and Raw views

Every tab streams real data from the Binance public API (futures + spot OHLC, mark/last, 1-second klines, aggTrades, funding history). The **Balance Log** tab is purely client-side parsing — no API call.

How to read the screenshots

Every screenshot has **orange numbered circles** with arrows pointing to a control. The number maps to a row in the *"What each marker does"* table below the screenshot. Markers are placed in margins so they don't cover the actual button — you'll see them on top, bottom, left, or right of the element they describe.

Tab 01 — Macro Generator



What it does

The headline tab. Generates the full customer-facing macro for the most common futures support scenarios: Stop-Market not triggering, TP slippage, Stop-Limit not filled, Loss-higher-than-expected. Each macro template lives in `src/macros/*.ts` and is rendered with **real OHLC data fetched from Binance** for the time window in question, so the numbers in the reply are authoritative — not best-guesses.

When to use it

Any ticket where the customer's complaint is about an order that didn't behave as they expected:

- "My Stop-Market with trigger price 4393 didn't fire even though the price went there"
- "My TP closed at 4380 but I set 4400"
- "My Stop-Limit was just sitting there, never filled"
- "Why am I down so much more than my stop suggested?"

You **describe the issue** (or paste the customer complaint), pick a macro, fill the order details, click Generate, and copy the rendered reply.

What each marker does

#	Element	Purpose
1	**Tab strip**	Click `01 Macro Generator`
2	📋 **Paste Grid Data**	Opens a modal where you can paste the order grid copied from internal tools — auto-fills Order ID, Symbol, Side, Trigger Type, Trigger Price, Placed At, Status, etc. Saves a lot of typing
3	🔍 **Smart Detect**	Free-text customer complaint input. The NLP-lite intent detector (`src/macros/smart_detect.ts`) reads the text and auto-selects the matching macro from the dropdown below
4	**Macro** dropdown	Manual macro picker. Options: Stop-Market · Mark Price Not Reached, Stop-Market Loss Higher Than Expected (Mark / Last), TP Slippage (Mark / Last), Stop-Limit Not Filled (Mark / Last)
5	**Output Mode**	Detailed (full educational explanation) or Summary (concise)
6	**Tone**	Standard (Educational) / Professional (Formal) / Empathetic (Soft) / Direct (Concise)
7	**Order details form**	Order ID, Status, Symbol, Side, Trigger Type (MARK/LAST), Trigger Price, Placed-At UTC, To UTC. The exact fields shown depend on the macro selected. **For OPEN orders**, "To" auto-populates with the current time on Generate
8	**Generate** button	Fetches the OHLC window from Binance, renders the macro template, and shows the result below. A second **Copy** button (not numbered) appears once the result is ready

Example output — Stop-Market · Mark Price Not Reached

```
Hi, thank you for your patience.

I have checked your Stop-Market order #8389124501 carefully. Here's what I found:

Your order was placed on 2025-09-11 06:53:08 UTC and is still OPEN as of now.

The trigger condition is set to:
  Mark Price reaches 4393.00 (SELL stop)

I checked the Mark Price 1-minute candles for the entire window (06:53 → 12:30 UTC).
The highest Mark Price reached during this period was 4391.85 at 23:47:11 UTC,
which is 1.15 USDT (0.0262%) below your trigger price of 4393.00.

Since the Mark Price never touched 4393.00, your Stop-Market order did not trigger
— it correctly remains OPEN, waiting for the trigger condition to be met.

Please note that Mark Price is checked using 1-minute intervals (Binance's
markPriceKlines endpoint), so candles are aggregated by the minute.

Hope this clarifies the situation 🙏 If you have any further questions, feel free
to share them with me.
```

Tab 02 — Price Lookup



What it does

Pulls authoritative OHLC, tick, or aggTrade data from the Binance API for a single moment, a time window, or a price target. The tab is the **source of truth** when you need to back a customer reply with what the price actually did, rather than relying on the chart they sent.

It has **6 modes** (markers 3–8). Pick the mode that matches the question, then fill in the time/price fields below.

When to use each mode

Mode	Use when...	Output
Trigger (3)	"My Stop triggered at 06:53:08, what was the price then?"	Mark + Last 1m candles for that minute
Range (4)	"Did BTC drop below 60,000 between 12:00 and 14:00?"	Peak / Bottom / Volatility for both Mark and Last over the window
Find (5) 🔍	"Did the price ever hit my target of 4393.00 in this window?"	First contact time (millisecond precision via aggTrades) + other matches; if not reached, **Closest Miss** with distance/%
Trailing (6) 🔄	"My Trailing Stop didn't trigger when I expected"	Full trailing-stop simulation: activation, peak/trough, callback rebound, threshold crossing — with both a **customer reply** and an **agent technical breakdown**
Last 1s (7)	"Show me the price at exactly 12:30:19" (sub-minute precision)	1-second OHLC from spot klines
Gap (8) ⚖️	"Why was my Mark price stop triggered when Last was nowhere near it?"	Side-by-side Mark vs Last analysis + the largest gap timestamp

What each marker does (Trigger mode shown above)

#	Element	Purpose
1	**Tab strip**	Click `02 Price Lookup`
2	**Futures / Spot toggle**	Most tickets are Futures. Switch only when the customer is asking about a spot pair
3	**Trigger** mode	Single-minute OHLC
4	**Range** mode	Window summary
5	**Find** mode	"Did it ever touch X"
6	**Trailing** mode	Full trailing-stop reconstruction
7	**Last 1s** mode	1-second OHLC
8	**Gap** mode	Mark-vs-Last gap diagnostics — Futures only
9	**Symbol input**	Free-text (`BTCUSDT` , `ETHUSDT` , ...). Shared with the Macro Generator tab via `AppContext`
10	**Lookup** button	Runs the chosen mode

Sub-mode forms

Each of the 6 modes shows a different set of input fields. Below, one screenshot per mode with its specific form.

Trigger mode (the default — shown above)

The form takes a single **At (UTC)** timestamp.

Range mode



#	Element	Purpose
1	**Range** mode tab	Active
2	**From (UTC)**	Window start
3	**To (UTC)**	Window end. There's a "Set to now" helper button (not numbered) that fills with `now - 1 minute`
4	**Lookup** button	Runs the analysis

Find mode



#	Element	Purpose
1	**Find** mode tab	Active
2	**From (UTC)**	Search window start
3	**To (UTC)**	Search window end
4	**Target Price**	The exact price to search for
5	**Lookup** button	Runs the search

In Futures mode there's also a **Last / Mark** price-type toggle (not numbered in this screenshot — it's the small pill above the target-price input).

Trailing mode



#	Element	Purpose
1	**Trailing** mode tab	Active
2	**Direction** toggle	Long-close (Trailing Sell) vs Short-close (Trailing Buy)
3	**Activation Price**	The price the customer set to start the trailing
4	**Lookup** button	Runs the simulation

The form also shows **Callback Rate** (the customer's % callback) and **From / To** (the search window) below — these are part of the same vertical column with the activation price.

Last 1s mode



#	Element	Purpose
1	**Last 1s** mode tab	Active
2	**At (UTC)**	The exact second to look up — `YYYY-MM-DD HH:MM:SS`
3	**Lookup** button	Runs the lookup

Gap mode (Futures only)



#	Element	Purpose
1	**Gap** mode tab	Active
2	**From (UTC)**	Window start
3	**Lookup** button	Runs the gap analysis

The form also shows **To**, **Target Price** (optional — if the customer expected a specific stop), and **Trigger Type** (MARK / LAST / none) further down.

Example output — Trigger mode

```
### 🕑 2026-05-03 06:53:08 UTC+0
**Symbol:** BTCUSDT | **Market:** FUTURES

#### Price Data:

> **Mark Price:**
> - Open: 78742.10
> - High: 78758.20
> - Low: 78731.55
> - Close: 78745.00

> **Last Price:**
> - Open: 78740.50
> - High: 78760.00
> - Low: 78730.00
> - Close: 78747.30
```

Example output — Find mode (target reached)

```
## ✅ TARGET FOUND

**Symbol:** BTCUSDT (FUTURES)
**Target:** 78900 (Last Price)
**Search Period:** 2026-05-03 00:00:00 → 2026-05-03 12:00:00

---

✅ **FIRST CONTACT TIME:**
### 🕑 2026-05-03 03:14:27.842 UTC+0
(🛡️ Verified at millisecond level via AggTrades)

🔄 **OTHER MATCHES (Approx):**
- 2026-05-03 03:15:09 UTC+0
- 2026-05-03 03:18:44 UTC+0
- 2026-05-03 04:02:11 UTC+0
```

Example output — Find mode (target NOT reached, “Closest Miss”)

```
## 🔎 CLOSEST MISS ANALYSIS

**Symbol:** ETHUSDT (FUTURES)
**Price Type:** Last Price
**Period:** 2026-05-02 18:00:00 → 2026-05-03 06:00:00 UTC+0
**Target Price:** 4393.00

❌ **Target reached:** No

Closest price observed:
- Price: **4391.85** (highest)
- Time: **2026-05-02 23:47:11 UTC+0**
- Distance: **1.15**
- Percent: **0.0262%**

---

### 💡 Support Summary
> The market did not reach 4393.00 (Last Price) within the window. The closest
> it got was 4391.85 at 2026-05-02 23:47:11 UTC, missing the target by 1.15
> (0.0262%) on the high side.
```

Example output — Trailing mode

```
Hi, thank you for your patience.

Your Trailing Stop Sell order was activated on 2026-05-02 21:15:00 UTC when the
price rose to your activation price of 4400.

After activation, the price continued rising and reached its highest point of
4421.50 at 2026-05-02 22:03:00 UTC.

From that highest point, the price needed to move downward by 0.5% (your
callback rate) to trigger. This required the price to reach 4399.39.

The price reached 4399.39 at 2026-05-02 22:31:00 UTC, which triggered your
order as expected.

Everything worked according to the Trailing Stop rules.

Please note that Mark Price is checked using 1-minute intervals, so the times
are shown by minute.

------- TECHNICAL BREAKDOWN -------

Data source:       Mark Price (1m markPriceKlines)
Granularity:       1m (Mark Price limit)
Symbol:            ETHUSDT
Direction:         SELL Trailing (long close)

Activation reached:           4400 hit at 2026-05-02 21:15:00 UTC
True Peak (Mark Price candle):  4421.50 at 2026-05-02 22:03:00 UTC
Required trigger threshold:   4421.50 x (1 - 0.005) = 4399.39
First trade crossing threshold (downward): 4399.39 at 2026-05-02 22:31:00 UTC
Rebound %:                    (4421.50 - 4399.39) / 4421.50 = 0.5001%

Conditions met:
  - Activation Price (4400) <= Highest Price (4421.50)  ✅
  - Rebound Rate (0.5001%) >= Callback Rate (0.5%)  ✅

Result: Trigger valid. Threshold-crossing trade observed inside the requested window.
```

Tab 03 — Funding Macro



What it does

Generates a customer-ready macro that explains a single funding-fee event: who paid, who received, the funding rate, the mark price at funding time, and the multiplication that produced the fee. The tool fetches the **nearest real funding record** from Binance's funding-history endpoint, plus the 1-minute mark-price candle at that exact funding timestamp.

> ⚠️ **Linear / USDⓈ-M only.** The form blocks coin-margined symbols (`BTCUSD_PERP` , `BTCUSD_240329` , anything ending in `USD`) — their funding math is inverse, not linear.

When to use it

A customer asks any of:

- "Why did I pay funding?"
- "How was this $12.34 funding fee calculated?"

- “Was I a payer or receiver at 16:00 UTC?”
- “I closed at 15:59:55 — should I have been charged?” *(answer: there’s a 15-second deviation window)*

What each marker does

#	Element	Purpose
1	**Tab strip**	Click `03 Funding Macro`
2	**Symbol**	The contract — must be USDⓈ-M / linear
3	**Funding Time (UTC)**	The funding settlement time the customer is asking about (`YYYY-MM-DD HH:MM:SS`). The tool snaps to the nearest funding record
4	**Position Size**	The customer’s position size in coin units (e.g., `0.05` BTC)
5	**Position Side**	`Long` or `Short` — determines “you paid” vs “you received”
6	**Funding Interval (hours)**	`1` , `2` , `4` , or `8` . Most majors are `8` ; volatile pairs are shorter
7	**Generate Funding Macro**	Pulls funding rate + mark price from Binance, renders the macro
8	**Copy**	Copies the rendered macro to clipboard (becomes available after Generate)
9	**Apply Precision**	Re-formats the position size in the macro using `exchangeInfo.pricePrecision` (truncates, doesn’t round)

The **Output Mode** dropdown (Detailed / Summary) and **Tone** dropdown (Standard / Professional / Empathetic / Direct) control the wording, the same way they do in Macro Generator.

Example output — Detailed mode

```
You can see the Funding Countdown and Current Funding Rate for each symbol/contract
on the Futures Trading page.

When that countdown is finished (every 8 hours for BTCUSDT) if you have any open
positions, you get affected by the funding fee payment.

If the funding rate is **negative**, all open **Short** positions will pay funding
fees to the **Long** position holders.
If the funding rate is **positive**, all open **Long** positions will pay funding
fees to the **Short** position holders.

We can see that on **2026-05-03 08:00:00**:
- **BTCUSDT Funding Rate:** 0.010000%
- **Mark Price:** 78742.50 USDT

So all **Long** positions which were open at funding time had to pay funding fees
to **Short** position holders, based on their position size.

Your position was a **Long** position, so you had to pay funding fees to **Short**
position holders.

**Your Position Size:** 0.05 BTCUSDT

**Calculation:**
- 0.05 × 78742.50 = 3937.12500000 USDT → Notional size of the position
- 3937.12500000 × 0.010000% = 0.39371250 USDT → Funding fee Payment from this position

⚠️ *There is a 15-second deviation in the actual funding fee transaction time. For
example, when you open a position at 08:00:05 UTC, the funding fee could still
apply (you'll either pay or receive the funding fee).*

Hope this clarifies your queries 🙏
```

Example output — Summary mode

```
**Contract:** BTCUSDT
**Funding Time (UTC+0):** 2026-05-03 08:00:00
**Funding Rate:** 0.010000%
**Mark Price:** 78742.50
**Funding Interval:** Every 8 hours

**Position Size:** 0.05 BTCUSDT
Notional: 3937.12500000 USDT
Your position: **Long** Funding Fee: 0.39371250 USDT (Payment)
```

Tab 04 — Position History Open & Close Price Calc.



What it does

Reconstructs a customer's **position history** from a pasted Binance Futures Trade-History grid and computes:

- The **weighted average entry** (open) price
- The **weighted average close** price
- A per-trade narration (each fill labelled `ENTRY` / `CLOSE` / `FLIP`)
- Position **phases** — when the customer fully closes and re-opens, or flips Long↔Short within a single fill
- Hedge Mode awareness — `BOTH`, `LONG`, and `SHORT` position-side tokens are honoured

The math runs a **running-inventory algorithm**: each fill is split into a CLOSE portion (consuming opposite-side inventory) and an ENTRY portion (adding to same-side inventory).

When to use it

- "What was my real average entry — Binance shows 4380 but I think it's higher"
- "Walk me through how this position was built up across 6 fills"

- "I scaled in and out in stages — what's the weighted average?"
- The customer pastes a Trade History grid from `binance.com/futures-trade/order/history`

What each marker does

#	Element	Purpose
1	**Tab strip**	Click `04 Position History Open & Close Price Calc.`
2	**LONG** preset	Tells the parser the customer's overall position direction is Long
3	**SHORT** preset	Same as 2, but for Short positions. Border turns red so it's visually distinct
4	**CLEAR DATA** 🗑️	Empties the textarea and resets the parsed table
5	**Paste textarea**	Drop the raw Trade-History grid here. Parser auto-finds timestamps + symbols + BUY/SELL tokens; extra header/footer junk is ignored

Once data is pasted, parsing runs **on every keystroke** (debounced via React `useEffect`).

With sample data — what the parsed view looks like



The right side of the panel becomes a parsed-trade card list:

- Each card has a coloured left border: **green** for ENTRY, **blue** for CLOSE/REDUCE, **yellow** for FLIP
- Below the cards, a **Phase summary** block shows the entry-formula and close-formula in monospace
- A 📋 **Copy** button at the top right of the result block copies the entire reply as plain text

Input expectations

The parser is forgiving but expects each fill to be on a contiguous line block with at least:

- A **date** (`2026-05-03`) and **time** (`12:30:19`)
- A **symbol** (`BTCUSDT`)
- The **side** keyword (`BUY` or `SELL`)
- Two numeric tokens before the side keyword: **quantity** and **price**
- Optionally: an **8+ digit Order ID** preceding the side
- Optionally: a `BOTH` / `LONG` / `SHORT` token (Hedge Mode side)

Example output — multi-fill long position

```
[2026-05-03 09:00:12]
[**LONG** Position Started] Order ID: 8389124501 - **0.5000** amount of **BTCUSDT** was bought to start the
position at the price of **78400.0000**.
> New Avg Entry: **78400.00000000**

[2026-05-03 10:14:55]
[**LONG** Position Expanded] Order ID: 8389456712 - **0.3000** amount of **BTCUSDT** was bought to expand the
position at the price of **78550.0000**.
> New Avg Entry: **78456.25000000**
> Calculation: ((0.5000 x 78400.0000) + (0.3000 x 78550.0000)) / 0.8000

[2026-05-03 11:42:08]
[**LONG** Position Expanded] Order ID: 8389789013 - **0.2000** amount of **BTCUSDT** was bought to expand the
position at the price of **78700.0000**.
> New Avg Entry: **78504.00000000**
> Calculation: ((0.8000 x 78456.2500) + (0.2000 x 78700.0000)) / 1.0000

[2026-05-03 14:30:00]
[**LONG** Position Reduced] Order ID: 8389991234 - **0.5000** amount of **BTCUSDT** was sold to reduce the
position at the price of **79000.0000**.
> New Avg Close: **79000.00000000**

----------------------------------------
Avg Entry Price (Total: 1.0000):
(0.5000 x 78400.0000 + 0.3000 x 78550.0000 + 0.2000 x 78700.0000) / 1.0000 = 78504.00000000

----------------------------------------
Avg Close Price (Total: 0.5000):
(0.5000 x 79000.0000) / 0.5000 = 79000.00000000
```

Example output — Long → Short flip

```
[2026-05-03 15:00:00]
[**LONG** Position Closed] Order ID: 8390011122 - **1.0000** amount of **BTCUSDT** was sold to close the
position at the price of **79100.0000**.
> New Avg Close: **79100.00000000**

> ⚠️ FLIP: This 1.5000 BTCUSDT order closed your 1.0000 LONG position and the remaining 0.5000 opened a new
SHORT position!

[**SHORT** Position Started] Order ID: 8390011122 - **0.5000** amount of **BTCUSDT** was sold to start the
position at the price of **79100.0000**.
> New Avg Entry: **79100.00000000**

--- 🔄 [Phase 1] LONG ---
Long position opened on 2026-05-03 09:00:12 (orders 8389124501, 8389456712,
8389789013) and was closed by 2026-05-03 15:00:00 (order 8390011122).
```

A `[Phase N]` header appears whenever the position fully closes to zero or flips, so a single ticket with several round-trips renders as several separate blocks.

Tab 05 — Margin Restrictions



What it does

Live mirror of Binance's `GET /sapi/v1/margin/restricted-asset` endpoint. The endpoint returns two arrays:

- `openLongRestrictedAsset` — assets where Binance's Buy (Long) Risk Control is active
- `maxCollateralExceededAsset` — assets that have hit the platform-wide collateral cap

For any asset the customer asks about, the tool combines both signals into a **single diagnosis** with three possible states (no restriction / open-long restricted / max-collateral exceeded / both) and **renders a copy-paste customer reply**.

The data is cached for 60 seconds and updates via a Cloudflare Worker proxy in production.

When to use it

- "I tried to transfer CHZ into Margin and got an error — why?"
- "Why can't I open a long on FUN in Margin?"
- "Is this restriction specific to me?" *(answer: no, it's platform-wide)*

- You need an FAQ-linked, ready-to-paste reply for a margin restriction ticket

What each marker does (Restriction Check mode)

#	Element	Purpose
1	**Tab strip**	Click `05 Margin Restrictions`
2	**Restriction Check** mode	Default. Type an asset, see diagnosis card + customer reply
3	**Full List** mode	Browse the entire `openLongRestrictedAsset` and `maxCollateralExceededAsset` arrays, with a filter
4	**Changes** mode	Diff log — what was added / removed since the previous fetch (kept locally in `localStorage`)
5	**Asset input**	Free-text, auto-uppercased. Diagnosis recomputes as you type

Above the mode tabs the page also shows:

- A timestamp banner (**Data as of: ...**) with the current restriction counts
- A **Refresh** button (forces a re-fetch ignoring the 60-second cache)
- A 🔑 **Shared API key in use** indicator (when the Worker proxy is active)
- An **Override Key** button so the agent can punch in their own key for this browser only

Sub-mode views

Full List



#	Element	Purpose
1	**Full List** mode tab	Active
2	**Filter input**	Type-ahead filter — narrows both restricted lists to assets containing the typed substring

Below the filter, the page splits into two columns: **Open Long Restricted** (left) and **Max Collateral Exceeded** (right), each showing the asset count and a scrollable list. Useful when you want to confirm “is asset X on either list” without typing it into the diagnosis input.

Changes



#	Element	Purpose
1	**Changes** mode tab	Active

The body of this view is a chronological list (newest first) of every state change the tool has seen since the agent first opened the workspace — what was added to the restricted lists, what was removed, with timestamps. Stored in `localStorage`, so it survives page refreshes on the same machine.

Example output — `MAX_COLLATERAL_EXCEEDED` (visible in the main screenshot)

```
Thanks for reaching out. CHZ has reached Binance's platform-wide maximum
collateral threshold — this is not specific to your account.

What this means:
• No additional CHZ can be transferred into the cross-margin account as
  collateral until the platform-wide cap frees up.
• Your existing CHZ balance in margin still functions normally: trading,
  borrowing, and closing positions are unaffected.

You can wait for Binance to lift the cap, or use a different asset for your
transfer. More info:
https://www.binance.com/en/support/faq/detail/dca77ef963294b368b5ebad0affeda09
```

Example output — `OPEN_LONG_RESTRICTED`

```
Thanks for reaching out. FUN is currently under Binance Margin Buy (Long) Risk
Control — this is a platform-wide measure triggered during high volatility and
is not specific to your account.

What this means:
• Opening new long positions or increasing existing long exposure in FUN is
  restricted.
• Buy market orders are capped at your net liabilities amount (Total Debt of
  FUN - Total Asset of FUN). If your net liabilities are 0 or negative, buy
  orders will be rejected.
• Close position (sell / reduce long) and repay debt flows are still fully
  allowed.

This restriction is temporary and will be lifted once Binance determines that
market conditions have stabilised.
```

Example output — `BOTH`

```
Thanks for reaching out. XYZ is currently under both Binance Margin Buy (Long)
Risk Control AND has exceeded the maximum collateral threshold — these are
platform-wide restrictions.

What this means:
• Opening or increasing long positions in XYZ is restricted (reduce-only,
  capped at net liabilities).
• No additional XYZ can be transferred in as collateral.
• Close position and repay debt are still allowed.
```

Example output — `NO RESTRICTIONS`

```
🟢 BTC: NO RESTRICTIONS

BTC has no active Binance Margin restrictions at this time. Long positions and
collateral transfers are allowed.
```

(No customer reply is generated for the all-clear case — there's nothing to apologise for.)

Tab 06 — Balance Log Analyzer



What it does

Pure client-side parser + reconciler for Binance USDⓈ-M Futures **Balance Log** exports. The customer pastes the table they grabbed from `https://www.binance.com/en/my/wallet/history/futures-balance` and the analyzer:

1. **Parses** every row (handles both the rich web-page paste and the CSV export)
2. **Categorises** each row by `type` (`REALIZED_PNL` , `FUNDING_FEE` , `COMMISSION` , `TRANSFER` , `COIN_SWAP_*` , `EVENT_CONTRACTS_*` , `INTERNAL_TRANSFER` , etc.)
3. **Aggregates** totals per type and per symbol
4. **Reconstructs** Coin Swap and Auto-Exchange events from the paired-row structure
5. Surfaces a **Balance Story** drawer with four sub-views

When to use it

- "My balance went down by $X overnight — what happened?"
- "Reconcile my wallet: starting balance was Y, ending was Z, why don't they match?"

- “Show me every funding fee / commission / liquidation in this period”
- The customer dumps 50–500 rows of Balance Log into chat

What each marker does

#	Element	Purpose
1	**Tab strip**	Click `06 Balance Log Analyzer`. Lazy-loaded on first activation, kept mounted thereafter — switching tabs doesn’t lose pasted rows
2	**Clear**	Wipes pasted rows and the textarea
3	**Open Balance Story**	Opens the right-side drawer (Narrative / Audit / Charts / Raw — see Drawer)
4	**Use & Parse**	Triggers parsing of the textarea contents into rows
5	**Summary** sub-tab	Per-type totals — one card per type showing positive total / negative total / net per asset
6	**By Symbol** sub-tab	Per-symbol breakdown — one row per `(symbol, asset, type)` triple with the summed amount
7	**Swaps & Events** sub-tab	Reconstructed Coin Swap pairs + Auto-Exchange events + Event Contracts orders/payouts
8	**Diagnostics** sub-tab	Parse statistics: total pasted, included, excluded, invalid, format detected, header used, raw type counts (with `[UNKNOWN]` flag), warnings

Above the sub-tabs there are also three KPI tiles — **Rows (Total)**, **Rows (Filtered)**, **Symbols (Filtered)** — and a **Type Filter** chip row that lets you hide specific row types from all views.

Sub-tab views (with sample data)

Summary

FD Futures DeskMate | Binance Futures support workspace

BTCUSDT --- · ● Binance 1m OHLC GB EN TR TR

01 Macro Generator | 02 Price Lookup | 03 Funding Macro | 04 Position History Open & Close Price Calc. | 05 Margin Restrictions | 06 Balance Log Analyzer

FD Balance Log Analyzer

One Page Summary

Clear | Open Balance Story

Performance Highlights

Show ▼

Types (All shown)

Show ▼

Paste Table (Excel-like)

Click here and press **Ctrl/⌘+V** to paste directly from the Balance Log web page.

Use & Parse

Detected 21 row(s) × 7 col(s).

id	uid	asset	type	amount	time	symbol
10001	555	USDT	TRANSFER	1000	2026-04-01 00:00:00	
10002	555	USDT	REALIZED_PNL	-25.50	2026-04-01 09:15:22	BTCUSDT
10003	555	USDT	FUNDING_FEE	0.123	2026-04-01 16:00:00	BTCUSDT
10004	555	BNB	COMMISSION	-0.0005	2026-04-01 09:15:22	BTCUSDT
10005	555	USDT	REALIZED_PNL	42.10	2026-04-02 14:22:10	ETHUSDT

ROWS (TOTAL) 20

ROWS (FILTERED) 20

SYMBOLS (FILTERED) 3

1

Summary | By Symbol | Swaps & Events | Diagnostics

TRANSFER

ASSET	TOTALS
USDT	+1500 = +1500

REALIZED PNL

ASSET	TOTALS
USDT	+147.15 -105 = +42.15

COIN SWAP WITHDRAW

ASSET	TOTALS
USDT	-25 = -25

COIN SWAP DEPOSIT

ASSET	TOTALS
BNFCR	+12.3 = +12.3

COMMISSION

ASSET	TOTALS
BNB	-0.0005 = -0.0005
USDT	-3.9 = -3.9

FUNDING FEE

ASSET	TOTALS
USDT	+0.398 -0.6 = -0.20199999999999999

Cards are ordered by total magnitude (positive + negative + |net|), so the most-impactful types render at the top. Each card has columns for **Asset** and **Totals** (positive value, negative value, net result). In the example above, USDT realized PnL nets +42.15 across +147.15 in wins and -105 in losses.

By Symbol



A flat table — one row per `(symbol, asset, type)` triple. Useful when the customer asks “show me every funding fee on ETHUSDT”, not aggregated by type. Sortable.

Swaps & Events



Reconstructs **Coin Swap** events from the paired `COIN_SWAP_DEPOSIT` + `COIN_SWAP_WITHDRAW` rows. Each event shows:

- The **route** (e.g., `USDT → BNFCR`)
- The amount given vs received
- The **balance-log rate** (computed: 1 USDT = 0.492 BNFCR in this example)

- A **Market** action column that links to the corresponding Binance market price for context

The same view also surfaces **Auto-Exchange events** and **Event Contracts** orders / payouts (lower in the page).

Buttons at the top of the section: **Export PNG** (renders the table to PNG via html2canvas), **Copy TSV** (TSV to clipboard), **Copy answers** (a customer-ready reply explaining each event).

Diagnostics

FD Futures DeskMate | Binance Futures support workspace

BTCUSDT --- · Binance 1m OHLC EN TR TR

01 Macro Generator | 02 Price Lookup | 03 Funding Macro | 04 Position History Open & Close Price Calc. | 05 Margin Restrictions | 06 Balance Log Analyzer

FD Balance Log Analyzer

One Page Summary

Clear | Open Balance Story

Performance Highlights Show ▼

Types (All shown) Show ▼

Paste Table (Excel-like)

Click here and press **Ctrl/⌘+V** to paste directly from the Balance Log web page.

Use & Parse | Detected 21 row(s) × 7 col(s).

id	uid	asset	type	amount	time	symbol
10001	555	USDT	TRANSFER	1000	2026-04-01 00:00:00	
10002	555	USDT	REALIZED_PNL	-25.50	2026-04-01 09:15:22	BTCUSDT
10003	555	USDT	FUNDING_FEE	0.123	2026-04-01 16:00:00	BTCUSDT
10004	555	BNB	COMMISSION	-0.0005	2026-04-01 09:15:22	BTCUSDT
10005	555	USDT	REALIZED_PNL	42.10	2026-04-02 14:22:10	ETHUSDT

ROWS (TOTAL) 20 | ROWS (FILTERED) 20 | SYMBOLS (FILTERED) 3

1

Summary | By Symbol | Swaps & Events | Diagnostics

Diagnostics

- Total pasted rows: 21
- Included rows (USDⓈ-M): 20
- Excluded rows (Coin-M / out of scope): 0
- Invalid rows: 0
- Rows after filters: 20
- Unique symbols (filtered): 3
- Types found (filtered): 6
- Input format detected: tsv
- Header used: id | uid | asset | type | amount | time | symbol

Raw types detected

- REALIZED_PNL × 6
- FUNDING_FEE × 5
- COMMISSION × 5
- TRANSFER × 2
- COIN_SWAP_DEPOSIT × 1
- COIN_SWAP_WITHDRAW × 1

The view to open when parse looks wrong. Shows:

- **Total Pasted Rows / Included / Excluded / Invalid / After Filters / Symbols / Types**

- **Format detected** (`balance_log_web_page` for the rich HTML paste, `tsv` / `csv` for column-separated text)
- **Header used** — the column-name row the parser settled on
- **Raw Type Counts** — every distinct `type` token seen, with count, and an `[UNKNOWN]` flag for types not in our classifier
- **Warnings** — non-fatal parse issues (e.g., row 142: amount unparseable)
- **Invalid rows** (first 200) — rows that couldn't be parsed at all, with reason
- **Excluded rows** (first 200) — rows the parser dropped because they were Coin-M / out-of-scope

Shipping a screenshot of this tab to L2 is the fastest way to get help with a stuck parse.

Example — what a parsed row looks like internally

After paste + parse, each row has roughly this shape (you don't see this raw — it powers the views):

```
{
  uid: "12345678",
  asset: "USDT",
  type: "REALIZED_PNL",
  amountStr: "-12.34567890",
  amount: -12.34567890,
  time: "2026-05-03 11:42:08",
  ts: 1746274928000,
  symbol: "BTCUSDT",
}
```

Tips when using this tab

- **Paste raw, don't pre-clean.** The parser handles header rows and column separators (tab, comma, multiple spaces) automatically.
- **Hidden type chips persist within the session.** If the customer only cares about funding fees, hide everything else once and switch sub-tabs without re-filtering.
- **State survives tab switches.** You can paste here, jump to Margin Restrictions to check an asset, then come back — the rows are still there. Resets only on full page refresh.

Balance Story Drawer

The Balance Story drawer is a sub-tool launched from the Balance Log tab (button #3 — **Open Balance Story**). It's a side panel that gives the agent four richer views of the parsed rows than the main tab provides, plus its **own 10-language picker** independent from the host EN/TR switch.

The drawer has four tabs (Narrative / Agent Audit / Charts / Raw) and stays open until you press Escape, click the X, or click the dimmed backdrop. Shared inputs at the top (Start time, End time, Initial balances, Transfer at start, Current wallet) are remembered as you switch between the four tabs.

Narrative



#	Element	Purpose
1	**Drawer title**	“Balance Story” — clicking the dimmed area outside also closes the drawer
2	**Language selector**	10 languages (EN, TR, ES, PT, VI, RU, UK, AR, ZH, KO). Independent from the main app’s EN/TR switch — used for customer-facing replies that need to match the customer’s language
3	**Close (X)**	Closes the drawer. `Escape` does the same
4	**Narrative** tab	Plain-language story of the wallet over the pasted period
5	**Agent Audit** tab	Full reconciliation (see below)
6	**Charts** tab	Visualisations
7	**Raw** tab	Sortable, exportable raw rows

The Narrative view itself shows two sections: a top “what changed” story (per-type, written in the chosen language) and a bottom **Summary by Type & Asset** table grouped by the exact balance-log type. The “Copy Story” button at the top right grabs the entire narrative as text. **Export Summary PNG** renders the summary table as an image (uses html2canvas, lazy-loaded).

Sample narrative output

```
All dates and times are UTC+0. Please adjust for your time zone.

After the start, here is what changed:

Coin Swap Deposit
  • BNFCR: +12.3

Coin Swap Withdraw
  • USDT: -25

Funding Fees
  • Funding fees received: USDT +0.398
  • Funding fees paid: USDT -0.6

Realized PnL
  • USDT: +147.15, -105

Trading Fees
  • BNB: -0.0005
  • USDT: -3.9

Transfers
  • USDT: +1500

Based on all changes in your balance log, the expected leftover balance in
your futures USDⓈ-M wallet is:
  • BNB: -0.0005
  • BNFCR: +12.3
  • USDT: +1513.046
```

Agent Audit



Full **USDⓈ-M reconciliation**. The audit takes the optional inputs from the top of the drawer:

- **Start time / End time** — restrict the audit window (otherwise it spans the entire pasted log)
- **Initial balances** — the customer's wallet balance at start (e.g., `USDT 1500`, `0.5 BTC`)
- **Transfer amount at start** — any transfer that happened simultaneously with the start (so it's not double-counted)
- **Current wallet** — the customer's wallet balance at the audit end

...and computes:

```
expected_end = initial_balance + Σ(every row in the window)
              + transfer_at_start (if any)
              - any rows excluded by Type filter

verdict     = MATCH if expected_end == current_wallet
              MISMATCH otherwise
```

The view shows the math line-by-line per asset, plus the verdict. **This is the view you hand to L2 / accounting** when there's a balance dispute — it spells out exactly which rows were used and what the expected end-balance should be.

Charts



Recharts-based visualisations of:

- Balance over time (line chart per asset)
- Per-type contribution (bar chart of positive/negative totals)
- A daily / weekly aggregation view

`recharts` and `html2canvas` are **lazy-loaded** when this drawer first opens — users who never click Open Balance Story don't pay their bundle cost. If the charts come up blank, scroll the drawer body — they render below the inputs section.

Raw



The unprocessed parsed rows in a sortable table. Use this when the customer asks for a specific row ("what was the COMMISSION on order ID X") and you'd rather scan a flat list than compute a summary.

The raw view supports column sorting (click headers) and exposes export hooks (TSV / CSV / PNG via html2canvas) at the top.

Other surface elements (header bar)

These aren't tabs, but they're visible above every tab:

- `FD Futures DeskMate` brand mark — purely a logo
- **Live ticker** (`BTCUSDT ---`) — shows real-time price for the active symbol; updates from `pricing.ts`. Arrow turns red on a down tick, green on up tick
- `Binance 1m OHLC` source pill — confirms the data origin
- **EN / TR** language switcher — toggles all macro tabs between English and Turkish. The Balance Story drawer has its **own** language switcher with 10 languages
- **Admin chip ⚙ Admin** — appears only when an admin token is set in `localStorage._fd_admin_token`. Opens the internal analytics dashboard. Not relevant to support work

---

Quick reference: which tab for which ticket?

Ticket pattern	Go to
“My Stop / TP / Stop-Limit didn’t behave as expected”	01
“What was the price at X UTC?”	02 → Trigger or Last 1s
“Did the price ever hit X between A and B?”	02 → Find
“Why did my Trailing Stop trigger here?”	02 → Trailing
“Mark Price triggered me but Last was nowhere near it”	02 → Gap
“Why was I charged a funding fee?”	03
“What’s my real average entry across these fills?”	04
“I scaled in and out — show me the math”	04
“Can’t transfer ASSET to Margin”	05 → Restriction Check
“Buy long rejected on ASSET in Margin”	05 → Restriction Check
“Show me every restricted asset right now”	05 → Full List
“What changed in the restricted list since yesterday?”	05 → Changes
“Where did my balance go?”	06
“Reconcile my wallet for this period”	06 → Open Balance Story → Agent Audit
“Tell me about every coin swap in my log”	06 → Swaps & Events
“Customer needs the breakdown in Spanish/Turkish/Korean”	06 → Balance Story → language picker