




AgOpenGPS
Ardusimple
V1.9
CANtact
WEMOS D1 ESP32
CMPS14 (bottom side)
POWER
STEERING
TO_PC
CAN
WAS
INPUTS
GNSS
FGNSS
ROTARY/485
WIFI
DC/AUX
FCAN
CANB
FCAN1
RXCAN
TXCAN
FINP
REMOTE
STEER
WORK
FWAS
WAS1
WAS2
5V
BOOT
QWIIC LED
FROT
CHA
CHB
FSER
M1
M2
AA


https://github.com/GormR/HW_for_AgOpenGPS
https://agopengps.discourse.group
Ardusimple
no metal screws and nuts!
to PC
Batt−
Mot
6/2
CANL
CANH
CAN+
TermCAN
5V−>CAN
5V−>USB−C
USB−C
Term485
+5V
A
B
Batt+
nReset
Ethernet/
prg.
D12/MISO
D13/SCLK
D11/MOSI
D10
+3.3V
ESP32
CMPS14
Bynav_GNSS_receiver
USB_Atmel
Boot_dCAN
AgOpenGPS
closed = extern steer input
on
ext
DO
WAS
WAS_0
WAS+
USB
green
black
red
white
USB−C to PC
5V
steer wk
remt
USB/RS485/
USB−C_ext
USB/d−CAN
remote steer
work
M12=I2C
M12=RS485
USB/Nav
Charger/
USB−C
RS485/rotary
Tx485
RxCAN
Batt−_ResESP
+3V3
+5V
nc





Copyright Gorm Rose 2022.

This documentation describes Open Hardware and is licensed under the CERN-OHL-S-2.0.

You may redistribute and modify this documentation under the terms of the CERN-OHL-S-2.0.
(http://ohwr.org/cernohl). This documentation is distributed WITHOUT ANY EXPRESS OR IMPLIED
WARRANTY, INCLUDING OF MERCHANTABILITY, SATISFACTORY QUALITY AND FITNESS FOR A PARTICULAR PURPOSE.
Please see the CERN-OHL-S-2.0 for applicable conditions.

TITLE: Central_Unit_AgOpenGPS		REV: 1.9
EasyEDA	Company: https://github.com/GormR	Sheet:
	Date: 2021-01-16 Drawn By: GoRoNb	



Copyright Gorm Rose 2022.

This documentation describes Open Hardware and is licensed under the CERN-OHL-S-2.0.

You may redistribute and modify this documentation under the terms of the CERN-OHL-S-2.0.
(http://ohwr.org/cernohl). This documentation is distributed WITHOUT ANY EXPRESS OR IMPLIED
WARRANTY, INCLUDING OF MERCHANTABILITY, SATISFACTORY QUALITY AND FITNESS FOR A PARTICULAR PURPOSE.
Please see the CERN-OHL-S-2.0 for applicable conditions.