

Lab 2: CI/CD 리뷰 트리거하기

이 문서는 Lab 2를 완료하기 위한 단계별 가이드를 제공합니다. Lab 2에서는 git commit과 git push를 생성하여 자동으로 git webhook이 push 내용을 리뷰하도록 트리거하는 작업을 수행합니다.

Lab 2 content:

1. smee 클라이언트 시작하기 (한 터미널에서):

```
smee -u <your-smee-url> -t http://localhost:8000/webhook/github
```

2. webhook 서버 시작하기 (다른 터미널에서):

```
python main.py
```

서버는 다음과 같은 기능을 수행합니다:

- http://localhost:8000에서 실행됩니다
- 코드 변경 시 자동으로 재로드됩니다
- smee.io를 통해 webhook을 수신합니다
- 실시간으로 커밋 정보를 표시합니다
- 구문 강조와 함께 코드 변경사항을 보여줍니다
- 상세한 코드 리뷰 이슈를 생성합니다

3. 테스트를 위해, git webhook을 구성한 저장소에 git commit을 생성하고 push하세요. 출력은 다음과 같이 나타날 것입니다:

```

Here is a sample analysis of the provided code changes:

### Summary of the changes

The commit message is concise and informative, explaining the purpose of the changes made. The commit message also includes a reference to the Jira ticket that the code is associated with.

### Detailed review of each modified file

#### modresorts-twaz-j8/src/main/java/com/acme/modres/UpperServlet.java

- The `doGet` method of the `UpperServlet` class has been modified to include additional code that prints a message to the browser. This code is added to test the CI/CD process.
- The `UpperCaseServlet` class has been modified to capitalize the input string before it is displayed on the browser.
- The `UpperCaseServlet` class has been annotated with the `@WebServlet` annotation, which specifies the URL pattern for the servlet.

#### .vscode/settings.json

- A new file has been added to the project, `.vscode/settings.json`, which configures the Java development environment in Visual Studio Code.
- The `java.configuration.updateBuildConfiguration` property has been set to `interactive`, which allows developers to choose whether to update the build configuration when the Java project is opened.

### Impact on the codebase

The changes made to the `UpperCaseServlet` class will impact the functionality of the application, as it will add new code to the application and modify existing code. The changes made to the `.vscode/settings.json` file will not have an impact on the functionality of the application.

### Specific recommendations for improvement

Based on the analysis of the code changes, the following recommendations can be made to improve the code quality and maintainability of the application:

1. Extract the code that prints the message to the browser into a separate method, to make the code more modular and maintainable.
2. Refactor the code to use a template engine, such as JSP or Thymeleaf, to generate the HTML output, to improve the code's readability and maintainability.
3. Use dependency injection to inject the `HttpServletRequest` object into the `doGet` method, rather than retrieving it using the `ServletRequest` object. This will make the code more modular and easier to test.
4. Format the code using a code formatter, such as Eclipse or IntelliJ IDEA, to ensure a consistent style and improve readability.
5. Conduct a security analysis of the code to identify any potential security vulnerabilities, such as SQL injection or cross-site scripting attacks.
Created code review issue: https://github.com/sidharthmittal25/wca4ej-workshop/issues/5
INFO: 140.82.115.249:23130:0 - "POST /webhook/github HTTP/1.1" 200 OK

```

=====
Commit Message: adding new code to test ci/cd

Author: Sidharth Mittal (Sidharth.Mittal@ibm.com)

Time: 2025-02-24T23:50:10+08:00

Changes:

Modified: modresorts-twaz-j8/src/main/java/com/acme/modres/UpperServlet.java

Added: .vscode/settings.json

ghp_8ZxRzkuvQcbQWvNOCkyLWJv7ayaXTR3Xg0pg

ghp_8ZxRzkuvQcbQWvNOCkyLWJv7ayaXTR3Xg0pg

Code Changes:

=== .vscode/settings.json ===

Status: added

@@ -0,0 +1,3 @@

```

+{
+  "java.configuration.updateBuildConfiguration": "interactive"
+}
\ No newline at end of file

```

=== modresorts-twaz-j8/src/main/java/com/acme/modres/UpperServlet.java ===

Status: modified

@@ -9,6 +9,7 @@

```

import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;

```

```

+
+import com.ibm.websphere.servlet.response.ResponseUtils;

```

@WebServlet("/resorts/upper")

```

@@ -29,6 +30,8 @@ protected void doGet(HttpServletRequest request, HttpServletResponse response) {
    newStr = ResponseUtils.encodeDataString(newStr);

```

```

    PrintWriter out = response.getWriter();
    out.print("<br/><b>capitalized input " + newStr + "</b>");
    out.print("<br/><b>capitalized input " + newStr + "</b>");
    out.print("<br/><b>adding new code to test ci/cd " + newStr + "</b>");
}

```

```
}  
=====
```