Assignment 2 320: Digital Therapy Assistant Solution Summary

Author

Name: Joshua Vaysman

Group Members: Joshua Vaysman, Nikolai Semerdjiev, Braeden Cootey

Email: cootey@chapman.edu, vaysman@chapman.edu,

Date: 4/8/2026

Diagrams

Context Diagram

https://drive.google.com/file/d/1nFjPB3Ou4Vy6Z1bX63HkSx_0kBOXcCXh/view?usp=sharing

Container Diagram

https://drive.google.com/file/d/1TVsrTEbd4-4rwxmZp2jos9fABbLDzBOC/view?usp=sharing

Component Diagram

https://drive.google.com/file/d/1B-ehFP3js2wu1JuHcOyiaBRfOONYhwgm/view?usp=sharing

Class Diagram and Sequence Diagrams

https://drive.google.com/file/d/1-DXMbfwWdAjKrsk0lHqJi4pbQzHw7-SD/view?usp=sharing

ER Diagram


SESSION_MODULE
UUID id PK
string name UK
COPING_STRATEGY
UUID id PK
string name
string category
string description
contains
CBT_SESSION
UUID id PK
UUID module_id FK
string title
string description
int duration_minutes
int order_index
USER
UUID id PK
string email UK
string password_hash
string name
boolean onboarding_complete
string onboarding_path
string severity_level
int streak_days
datetime created_at
datetime updated_at
owns
has
assigned_in
owns
DIARY_ENTRY
UUID id PK
UUID user_id FK
string situation
string automatic_thought
string alternative_thought
int mood_before
int mood_after
int belief_rating_before
int belief_rating_after
datetime created_at
boolean deleted
USER_SESSION
UUID id PK
UUID user_id FK
UUID cbt_session_id FK
string status
datetime started_at
datetime ended_at
int mood_before
int mood_after
TRUSTED_CONTACT
UUID id PK
UUID user_id FK
string name
string phone
string relationship
contains
records
tags
CHAT_MESSAGE
UUID id PK
UUID user_session_id FK
string role
string content
string modality
datetime timestamp
EMOTION_RATING
UUID diary_entry_id FK
string emotion
int rating
COGNITIVE_DISTORTION
string id PK
string name
string description
has
COGNITIVE_DISTORTION_EXAMPLE
string distortion_id FK
string example

Solution Contracts

- [AuthService / Authentication] Will implement user registration, login, refresh-token rotation, logout, and paginated user listing using JWT access/refresh tokens.
- [AiService / OpenAiService] Will implement AI-driven therapy capabilities: session reply generation, cognitive distortion analysis, reframing prompts, crisis detection, diary insights, and session summarization.
- [DiaryService / DiaryServiceImpl] Will implement diary entry CRUD-style operations (create, list, detail, soft-delete), mood insights, and distortion suggestions.
- [SessionService] Will implement CBT session lifecycle operations: session library/detail retrieval, start/continue/end session flow, in-session chat persistence, and user session history.
- [CrisisService] Will implement crisis support workflows: warning signs, coping resources, emergency resources, panic-button mock flow, safety plan retrieval/save, and crisis-indicator detection.
- [DashboardService] Will implement dashboard analytics and progress reporting: monthly trends, weekly progress, burnout recovery metrics, and achievement CRUD/synchronization.
- [EmbeddingService / HashingEmbeddingService] Will implement text-to-vector embedding generation for retrieval workflows.
- [VectorStore / SimpleVectorStore] Will implement vector indexing and retrieval operations: bulk add, similarity search, size, and clear (plus persistence load/save in implementation).
- [RagContextBuilder] Will implement retrieval-augmented context construction from user/session history and knowledge-base matches for AI prompts.
- [KnowledgeBaseLoader] Will implement startup loading of CBT/crisis knowledge documents into the vector store.

API

#	End Point	API Method	Request Parameters	Response Parameters	Response Codes	Notes	Jira
1	/auth/register	POST	Body: userType, firstName, lastName, email, password, phoneNumber	Body: userType, firstName, lastName, email, password, phoneNumber	Body: userType, firstName, lastName, email, passwo	Public endpoint	Atlassian

					rd, phoneNumber		
2	/auth/login	POST	Body: email, password	accessToken, refreshToken, user{...}	200, 400, 401	Public endpoint	Atlassian
3	/auth/logout	POST	Header: Authorization	No body	204, 400, 401	Requires auth token	Atlassian
4	/auth/delete	DELETE	Body: userId, email, password	id, userType, firstName, lastName, email, phoneNumber, online	200, 400, 401, 404	Requires auth token	Atlassian
5	/auth/refresh	POST	Body: refreshToken	accessToken, refreshToken, user{...}	200, 400, 401	Public endpoint	Atlassian
6	/auth/users	GET	Query: page, size, sort	Page	200, 400	Requires auth token	Atlassian
7	/sessions	GET	None	List	200, 401, 403	Role: PATIENT or DOCTOR	Atlassian
8	/sessions/page	GET	Query: page, size, sort	Page	200, 400	Paginated library	Atlassian
9	/sessions/{sessionId}	GET	Path: sessionId	SessionDetailResponse	200, 400, 401, 403, 404	Session detail	Atlassian
10	/sessions/{sessionId}/start	POST	Path: sessionId; Body: userId, moodBefore	SessionRunResponse	201, 400, 401, 403, 404, 409	Starts active run	Atlassian
11	/sessions/{sessionId}/chat	POST	Path: sessionId; Body: userId, message, modality	SessionChatResponse	200, 400, 401, 403, 404	In-session chat	Atlassian
12	/sessions/{sessionId}/end	POST	Path: sessionId; Body: userId, moodAfter	SessionRunResponse	200, 400, 401, 403,	Ends active run	Atlassian

					404		
13	/diary/entries	POST	Query: userId; Body: situation, automaticThought, alternativeThought, moodBefore, moodAfter	DiaryEntryResponse	201, 400, 404	Creates diary entry	Atlassian
14	/diary/entries	GET	Query: userId, page, size, sort	Page	200, 400	List entries	Atlassian
15	/diary/entries/{entryId}	GET	Path: entryId	DiaryEntryDetail	200, 404	Entry detail	Atlassian
16	/diary/entries/{entryId}	DELETE	Path: entryId	No body	204, 404	Soft delete	Atlassian
17	/diary/insights	GET	Query: userId	DiaryInsights	200, 400	Aggregate metrics	Atlassian
18	/diary/distortions/suggest	POST	Body: thought	List	200, 400	AI suggestion endpoint	Atlassian
19	/progress	GET	Query: userId	Dashboard	200	Requires auth token	Atlassian
20	/progress/progress/monthly	GET	Query: userId	MonthlyTrends	200	Duplicated path	Atlassian
21	/progress/progress/weekly	GET	Query: userId	WeeklyProgress	200	Duplicated path	Atlassian
22	/progress/progress/burnout	GET	Query: userId	BurnoutRecovery	200	Duplicated path	Atlassian
23	/progress/progress/achievements	GET	Query: userId, page, size, sort	Page	200	Duplicated path	Atlassian
24	/progress/progress/achievements	POST	Query: userId; Body: title, description, unlocked, unlockedMonth	AchievementResponse	201	Duplicated path	Atlassian

25	/progress/progress/achievements/{achievementId}	PUT	Query: userId; Path: achievementId; Body: title, description, unlocked, unlockedMonth	AchievementResponse	200	Duplicated path	Atlassian
26	/progress/progress/achievements/{achievementId}	DELETE	Query: userId; Path: achievementId	No body	204	Duplicated path	Atlassian
27	/crisis	GET	Query: userId	Crisis	200	Requires auth token	Atlassian
28	/crisis/crisis/coping-strategies	GET	None	List	200	Duplicated path	Atlassian
29	/crisis/crisis/coping-strategies/page	GET	Query: page, size, sort	Page	200	Paginated	Atlassian
30	/crisis/crisis/safety-plan	GET	Query: userId	List	200	Duplicated path	Atlassian
31	/crisis/crisis/safety-plan/page	GET	Query: userId, page, size, sort	Page	200	Paginated	Atlassian
32	/crisis/crisis/detect	POST	Body: message, observedIndicators[]	CrisisDetectionResponse	200	Duplicated path	Atlassian
33	/crisis/crisis/safety-plan	PUT	Query: userId; Body: steps[]	List	200	Updates safety plan	Atlassian

QA TABLE AND STUFF

Test Case Table

# Test	Description	Assumptions and Pre-Conditions	Test Data	Steps to Be Executed	Expected Result	Jira

1. AppTest.shouldAnswerWithTrue	Verifies AppTest.shouldAnswerWithTrue (should Answer With True).	JUnit test context is initialized and required fixtures are prepared in setup.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for AppTest; execute the operation under test for shouldAnswerWithTrue; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	A…
2. DashboardCommandsTest.execute_viewDashboard_requiresLoggedInUser	Verifies DashboardCommandsTest.execute_viewDashboard_requiresLoggedInUser (execute view Dashboard requires Logged In User).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific user identity/role plus arranged mocks/fixtures.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewDashboard_requiresLoggedInUser; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	A…
3. DashboardCommandsTest.execute_viewDashboard_blocksAdminAccess	Verifies DashboardCommandsTest.execute_viewDashboard_blocksAdminAccess (execute view Dashboard blocks Admin Access).	CLI test harness is initialized, I/O is mocked, and command dependencies are	Inputs, fixtures, and mocks arranged in the test setup for this scena	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewDashboard_blocksAdminAccess; assert returned values, side	Observed behavior matches the scenario asserted by the test.	A…

		stubbed.	rio.	effects, and interactions.		
4. DashboardCommandsTest.execute_viewDashboard_repromptsDoctorUntilValidPatientId	Verifies DashboardCommandsTest.execute_viewDashboard_repromptsDoctorUntilValidPatientId (execute view Dashboard reprompts Doctor Until Valid Patient Id).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewDashboard_repromptsDoctorUntilValidPatientId; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	A…
5. DashboardCommandsTest.execute_viewDashboard_deniesWhenDashboardIsNotViewable	Verifies DashboardCommandsTest.execute_viewDashboard_deniesWhenDashboardIsNotViewable (execute view Dashboard denies When Dashboard Is Not Viewable).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewDashboard_deniesWhenDashboardIsNotViewable; assert returned values, side effects, and interactions.	The action is blocked with the expected authorization/validation outcome.	A…
6. DashboardCommandsTest.execute_viewDashboard_handlesIllegalArgumentException	Verifies DashboardCommandsTest.execute_viewDashboard_handlesIllegalArgumentException (execute view Dashboard	CLI test harness is initialized, I/O is	Inputs, fixtures, and mocks arran	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation	The fallback/error-handling path is	A…

	handles Illegal Argument Exception).	mocked, and command dependencies are stubbed.	ged in the test setup for this scenario.	under test for execute_viewDashboard_handlesIllegalArgumentException; assert returned values, side effects, and interactions.	executed and verified.	
7. DashboardCommandsTest.execute_viewDashboard_handlesResponseStatusException	Verifies DashboardCommandsTest.execute_viewDashboard_handlesResponseStatusException (execute view Dashboard handles Response Status Exception).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewDashboard_handlesResponseStatusException; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	A…
8. DashboardCommandsTest.execute_viewDashboard_handlesUnexpectedException	Verifies DashboardCommandsTest.execute_viewDashboard_handlesUnexpectedException (execute view Dashboard handles Unexpected Exception).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewDashboard_handlesUnexpectedException; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-91

9. DashboardCommandsTest.execute_viewMonthlyTrends_requiresLoggedInUser	Verifies DashboardCommandsTest.execute_viewMonthlyTrends_requiresLoggedInUser (execute view Monthly Trends requires Logged In User).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific user identity/role plus arranged mocks/fixtures.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewMonthlyTrends_requiresLoggedInUser; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-93
10. DashboardCommandsTest.execute_viewMonthlyTrends_blocksAdminAccess	Verifies DashboardCommandsTest.execute_viewMonthlyTrends_blocksAdminAccess (execute view Monthly Trends blocks Admin Access).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewMonthlyTrends_blocksAdminAccess; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-94
11. DashboardCommandsTest.execute_viewMonthlyTrends_repromptsDoctorUntilValidPatientId	Verifies DashboardCommandsTest.execute_viewMonthlyTrends_repromptsDoctorUntilValidPatientId (execute view Monthly Trends reprompts Doctor Until Valid Patient Id).	CLI test harness is initialized, I/O is mocked, and command dependencie	Scenario-specific API/JSON payloads plus arranged mocks/fixtu	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewMonthlyTrends_repromptsDoctorUntilValidPatientId; assert	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-96

		s are stubbed.	res.	returned values, side effects, and interactions.		
12. DashboardCommandsTest.execute_viewMonthlyTrends_handlesIllegalArgumentException	Verifies DashboardCommandsTest.execute_viewMonthlyTrends_handlesIllegalArgumentException (execute view Monthly Trends handles Illegal Argument Exception).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewMonthlyTrends_handlesIllegalArgumentException; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-100
13. DashboardCommandsTest.execute_viewMonthlyTrends_handlesResponseStatusException	Verifies DashboardCommandsTest.execute_viewMonthlyTrends_handlesResponseStatusException (execute view Monthly Trends handles Response Status Exception).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewMonthlyTrends_handlesResponseStatusException; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-105
14. DashboardCommandsTest.execute_viewMonthlyTrends_handlesUnexpectedException	Verifies DashboardCommandsTest.execute_viewMonthlyTrends_handlesUnexpected	CLI test harness is initiliz	Inputs, fixtures, and mock	Arrange fixtures/mocks for DashboardCommandsTest;	The fallback/error-handling	https://chapman-team-n3052c

	Exception (execute view Monthly Trends handles Unexpected Exception).	ed, I/O is mocked, and command dependencies are stubbed.	s arranged in the test setup for this scenario.	execute the operation under test for execute_viewMonthlyTrends_handlesUnexpectedException; assert returned values, side effects, and interactions.	path is executed and verified.	gk.atlassian.net/browse/PM-109
15. DashboardCommandsTest.execute_viewWeeklyProgress_requiresLoggedInUser	Verifies DashboardCommandsTest.execute_viewWeeklyProgress_requiresLoggedInUser (execute view Weekly Progress requires Logged In User).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific user identity/role plus arranged mocks/fixtures.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewWeeklyProgress_requiresLoggedInUser; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-114
16. DashboardCommandsTest.execute_viewWeeklyProgress_blocksAdminAccess	Verifies DashboardCommandsTest.execute_viewWeeklyProgress_blocksAdminAccess (execute view Weekly Progress blocks Admin Access).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewWeeklyProgress_blocksAdminAccess; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-118

17. DashboardCommandsTest.execute_viewWeeklyProgress_repromptsDoctorUntilValidPatientId	Verifies DashboardCommandsTest.execute_viewWeeklyProgress_repromptsDoctorUntilValidPatientId (execute view Weekly Progress reprompts Doctor Until Valid Patient Id).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewWeeklyProgress_repromptsDoctorUntilValidPatientId; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-131
18. DashboardCommandsTest.execute_viewWeeklyProgress_handlesIllegalArgumentException	Verifies DashboardCommandsTest.execute_viewWeeklyProgress_handlesIllegalArgumentException (execute view Weekly Progress handles Illegal Argument Exception).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewWeeklyProgress_handlesIllegalArgumentException; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-134
19. DashboardCommandsTest.execute_viewWeeklyProgress_handlesResponseStatusException	Verifies DashboardCommandsTest.execute_viewWeeklyProgress_handlesResponseStatusException (execute view Weekly Progress handles Response Status Exception).	CLI test harness is initialized, I/O is mocked, and command	Inputs, fixtures, and mocks arranged in the test setup	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewWeeklyProgress_handlesResp	The fallback/error-handling path is executed and verifie	https://chapman-team-n3052cgk.atlassian.net/browse/PM-13

		dependencies are stubbed.	for this scenario.	onseStatusException; assert returned values, side effects, and interactions.	d.	7
20. DashboardCommandsTest.execute_viewWeeklyProgress_handlesUnexpectedException	Verifies DashboardCommandsTest.execute_viewWeeklyProgress_handlesUnexpectedException (execute view Weekly Progress handles Unexpected Exception).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewWeeklyProgress_handlesUnexpectedException; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-139
21. DashboardCommandsTest.execute_viewBurnoutRecovery_requiresLoggedInUser	Verifies DashboardCommandsTest.execute_viewBurnoutRecovery_requiresLoggedInUser (execute view Burnout Recovery requires Logged In User).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific user identity/role plus arranged mocks/fixtures.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewBurnoutRecovery_requiresLoggedInUser; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-142
22. DashboardCommandsTest.execute_viewBurnoutRecovery_blocksAdmi	Verifies DashboardCommandsTest.execute_viewBurnoutRecover	CLI test harness is	Inputs, fixtures, and	Arrange fixtures/mocks for DashboardCo	Observed behavior	https://chapman-team-n

nAccess	y_blocksAdminAccess (execute view Burnout Recovery blocks Admin Access).	initialized, I/O is mocked, and command dependencies are stubbed.	mocks arranged in the test setup for this scenario.	mmandsTest; execute the operation under test for execute_viewBurnoutRecovery_blocksAdminAccess; assert returned values, side effects, and interactions.	matches the scenario asserted by the test.	3052cgk.atlassian.net/browse/PM-145
23. DashboardCommandsTest.execute_viewBurnoutRecovery_repromptsDoctorUntilValidPatientId	Verifies DashboardCommandsTest.execute_viewBurnoutRecovery_repromptsDoctorUntilValidPatientId (execute view Burnout Recovery reprompts Doctor Until Valid Patient Id).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewBurnoutRecovery_repromptsDoctorUntilValidPatientId; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-149
24. DashboardCommandsTest.execute_viewBurnoutRecovery_handlesIllegalArgumentException	Verifies DashboardCommandsTest.execute_viewBurnoutRecovery_handlesIllegalArgumentException (execute view Burnout Recovery handles Illegal Argument Exception).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbe	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewBurnoutRecovery_handlesIllegalArgumentException; assert returned values, side effects, and	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-152

		d.		interactions.		
25. DashboardCommandsTest.execute_viewBurnoutRecovery_handlesResponseStatusException	Verifies DashboardCommandsTest.execute_viewBurnoutRecovery_handlesResponseStatusException (execute view Burnout Recovery handles Response Status Exception).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewBurnoutRecovery_handlesResponseStatusException; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-154
26. DashboardCommandsTest.execute_viewBurnoutRecovery_handlesUnexpectedException	Verifies DashboardCommandsTest.execute_viewBurnoutRecovery_handlesUnexpectedException (execute view Burnout Recovery handles Unexpected Exception).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_viewBurnoutRecovery_handlesUnexpectedException; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-157
27. DashboardCommandsTest.execute_listAchievements_requiresLoggedInUser	Verifies DashboardCommandsTest.execute_listAchievements_requiresLoggedInUser (execute list Achievements requires Logged In	CLI test harness is initialized, I/O is mocke	Scenario-specific user identity/role, achieveme	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for	Observed behavior matches the scenario	https://chapman-team-n3052cgk.atlassian.net/br

	User).	d, and comm and depen dencie s are stubbe d.	nt fields plus arran ged mock s/fixtu res.	execute_listAc hievements_re quiresLoggedI nUser; assert returned values, side effects, and interactions.	assert ed by the test.	owse/ PM-16 2
28. DashboardCommandsT est.execute_listAchieve ments_blocksAdminAcc ess	Verifies DashboardComma ndsTest.execute_lis tAchievements_blo cksAdminAccess (execute list Achievements blocks Admin Access).	CLI test harnes s is initializ ed, I/O is mocke d, and comm and depen dencie s are stubbe d.	Scena rio-sp ecific achie veme nt fields plus arran ged mock s/fixtu res.	Arrange fixtures/mocks for DashboardCo mmandsTest; execute the operation under test for execute_listAc hievements_bl ocksAdminAcc ess; assert returned values, side effects, and interactions.	Obser ved behav ior match es the scena rio assert ed by the test.	https:/ /chap man-t eam-n 3052c gk.atl assian .net/br owse/ PM-16 3
29. DashboardCommandsT est.execute_listAchieve ments_showsEmptyStat eForPatient	Verifies DashboardComma ndsTest.execute_lis tAchievements_sho wsEmptyStateForP atient (execute list Achievements shows Empty State For Patient).	CLI test harnes s is initializ ed, I/O is mocke d, and comm and depen dencie s are stubbe d.	Scena rio-sp ecific achie veme nt fields plus arran ged mock s/fixtu res.	Arrange fixtures/mocks for DashboardCo mmandsTest; execute the operation under test for execute_listAc hievements_sh owsEmptyStat eForPatient; assert returned values, side effects, and interactions.	Obser ved behav ior match es the scena rio assert ed by the test.	https:/ /chap man-t eam-n 3052c gk.atl assian .net/br owse/ PM-16 4

30. DashboardCommandsTest.execute_listAchievements_handlesIllegalArgumentException	**Verifies DashboardCommandsTest.execute_listAchievements_handlesIllegalArgumentException (execute list Achievements handles Illegal Argument Exception).**	**CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.**	**Scenario-specific achievement fields plus arranged mocks/fixtures.**	**Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_listAchievements_handlesIllegalArgumentException; assert returned values, side effects, and interactions.**	**The fallback/error-handling path is executed and verified.**	**https://chapman-team-n3052cgk.atlassian.net/browse/PM-165**
31. DashboardCommandsTest.execute_listAchievements_handlesResponseStatusException	**Verifies DashboardCommandsTest.execute_listAchievements_handlesResponseStatusException (execute list Achievements handles Response Status Exception).**	**CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.**	**Scenario-specific achievement fields plus arranged mocks/fixtures.**	**Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_listAchievements_handlesResponseStatusException; assert returned values, side effects, and interactions.**	**The fallback/error-handling path is executed and verified.**	**https://chapman-team-n3052cgk.atlassian.net/browse/PM-166**
32. DashboardCommandsTest.execute_listAchievements_handlesUnexpectedException	**Verifies DashboardCommandsTest.execute_listAchievements_handlesUnexpectedException (execute list Achievements handles Unexpected Exception).**	**CLI test harness is initialized, I/O is mocked, and command**	**Scenario-specific achievement fields plus arranged mock**	**Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_listAchievements_handlesUnexpect**	**The fallback/error-handling path is executed and verifie**	**https://chapman-team-n3052cgk.atlassian.net/browse/PM-16**

		dependencies are stubbed.	s/fixtures.	edException; assert returned values, side effects, and interactions.	d.	7
33. DashboardCommandsTest.execute_createAchievement_requiresLoggedInUser	Verifies DashboardCommandsTest.execute_createAchievement_requiresLoggedInUser (execute create Achievement requires Logged In User).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific user identity/role, achievement fields plus arranged mocks/fixtures.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_createAchievement_requiresLoggedInUser; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-168
34. DashboardCommandsTest.execute_createAchievement_blocksPatientAccess	Verifies DashboardCommandsTest.execute_createAchievement_blocksPatientAccess (execute create Achievement blocks Patient Access).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific achievement fields plus arranged mocks/fixtures.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_createAchievement_blocksPatientAccess; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-169
35. DashboardCommandsTest.execute_createAchievement_retriesInvalidInputs_thenCreatesForDoctor	Verifies DashboardCommandsTest.execute_createAchievement_retriesInvalidInputs_thenCreatesForDoc	CLI test harness is initialized, I/O	Scenario-specific achievement	Arrange fixtures/mocks for DashboardCommandsTest; execute the	State is updated/persisted exactl	https://chapman-team-n3052cgk.atl

	tor (execute create Achievement retries Invalid Inputs then Creates For Doctor).	is mocked, and command dependencies are stubbed.	fields plus arranged mocks/fixtures.	operation under test for execute_createAchievement_retriesInvalidInputs_thenCreatesForDoctor; assert returned values, side effects, and interactions.	y as expected.	assian.net/browse/PM-170
36. DashboardCommandsTest.execute_createAchievement_setsUnlockedMonthToNullWhenLocked	Verifies DashboardCommandsTest.execute_createAchievement_setsUnlockedMonthToNullWhenLocked (execute create Achievement sets Unlocked Month To Null When Locked).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific achievement fields plus arranged mocks/fixtures.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_createAchievement_setsUnlockedMonthToNullWhenLocked; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-171
37. DashboardCommandsTest.execute_createAchievement_handlesIllegalArgumentException	Verifies DashboardCommandsTest.execute_createAchievement_handlesIllegalArgumentException (execute create Achievement handles Illegal Argument Exception).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific achievement fields plus arranged mocks/fixtures.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_createAchievement_handlesIllegalArgumentException; assert returned values, side effects, and	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-172

				interactions.		
38. DashboardCommandsTest.execute_createAchievement_handlesResponseStatusException	Verifies DashboardCommandsTest.execute_createAchievement_handlesResponseStatusException (execute create Achievement handles Response Status Exception).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific achievement fields plus arranged mocks/fixtures.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_createAchievement_handlesResponseStatusException; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-173
39. DashboardCommandsTest.execute_createAchievement_handlesUnexpectedException	Verifies DashboardCommandsTest.execute_createAchievement_handlesUnexpectedException (execute create Achievement handles Unexpected Exception).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific achievement fields plus arranged mocks/fixtures.	Arrange fixtures/mocks for DashboardCommandsTest; execute the operation under test for execute_createAchievement_handlesUnexpectedException; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-174
40. MenuCommandFlowsTest.commands_handlesUserOps	Verifies MenuCommandFlowsTest.commands_handlesUserOps (commands handles User Ops).	CLI test harness is initialized, I/O is mocke	Scenario-specific user identity/role plus arran	Arrange fixtures/mocks for MenuCommandFlowsTest; execute the operation under test for	The fallback/error-handling path is execu	https://chapman-team-n3052cgk.atlassian.net/br

		d, and command dependencies are stubbed.	ged mocks/fixtures.	commands_handlesUserOps; assert returned values, side effects, and interactions.	ted and verified.	owse/PM-175
41. MenuCommandFlowsTest.commands_handlesDashboardOps	Verifies MenuCommandFlowsTest.commands_handlesDashboardOps (commands handles Dashboard Ops).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for MenuCommandFlowsTest; execute the operation under test for commands_handlesDashboardOps; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-176
42. MenuCommandFlowsTest.commands_handlesCrisisOps	Verifies MenuCommandFlowsTest.commands_handlesCrisisOps (commands handles Crisis Ops).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific crisis/safety text plus arranged mocks/fixtures.	Arrange fixtures/mocks for MenuCommandFlowsTest; execute the operation under test for commands_handlesCrisisOps; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-177

43. MenuCommandFlowsTest.commands_handlesCrisisHubAndCopingEdgeCases	**Verifies MenuCommandFlowsTest.commands_handlesCrisisHubAndCopingEdgeCases (commands handles Crisis Hub And Coping Edge Cases).**	**CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.**	**Scenario-specific crisis/safety text plus arranged mocks/fixtures.**	**Arrange fixtures/mocks for MenuCommandFlowsTest; execute the operation under test for commands_handlesCrisisHubAndCopingEdgeCases; assert returned values, side effects, and interactions.**	**The fallback/error-handling path is executed and verified.**	**https://chapman-team-n3052cgk.atlassian.net/browse/PM-178**
44. MenuCommandFlowsTest.commands_handlesSessionOps	**Verifies MenuCommandFlowsTest.commands_handlesSessionOps (commands handles Session Ops).**	**CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.**	**Scenario-specific session ids/messages plus arranged mocks/fixtures.**	**Arrange fixtures/mocks for MenuCommandFlowsTest; execute the operation under test for commands_handlesSessionOps; assert returned values, side effects, and interactions.**	**The fallback/error-handling path is executed and verified.**	**https://chapman-team-n3052cgk.atlassian.net/browse/PM-179**
45. MenuCommandFlowsTest.commands_handlesDiaryOps	**Verifies MenuCommandFlowsTest.commands_handlesDiaryOps (commands handles Diary Ops).**	**CLI test harness is initialized, I/O is mocked, and command dependencie**	**Scenario-specific diary entry content plus arranged mocks/fixtu**	**Arrange fixtures/mocks for MenuCommandFlowsTest; execute the operation under test for commands_handlesDiaryOps; assert returned values, side**	**The fallback/error-handling path is executed and verified.**	**https://chapman-team-n3052cgk.atlassian.net/browse/PM-180**

		s are stubbed.	res.	effects, and interactions.		
46. MenuTest.execute_printsMainMenu	Verifies MenuTest.execute_printsMainMenu (execute prints Main Menu).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for MenuTest; execute the operation under test for execute_printsMainMenu; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-181
47. MenuTest.execute_routesToAuthenticationCommands	Verifies MenuTest.execute_routesToAuthenticationCommands (execute routes To Authentication Commands).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific auth tokens/credentials plus arranged mocks/fixtures.	Arrange fixtures/mocks for MenuTest; execute the operation under test for execute_routesToAuthenticationCommands; assert returned values, side effects, and interactions.	The command/router dispatches to the correct flow.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-182
48. MenuTest.execute_routesToSessionCommands	Verifies MenuTest.execute_routesToSessionCommands (execute routes To Session Commands).	CLI test harness is initialized, I/O is mocke	Scenario-specific session ids/messages	Arrange fixtures/mocks for MenuTest; execute the operation under test for execute_routesToSessionCom	The command/router dispatches to the correc	https://chapman-team-n3052cgk.atlassian.net/br

		d, and command dependencies are stubbed.	plus arranged mocks/fixtures.	mands; assert returned values, side effects, and interactions.	t flow.	owse/PM-183
49. MenuTest.execute_routesToDiaryCommands	Verifies MenuTest.execute_routesToDiaryCommands (execute routes To Diary Commands).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific diary entry content plus arranged mocks/fixtures.	Arrange fixtures/mocks for MenuTest; execute the operation under test for execute_routesToDiaryCommands; assert returned values, side effects, and interactions.	The command/router dispatches to the correct flow.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-184
50. MenuTest.execute_routesToSettingsCommands	Verifies MenuTest.execute_routesToSettingsCommands (execute routes To Settings Commands).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for MenuTest; execute the operation under test for execute_routesToSettingsCommands; assert returned values, side effects, and interactions.	The command/router dispatches to the correct flow.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-90

51. MenuTest.execute_handlesDashboardAndStaticOptions	Verifies MenuTest.execute_handlesDashboardAndStaticOptions (execute handles Dashboard And Static Options).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for MenuTest; execute the operation under test for execute_handlesDashboardAndStaticOptions; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-95
52. SessionCommandsTest.execute_viewsSessionLibrary	Verifies SessionCommandsTest.execute_viewsSessionLibrary (execute views Session Library).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionCommandsTest; execute the operation under test for execute_viewsSessionLibrary; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-97
53. SessionCommandsTest.execute_startsNewSession_whenValidChoiceIsEntered	Verifies SessionCommandsTest.execute_startsNewSession_whenValidChoiceIsEntered (execute starts New Session when Valid Choice Is Entered).	CLI test harness is initialized, I/O is mocked, and command dependencie	Scenario-specific session ids/messages plus arranged mocks/fixtu	Arrange fixtures/mocks for SessionCommandsTest; execute the operation under test for execute_startsNewSession_whenValidChoiceIsEntered; assert returned	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-98

		s are stubbed.	res.	values, side effects, and interactions.		
54. SessionCommandsTest.execute_requiresAuthenticatedUserToStartSession	Verifies SessionCommandsTest.execute_requiresAuthenticatedUserToStartSession (execute requires Authenticated User To Start Session).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific user identity/role, session ids/messages, auth tokens/credentials plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionCommandsTest; execute the operation under test for execute_requiresAuthenticatedUserToStartSession; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-99
55. SessionCommandsTest.execute_continuesSession_whenValidSessionIdIsEntered	Verifies SessionCommandsTest.execute_continuesSession_whenValidSessionIdIsEntered (execute continues Session when Valid Session Id Is Entered).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionCommandsTest; execute the operation under test for execute_continuesSession_whenValidSessionIdIsEntered; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-101

56. SessionCommandsTest.execute_endsSession_whenValidSessionIdIsEntered	Verifies SessionCommandsTest.execute_endsSession_whenValidSessionIdIsEntered (execute ends Session when Valid Session Id Is Entered).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionCommandsTest; execute the operation under test for execute_endsSession_whenValidSessionIdIsEntered; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-102
57. SessionCommandsTest.execute_endsSessionFromInteractiveChat_whenEndCommandIsEntered	Verifies SessionCommandsTest.execute_endsSessionFromInteractiveChat_whenEndCommandIsEntered (execute ends Session From Interactive Chat when End Command Is Entered).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionCommandsTest; execute the operation under test for execute_endsSessionFromInteractiveChat_whenEndCommandIsEntered; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-103
58. SessionCommandsTest.execute_displaysSessionHistory_whenSessionsExist	Verifies SessionCommandsTest.execute_displaysSessionHistory_whenSessionsExist (execute displays Session History when Sessions Exist).	CLI test harness is initialized, I/O is mocked, and command depen	Scenario-specific session ids/messages plus arranged mock	Arrange fixtures/mocks for SessionCommandsTest; execute the operation under test for execute_displaysSessionHistory_whenSessionsExist;	Observed behavior matches the scenario asserted by the	https://chapman-team-n3052cgk.atlassian.net/browse/PM-104

		dencies are stubbed.	s/fixtures.	assert returned values, side effects, and interactions.	test.	
59. SessionCommandsTest.execute_rejectsInvalidSessionMenuOption	Verifies SessionCommandsTest.execute_rejectsInvalidSessionMenuOption (execute rejects Invalid Session Menu Option).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionCommandsTest; execute the operation under test for execute_rejectsInvalidSessionMenuOption; assert returned values, side effects, and interactions.	The action is blocked with the expected authorization/validation outcome.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-106
60. SessionCommandsTest.execute_requiresAuthenticatedUserToViewHistory	Verifies SessionCommandsTest.execute_requiresAuthenticatedUserToViewHistory (execute requires Authenticated User To View History).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific user identity/role, auth tokens/credentials plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionCommandsTest; execute the operation under test for execute_requiresAuthenticatedUserToViewHistory; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-107
61. SessionCommandsTest.execute_requiresAuthenticatedUserToContinueSession	Verifies SessionCommandsTest.execute_requiresAuthenticatedUserToContinueSession (execute requires	CLI test harness is initialized, I/O is	Scenario-specific user identity/role, sessi	Arrange fixtures/mocks for SessionCommandsTest; execute the operation	Observed behavior matches the scena	https://chapman-team-n3052cgk.atlassian

	Authenticated User To Continue Session).	mocked, and command dependencies are stubbed.	on ids/messages, auth tokens/credentials plus arranged mocks/fixtures.	under test for execute_requiresAuthenticatedUserToContinueSession; assert returned values, side effects, and interactions.	rio asserted by the test.	.net/browse/PM-108
62. SessionCommandsTest.execute_requiresAuthenticatedUserToEndSession	Verifies SessionCommandsTest.execute_requiresAuthenticatedUserToEndSession (execute requires Authenticated User To End Session).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific user identity/role, session ids/messages, auth tokens/credentials plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionCommandsTest; execute the operation under test for execute_requiresAuthenticatedUserToEndSession; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-110
63. UserCommandsRefreshSessionTest.refreshSessionIfPossible_returnsTrueWhenNoCurrentUser	Verifies UserCommandsRefreshSessionTest.refreshSessionIfPossible_returnsTrueWhenNoCurrentUser (refresh Session If Possible returns True When No	CLI test harness is initialized, I/O is mocked, and comm	Scenario-specific user identity/role, session ids/messag	Arrange fixtures/mocks for UserCommandsRefreshSessionTest; execute the operation under test for refreshSession	The returned result matches the expected status/data	https://chapman-team-n3052cgk.atlassian.net/browse/PM-11

	Current User).	and dependencies are stubbed.	es plus arranged mocks/fixtures.	IfPossible_returnsTrueWhenNoCurrentUser; assert returned values, side effects, and interactions.	for the scenario.	1
64. UserCommandsRefreshSessionTest.refreshSessionIfPossible_blankRefreshTokenClearsSessionAndReturnsFalse	Verifies UserCommandsRefreshSessionTest.refreshSessionIfPossible_blankRefreshTokenClearsSessionAndReturnsFalse (refresh Session If Possible blank Refresh Token Clears Session And Returns False).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific session ids/messages, auth tokens/credentials plus arranged mocks/fixtures.	Arrange fixtures/mocks for UserCommandsRefreshSessionTest; execute the operation under test for refreshSessionIfPossible_blankRefreshTokenClearsSessionAndReturnsFalse; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-112
65. UserCommandsRefreshSessionTest.refreshSessionIfPossible_successfullyRefreshesSession	Verifies UserCommandsRefreshSessionTest.refreshSessionIfPossible_successfullyRefreshesSession (refresh Session If Possible successfully Refreshes Session).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for UserCommandsRefreshSessionTest; execute the operation under test for refreshSessionIfPossible_successfullyRefreshesSession; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-113

66. UserCommandsRefreshSessionTest.refreshSessionIfPossible_responseStatusExceptionClearsSessionAndReturnsFalse	Verifies UserCommandsRefreshSessionTest.refreshSessionIfPossible_responseStatusExceptionClearsSessionAndReturnsFalse (refresh Session If Possible response Status Exception Clears Session And Returns False).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for UserCommandsRefreshSessionTest; execute the operation under test for refreshSessionIfPossible_responseStatusExceptionClearsSessionAndReturnsFalse; assert returned values, side effects, and interactions.	The returned result matches the expected status /data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-115
67. UserCommandsRefreshSessionTest.refreshSessionIfPossible_unexpectedExceptionDoesNotClearSessionAndReturnsFalse	Verifies UserCommandsRefreshSessionTest.refreshSessionIfPossible_unexpectedExceptionDoesNotClearSessionAndReturnsFalse (refresh Session If Possible unexpected Exception Does Not Clear Session And Returns False).	CLI test harness is initialized, I/O is mocked, and command dependencies are stubbed.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for UserCommandsRefreshSessionTest; execute the operation under test for refreshSessionIfPossible_unexpectedExceptionDoesNotClearSessionAndReturnsFalse; assert returned values, side effects, and interactions.	The returned result matches the expected status /data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-116
68. DiaryControllerApiTest.createEntry_missingFields_returnsValidationError	Verifies DiaryControllerApiTest.createEntry_missingFields_returnsValidationError (create Entry missing Fields	Spring web test context is ready, endpoi	Inputs, fixtures, and mocks arran	Arrange fixtures/mocks for DiaryControllerApiTest; execute the operation	The returned result matches the expec	https://chapman-team-n3052cgk.atlassian

	returns Validation Error).	nt wiring is active, and auth context is configured as required by the scenario.	ged in the test setup for this scenario.	under test for createEntry_missingFields_returnsValidationError; assert returned values, side effects, and interactions.	ted status /data for the scenario.	.net/browse/PM-117
69. DiaryControllerApiTest.createEntry_missingUserId_returnsValidationError	Verifies DiaryControllerApiTest.createEntry_missingUserId_returnsValidationError (create Entry missing User Id returns Validation Error).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Scenario-specific user identity/role plus arranged mocks/fixtures.	Arrange fixtures/mocks for DiaryControllerApiTest; execute the operation under test for createEntry_missingUserId_returnsValidationError; assert returned values, side effects, and interactions.	The returned result matches the expected status /data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-119
70. DiaryControllerApiTest.createEntry_userNotFound_returnsStructuredError	Verifies DiaryControllerApiTest.createEntry_userNotFound_returnsStructuredError (create Entry user	Spring web test context is ready,	Scenario-specific user identity/role	Arrange fixtures/mocks for DiaryControllerApiTest; execute the	The returned result matches the	https://chapman-team-n3052cgk.atl

	Not Found returns Structured Error).	endpoint wiring is active, and auth context is configured as required by the scenario.	plus arranged mocks/fixtures.	operation under test for createEntry_userNotFound_returnsStructuredError; assert returned values, side effects, and interactions.	expected status /data for the scenario.	assian.net/browse/PM-120
71. DiaryControllerApiTest.deleteEntry_notFound_returnsStructuredError	Verifies DiaryControllerApiTest.deleteEntry_notFound_returnsStructuredError (delete Entry not Found returns Structured Error).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for DiaryControllerApiTest; execute the operation under test for deleteEntry_notFound_returnsStructuredError; assert returned values, side effects, and interactions.	The returned result matches the expected status /data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-121
72. DiaryControllerApiTest.suggestDistortions_blankThought_returnsValid	Verifies DiaryControllerApiTest.suggestDistortions_blankThought_returnsValidationE	Spring web test context is	Inputs, fixtures, and mock	Arrange fixtures/mocks for DiaryControllerApiTest;	The returned result match	https://chapman-team-n3052c

ationError	rror (suggest Distortions blank Thought returns Validation Error).	ready, endpoint wiring is active, and auth context is configured as required by the scenario.	s arranged in the test setup for this scenario.	execute the operation under test for suggestDistortions_blankThought_returnsValidationError; assert returned values, side effects, and interactions.	es the expected status /data for the scenario.	gk.atlassian.net/browse/PM-123
73. SessionControllerApiTest.getSessionLibrary_returnsLibrary	Verifies SessionControllerApiTest.getSessionLibrary_returnsLibrary (get Session Library returns Library).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionControllerApiTest; execute the operation under test for getSessionLibrary_returnsLibrary; assert returned values, side effects, and interactions.	The returned result matches the expected status /data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-124

74. SessionControllerApiTest.getSessionDetail_returnsDetail	Verifies SessionControllerApiTest.getSessionDetail_returnsDetail (get Session Detail returns Detail).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionControllerApiTest; execute the operation under test for getSessionDetail_returnsDetail; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-125
75. SessionControllerApiTest.startSession_validRequest_returnsCreated	Verifies SessionControllerApiTest.startSession_validRequest_returnsCreated (start Session valid Request returns Created).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionControllerApiTest; execute the operation under test for startSession_validRequest_returnsCreated; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-126

76. SessionControllerApiTest.startSession_missingUserId_returnsValidationError	Verifies SessionControllerApiTest.startSession_missingUserId_returnsValidationError (start Session missing User Id returns Validation Error).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Scenario-specific user identity/role, session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionControllerApiTest; execute the operation under test for startSession_missingUserId_returnsValidationError; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-127
77. SessionControllerApiTest.sendChatMessage_returnsAssistantReply	Verifies SessionControllerApiTest.sendChatMessage_returnsAssistantReply (send Chat Message returns Assistant Reply).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for SessionControllerApiTest; execute the operation under test for sendChatMessage_returnsAssistantReply; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-128

78. SessionControllerApiTest.endSession_notFound_returnsStructuredError	Verifies SessionControllerApiTest.endSession_notFound_returnsStructuredError (end Session not Found returns Structured Error).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionControllerApiTest; execute the operation under test for endSession_notFound_returnsStructuredError; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-129
79. SessionGetIntegrationTest.getSessionLibrary_returnsLibraryFromRealService	Verifies SessionGetIntegrationTest.getSessionLibrary_returnsLibraryFromRealService (get Session Library returns Library From Real Service).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionGetIntegrationTest; execute the operation under test for getSessionLibrary_returnsLibraryFromRealService; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-130

80. SessionGetIntegrationTest.getSessionDetail_returnsDetailFromRealService	Verifies SessionGetIntegrationTest.getSessionDetail_returnsDetailFromRealService (get Session Detail returns Detail From Real Service).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionGetIntegrationTest; execute the operation under test for getSessionDetail_returnsDetailFromRealService; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-132
81. SessionOpenApiTest.openApiDocs_includeSessionPathsAndResponses	Verifies SessionOpenApiTest.openApiDocs_includeSessionPathsAndResponses (open Api Docs include Session Paths And Responses).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Scenario-specific session ids/messages, API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionOpenApiTest; execute the operation under test for openApiDocs_includeSessionPathsAndResponses; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-133

82. SessionSecurityApiTest.getSessionLibrary_withoutAuthentication_returnsUnauthorized	Verifies SessionSecurityApiTest.getSessionLibrary_withoutAuthentication_returnsUnauthorized (get Session Library without Authentication returns Unauthorized).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Scenario-specific session ids/messages, auth tokens/credentials plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionSecurityApiTest; execute the operation under test for getSessionLibrary_withoutAuthentication_returnsUnauthorized; assert returned values, side effects, and interactions.	The action is blocked with the expected authorization/validation outcome.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-135
83. SessionSecurityApiTest.getSessionLibrary_withAdminRole_returnsForbidden	Verifies SessionSecurityApiTest.getSessionLibrary_withAdminRole_returnsForbidden (get Session Library with Admin Role returns Forbidden).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionSecurityApiTest; execute the operation under test for getSessionLibrary_withAdminRole_returnsForbidden; assert returned values, side effects, and interactions.	The action is blocked with the expected authorization/validation outcome.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-136

84. SessionSecurityApiTest.getSessionLibrary_withPatientRole_returnsOk	Verifies SessionSecurityApiTest.getSessionLibrary_withPatientRole_returnsOk (get Session Library with Patient Role returns Ok).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionSecurityApiTest; execute the operation under test for getSessionLibrary_withPatientRole_returnsOk; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-138
85. SessionWorkflowIntegrationTest.sessionWorkflow_startChatEnd_usesRealControllerAndService	Verifies SessionWorkflowIntegrationTest.sessionWorkflow_startChatEnd_usesRealControllerAndService (session Workflow start Chat End uses Real Controller And Service).	Spring web test context is ready, endpoint wiring is active, and auth context is configured as required by the scenario.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionWorkflowIntegrationTest; execute the operation under test for sessionWorkflow_startChatEnd_usesRealControllerAndService; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-140

86. AuthenticationTest.loginReturnsTokensAndMarksUserOnline	Verifies AuthenticationTest.loginReturnsTokensAndMarksUserOnline (login Returns Tokens And Marks User Online).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific user identity/role, auth tokens/credentials plus arranged mocks/fixtures.	Arrange fixtures/mocks for Authentication Test; execute the operation under test for loginReturnsTokensAndMarksUserOnline; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-141
87. AuthenticationTest.loginRejectsInvalidPassword	Verifies AuthenticationTest.loginRejectsInvalidPassword (login Rejects Invalid Password).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific auth tokens/credentials plus arranged mocks/fixtures.	Arrange fixtures/mocks for Authentication Test; execute the operation under test for loginRejectsInvalidPassword; assert returned values, side effects, and interactions.	The action is blocked with the expected authorization/validation outcome.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-143
88. AuthenticationTest.logoutWithAccessTokenMarksUserOffline	Verifies AuthenticationTest.logoutWithAccessTokenMarksUserOffline (logout With Access Token	Service under test is initialized with mocke	Scenario-specific user identity/role, auth	Arrange fixtures/mocks for Authentication Test; execute the operation under test for	State is updated/persisted exactly as	https://chapman-team-n3052cgk.atlassian

	Marks User Offline).	d repositories/dependencies and arranged domain objects.	tokens/credentials plus arranged mocks/fixtures.	logoutWithAccessTokenMarksUserOffline; assert returned values, side effects, and interactions.	expected.	.net/browse/PM-144
89. DiaryServiceImplTest.suggestDistortions_appendsReframingPromptToTopSuggestion	Verifies DiaryServiceImplTest.suggestDistortions_appendsReframingPromptToTopSuggestion (suggest Distortions appends Reframing Prompt To Top Suggestion).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for DiaryServiceImplTest; execute the operation under test for suggestDistortions_appendsReframingPromptToTopSuggestion; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-146
90. DiaryServiceImplTest.getInsights_usesAiServiceWhenAvailable	Verifies DiaryServiceImplTest.getInsights_usesAiServiceWhenAvailable (get Insights uses Ai Service When Available).	Service under test is initialized with mocked repositories/dependencies and arrang	Inputs, fixtures, and mocks arranged in the test setup for this scena	Arrange fixtures/mocks for DiaryServiceImplTest; execute the operation under test for getInsights_usesAiServiceWhenAvailable; assert returned values, side effects, and	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-147

		ed domain objects.	rio.	interactions.		
91. OpenAiServiceTest.analyzeThought_withoutApiKey_usesHeuristicFallback	Verifies OpenAiServiceTest.analyzeThought_withoutApiKey_usesHeuristicFallback (analyze Thought without Api Key uses Heuristic Fallback).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for analyzeThought_withoutApiKey_usesHeuristicFallback; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-148
92. OpenAiServiceTest.detectCrisis_withoutApiKey_flagsSevereKeywords	Verifies OpenAiServiceTest.detectCrisis_withoutApiKey_flagsSevereKeywords (detect Crisis without Api Key flags Severe Keywords).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific crisis/safety text, API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for detectCrisis_withoutApiKey_flagsSevereKeywords; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-150

93. OpenAiServiceTest.generateResponse_without ApiKey_usesFallbackTherapeuticReply	Verifies OpenAiServiceTest.generateResponse_withoutApiKey_usesFallbackTherapeuticReply (generate Response without Api Key uses Fallback Therapeutic Reply).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiService Test; execute the operation under test for generateResponse_withoutApiKey_usesFallbackTherapeuticReply; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-151
94. OpenAiServiceTest.parseStringArray_acceptsObjectWrappedPromptArrays	Verifies OpenAiServiceTest.parseStringArray_acceptsObjectWrappedPromptArrays (parse String Array accepts Object Wrapped Prompt Arrays).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiService Test; execute the operation under test for parseStringArray_acceptsObjectWrappedPromptArrays; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-153
95. OpenAiServiceTest.parseStringArray_acceptsNumberedListsAsFallback	Verifies OpenAiServiceTest.parseStringArray_acceptsNumberedListsAsFallback (parse String Array accepts Numbered	Service under test is initialized with mocke	Inputs, fixtures, and mocks arran	Arrange fixtures/mocks for OpenAiService Test; execute the operation under test for	The fallback/error-handling path is	https://chapman-team-n3052cgk.atlassian

	Lists As Fallback).	d repositories/dependencies and arranged domain objects.	ged in the test setup for this scenario.	parseStringArray_acceptsNumberedListsAsFallback; assert returned values, side effects, and interactions.	executed and verified.	.net/browse/PM-155
96. OpenAiServiceTest.generateReframingPrompts_withoutApiKey_usesFallbackPromptsAndIncludesDistortionIds	Verifies OpenAiServiceTest.generateReframingPrompts_withoutApiKey_usesFallbackPromptsAndIncludesDistortionIds (generate Reframing Prompts without Api Key uses Fallback Prompts And Includes Distortion Ids).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for generateReframingPrompts_withoutApiKey_usesFallbackPromptsAndIncludesDistortionIds; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-156
97. OpenAiServiceTest.analyzeThought_withApiKey_fallsBackToHeuristicsWhenOpenAiCallFails	Verifies OpenAiServiceTest.analyzeThought_withApiKey_fallsBackToHeuristicsWhenOpenAiCallFails (analyze Thought with Api Key falls Back To Heuristics When Open Ai Call Fails).	Service under test is initialized with mocked repositories/dependencies and arrang	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for analyzeThought_withApiKey_fallsBackToHeuristicsWhenOpenAiCallFails; assert returned values, side	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-158

		ed domain objects.		effects, and interactions.		
98. OpenAiServiceTest.generateReframingPrompts_withApiKey_fallsBackWhenOpenAiResponseCannotBeParsed	Verifies OpenAiServiceTest.generateReframingPrompts_withApiKey_fallsBackWhenOpenAiResponseCannotBeParsed (generate Reframing Prompts with Api Key falls Back When Open Ai Response Cannot Be Parsed).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for generateReframingPrompts_withApiKey_fallsBackWhenOpenAiResponseCannotBeParsed; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-159
99. OpenAiServiceTest.detectCrisis_withApiKey_fallsBackToKeywordOnlyWhenOpenAiResponseCannotBeParsed	Verifies OpenAiServiceTest.detectCrisis_withApiKey_fallsBackToKeywordOnlyWhenOpenAiResponseCannotBeParsed (detect Crisis with Api Key falls Back To Keyword Only When Open Ai Response Cannot Be Parsed).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific crisis/safety text, API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for detectCrisis_withApiKey_fallsBackToKeywordOnlyWhenOpenAiResponseCannotBeParsed; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-160

100. OpenAiServiceTest.generateResponse_prioritizesCrisisSafetyResponseWhenSevereSignalsPresent	Verifies OpenAiServiceTest.generateResponse_prioritizesCrisisSafetyResponseWhenSevereSignalsPresent (generate Response prioritizes Crisis Safety Response When Severe Signals Present).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific crisis/safety text plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiService Test; execute the operation under test for generateResponse_prioritizesCrisisSafetyResponseWhenSevereSignalsPresent; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-161
101. OpenAiServiceTest.generateInsights_returnsCalculatedAggregateValues	Verifies OpenAiServiceTest.generateInsights_returnsCalculatedAggregateValues (generate Insights returns Calculated Aggregate Values).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for OpenAiService Test; execute the operation under test for generateInsights_returnsCalculatedAggregateValues; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-185
102. OpenAiServiceTest.summarizeSession_withoutMessages_returnsNoTranscriptFallback	Verifies OpenAiServiceTest.summarizeSession_withoutMessages_returnsNoTranscriptFallback (summarize	Service under test is initialized with mocke	Scenario-specific session ids/messag	Arrange fixtures/mocks for OpenAiService Test; execute the operation under test for	The returned result matches the expec	https://chapman-team-n3052cgk.atlassian

	Session without Messages returns No Transcript Fallback).	d repositories/dependencies and arranged domain objects.	es plus arranged mocks/fixtures.	summarizeSession_withoutMessages_returnsNoTranscriptFallback; assert returned values, side effects, and interactions.	ted status /data for the scenario.	.net/browse/PM-186
103. OpenAiServiceTest.summarizeSession_withNullSessionId_returnsNoTranscriptFallback	Verifies OpenAiServiceTest.summarizeSession_withNullSessionId_returnsNoTranscriptFallback (summarize Session with Null Session Id returns No Transcript Fallback).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for summarizeSession_withNullSessionId_returnsNoTranscriptFallback; assert returned values, side effects, and interactions.	The returned result matches the expected status /data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-188
104. OpenAiServiceTest.summarizeSession_withOnlyNullOrBlankContents_returnsNoTranscriptFallback	Verifies OpenAiServiceTest.summarizeSession_withOnlyNullOrBlankContents_returnsNoTranscriptFallback (summarize Session with Only Null Or Blank Contents returns No Transcript Fallback).	Service under test is initialized with mocked repositories/dependencies and arrang	Scenario-specific session ids/messages plus arranged mocks/fixtu	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for summarizeSession_withOnlyNullOrBlankContents_returnsNoTranscriptFallback; assert returned	The returned result matches the expected status /data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-189

		ed domain objects.	res.	values, side effects, and interactions.		
105. OpenAiServiceTest.summarizeSession_withoutApiKey_usesLocalTranscriptSummary	Verifies OpenAiServiceTest.summarizeSession_withoutApiKey_usesLocalTranscriptSummary (summarize Session without Api Key uses Local Transcript Summary).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific session ids/messages, API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for summarizeSession_withoutApiKey_usesLocalTranscriptSummary; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-191
106. OpenAiServiceTest.summarizeSession_withNullRole_usesUnknownRoleInFallbackSummary	Verifies OpenAiServiceTest.summarizeSession_withNullRole_usesUnknownRoleInFallbackSummary (summarize Session with Null Role uses Unknown Role In Fallback Summary).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for summarizeSession_withNullRole_usesUnknownRoleInFallbackSummary; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-194

107. OpenAiServiceTest.summarizeSession_withApiKey_usesOpenAiResponseFromCallForText	Verifies OpenAiServiceTest.summarizeSession_withApiKey_usesOpenAiResponseFromCallForText (summarize Session with Api Key uses Open Ai Response From Call For Text).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific session ids/messages, API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for summarizeSession_withApiKey_usesOpenAiResponseFromCallForText; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-195
108. OpenAiServiceTest.callForText_returnsTrimmedMessageContent	Verifies OpenAiServiceTest.callForText_returnsTrimmedMessageContent (call For Text returns Trimmed Message Content).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for callForText_returnsTrimmedMessageContent; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-198
109. OpenAiServiceTest.callForText_fallsBackToDirectTextField	Verifies OpenAiServiceTest.callForText_fallsBackToDirectTextField (call For Text falls Back To Direct Text	Service under test is initialized with mocke	Inputs, fixtures, and mocks arran	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for	The fallback/error-handling path is	https://chapman-team-n3052cgk.atlassian

	Field).	d repositories/dependencies and arranged domain objects.	ged in the test setup for this scenario.	callForText_fallsBackToDirectTextField; assert returned values, side effects, and interactions.	executed and verified.	.net/browse/PM-201
110. OpenAiServiceTest.callForText_throwsWhenResponseBodyIsEmpty	Verifies OpenAiServiceTest.callForText_throwsWhenResponseBodyIsEmpty (call For Text throws When Response Body Is Empty).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for callForText_throwsWhenResponseBodyIsEmpty; assert returned values, side effects, and interactions.	The expected exception/error condition is raised and asserted.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-204
111. OpenAiServiceTest.callForText_throwsWhenJsonIsMalformed	Verifies OpenAiServiceTest.callForText_throwsWhenJsonIsMalformed (call For Text throws When Json Is Malformed).	Service under test is initialized with mocked repositories/dependencies and arrang	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for callForText_throwsWhenJsonIsMalformed; assert returned values, side effects, and	The expected exception/error condition is raised and asserted.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-205

		ed domain objects.		interactions.		
112. OpenAiServiceTest.callForText_throwsWhenChoicesAreMissing	Verifies OpenAiServiceTest.callForText_throwsWhenChoicesAreMissing (call For Text throws When Choices Are Missing).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for callForText_throwsWhenChoicesAreMissing; assert returned values, side effects, and interactions.	The expected exception/error condition is raised and asserted.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-206
113. OpenAiServiceTest.callForText_throwsWhenContentAndTextAreEmpty	Verifies OpenAiServiceTest.callForText_throwsWhenContentAndTextAreEmpty (call For Text throws When Content And Text Are Empty).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for callForText_throwsWhenContentAndTextAreEmpty; assert returned values, side effects, and interactions.	The expected exception/error condition is raised and asserted.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-207

114. OpenAiServiceTest.parseDistortionSuggestions_parsesObjectWrapperAndFiltersAndSorts	Verifies OpenAiServiceTest.parseDistortionSuggestions_parsesObjectWrapperAndFiltersAndSorts (parse Distortion Suggestions parses Object Wrapper And Filters And Sorts).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for parseDistortionSuggestions_parsesObjectWrapperAndFiltersAndSorts; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-208
115. OpenAiServiceTest.parseDistortionSuggestions_throwsOnMalformedJson	Verifies OpenAiServiceTest.parseDistortionSuggestions_throwsOnMalformedJson (parse Distortion Suggestions throws On Malformed Json).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for parseDistortionSuggestions_throwsOnMalformedJson; assert returned values, side effects, and interactions.	The expected exception/error condition is raised and asserted.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-209
116. OpenAiServiceTest.parseStringArray_acceptsItemsAndReframingPromptsKeys	Verifies OpenAiServiceTest.parseStringArray_acceptsItemsAndReframingPromptsKeys (parse String Array accepts	Service under test is initialized with mocke	Scenario-specific API/JSON payloads	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for	Observed behavior matches the scena	https://chapman-team-n3052cgk.atlassian

	Items And Reframing Prompts Keys).	d repositories/dependencies and arranged domain objects.	plus arranged mocks/fixtures.	parseStringArray_acceptsItemsAndReframingPromptsKeys; assert returned values, side effects, and interactions.	rio asserted by the test.	.net/browse/PM-210
117. OpenAiServiceTest.parseStringArray_throwsWhenNoSupportedArrayExists	Verifies OpenAiServiceTest.parseStringArray_throwsWhenNoSupportedArrayExists (parse String Array throws When No Supported Array Exists).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for parseStringArray_throwsWhenNoSupportedArrayExists; assert returned values, side effects, and interactions.	The expected exception/error condition is raised and asserted.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-211
118. OpenAiServiceTest.extractJson_returnsJsonInsideCodeFence	Verifies OpenAiServiceTest.extractJson_returnsJsonInsideCodeFence (extract Json returns Json Inside Code Fence).	Service under test is initialized with mocked repositories/dependencies and arrang	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for extractJson_returnsJsonInsideCodeFence; assert returned values, side effects, and	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-213

		ed domain objects.		interactions.		
119. OpenAiServiceTest.parseLineList_normalizesBulletAndNumberPrefixes	Verifies OpenAiServiceTest.parseLineList_normalizesBulletAndNumberPrefixes (parse Line List normalizes Bullet And Number Prefixes).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for parseLineList_normalizesBulletAndNumberPrefixes; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-216
120. OpenAiServiceTest.isConfigured_reflectsApiKeyPresence	Verifies OpenAiServiceTest.isConfigured_reflectsApiKeyPresence (is Configured reflects Api Key Presence).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for isConfigured_reflectsApiKeyPresence; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-218

121. OpenAiServiceTest.fallbackTherapeuticResponse_includesContextLeadWhenContextProvided	Verifies OpenAiServiceTest.fallbackTherapeuticResponse_includesContextLeadWhenContextProvided (fallback Therapeutic Response includes Context Lead When Context Provided).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for OpenAiService Test; execute the operation under test for fallbackTherapeuticResponse_includesContextLeadWhenContextProvided; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-187
122. OpenAiServiceTest.heuristicDistortionSuggestions_detectsMultiplePatternsSortedByConfidence	Verifies OpenAiServiceTest.heuristicDistortionSuggestions_detectsMultiplePatternsSortedByConfidence (heuristic Distortion Suggestions detects Multiple Patterns Sorted By Confidence).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for OpenAiService Test; execute the operation under test for heuristicDistortionSuggestions_detectsMultiplePatternsSortedByConfidence; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-190
123. OpenAiServiceTest.buildCrisisResponse_usesResourceSetBySeverity	Verifies OpenAiServiceTest.buildCrisisResponse_usesResourceSetBySeverity (build Crisis Response uses Resource Set	Service under test is initialized with mocke	Scenario-specific crisis/safety text plus	Arrange fixtures/mocks for OpenAiService Test; execute the operation under test for	Observed behavior matches the scena	https://chapman-team-n3052cgk.atlassian

	By Severity).	d repositories/dependencies and arranged domain objects.	arranged mocks/fixtures.	buildCrisisResponse_usesResourceSetBySeverity; assert returned values, side effects, and interactions.	rio asserted by the test.	.net/browse/PM-192
124. OpenAiServiceTest.mapRiskLevel_and_maxSeverity_coverExpectedMappings	Verifies OpenAiServiceTest.mapRiskLevel_and_maxSeverity_coverExpectedMappings (map Risk Level and max Severity cover Expected Mappings).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for mapRiskLevel_and_maxSeverity_coverExpectedMappings; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-193
125. OpenAiServiceTest.generateInsights_withNoEntries_returnsZeroedInsights	Verifies OpenAiServiceTest.generateInsights_withNoEntries_returnsZeroedInsights (generate Insights with No Entries returns Zeroed Insights).	Service under test is initialized with mocked repositories/dependencies and arrang	Inputs, fixtures, and mocks arranged in the test setup for this scena	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for generateInsights_withNoEntries_returnsZeroedInsights; assert returned values, side effects, and	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-196

		ed domain objects.	rio.	interactions.		
126. OpenAiServiceTest.fallbackReframingPrompts_usesBalancedDefaultWhenNoDistortionIdsProvided	Verifies OpenAiServiceTest.fallbackReframingPrompts_usesBalancedDefaultWhenNoDistortionIdsProvided (fallback Reframing Prompts uses Balanced Default When No Distortion Ids Provided).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific API/JSON payloads plus arranged mocks/fixtures.	Arrange fixtures/mocks for OpenAiServiceTest; execute the operation under test for fallbackReframingPrompts_usesBalancedDefaultWhenNoDistortionIdsProvided; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-197
127. ServiceTests.dashboardComputesMonthlyTrendsAndSyncsAchievements	Verifies ServiceTests.dashboardComputesMonthlyTrendsAndSyncsAchievements (dashboard Computes Monthly Trends And Syncs Achievements).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific achievement fields plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for dashboardComputesMonthlyTrendsAndSyncsAchievements; assert returned values, side effects, and interactions.	The computed/mapped output matches expected values.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-199

128. ServiceTests.getMonthlyTrendsReturnsComputedMonthlyMetrics	Verifies ServiceTests.getMonthlyTrendsReturnsComputedMonthlyMetrics (get Monthly Trends Returns Computed Monthly Metrics).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for getMonthlyTrendsReturnsComputedMonthlyMetrics; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-200
129. ServiceTests.getWeeklyProgressBuildsWeekPointsAndStreak	Verifies ServiceTests.getWeeklyProgressBuildsWeekPointsAndStreak (get Weekly Progress Builds Week Points And Streak).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for getWeeklyProgressBuildsWeekPointsAndStreak; assert returned values, side effects, and interactions.	The computed/mapped output matches expected values.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-202
130. ServiceTests.getBurnoutRecoveryBuildsRecoveryDimensionsFromMonthlyAndWeeklySignals	Verifies ServiceTests.getBurnoutRecoveryBuildsRecoveryDimensionsFromMonthlyAndWeeklySignals (get Burnout	Service under test is initialized with mocke	Inputs, fixtures, and mocks arran	Arrange fixtures/mocks for ServiceTests; execute the operation under test for	The computed/mapped output match	https://chapman-team-n3052cgk.atlassian

	Recovery Builds Recovery Dimensions From Monthly And Weekly Signals).	d repositories/dependencies and arranged domain objects.	ged in the test setup for this scenario.	getBurnoutRecoveryBuildsRecoveryDimensionsFromMonthlyAndWeeklySignals; assert returned values, side effects, and interactions.	es expected values.	.net/browse/PM-203
131. ServiceTests.getAchievementsReturnsUnpagedMappedContent	Verifies ServiceTests.getAchievementsReturnsUnpagedMappedContent (get Achievements Returns Unpaged Mapped Content).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific achievement fields plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for getAchievementsReturnsUnpagedMappedContent; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-212
132. ServiceTests.getAchievementsWithPageableThrowsWhenUserIsMissing	Verifies ServiceTests.getAchievementsWithPageableThrowsWhenUserIsMissing (get Achievements With Pageable Throws When User Is Missing).	Service under test is initialized with mocked repositories/dependencies and arrang	Scenario-specific user identity/role, achievement fields plus arranged mock	Arrange fixtures/mocks for ServiceTests; execute the operation under test for getAchievementsWithPageableThrowsWhenUserIsMissing; assert returned values, side effects, and	The expected exception/error condition is raised and asserted.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-214

		ed domain objects.	s/fixtures.	interactions.		
133. ServiceTests.getAchievementsWithPageableThrowsWhenUserIdIsNull	Verifies ServiceTests.getAchievementsWithPageableThrowsWhenUserIdIsNull (get Achievements With Pageable Throws When User Id Is Null).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific user identity/role, achievement fields plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for getAchievementsWithPageableThrowsWhenUserIdIsNull; assert returned values, side effects, and interactions.	The expected exception/error condition is raised and asserted.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-215
134. ServiceTests.createAchievementTrimsInputAndClearsUnlockedMonthWhenLocked	Verifies ServiceTests.createAchievementTrimsInputAndClearsUnlockedMonthWhenLocked (create Achievement Trims Input And Clears Unlocked Month When Locked).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific achievement fields plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for createAchievementTrimsInputAndClearsUnlockedMonthWhenLocked; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-217

135. ServiceTests.crisisDetectionFlagsSignificantSeverityOnSelfHarmLanguage	Verifies ServiceTests.crisisDetectionFlagsSignificantSeverityOnSelfHarmLanguage (crisis Detection Flags Significant Severity On Self Harm Language).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific crisis/safety text plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for crisisDetectionFlagsSignificantSeverityOnSelfHarmLanguage; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-219
136. ServiceTests.saveSafetyPlanPersistsCustomStepsForUser	Verifies ServiceTests.saveSafetyPlanPersistsCustomStepsForUser (save Safety Plan Persists Custom Steps For User).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific user identity/role plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for saveSafetyPlanPersistsCustomStepsForUser; assert returned values, side effects, and interactions.	State is updated/persisted exactly as expected.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-220
137. ServiceTests.getCrisisForUserFallsBackToDefaultSafetyPlanWhenNoSavedPlan	Verifies ServiceTests.getCrisisForUserFallsBackToDefaultSafetyPlanWhenNoSavedPlan (get Crisis For User Falls Back To	Service under test is initialized with mocke	Scenario-specific user identity/role, crisis/	Arrange fixtures/mocks for ServiceTests; execute the operation under test for	The fallback/error-handling path is	https://chapman-team-n3052cgk.atlassian

	Default Safety Plan When No Saved Plan).	d repositories/dependencies and arranged domain objects.	safety text plus arranged mocks/fixtures.	getCrisisForUserFallsBackToDefaultSafetyPlanWhenNoSavedPlan; assert returned values, side effects, and interactions.	executed and verified.	.net/browse/PM-221
138. ServiceTests.sendChatMessageDefaultsToTextModalityWhenRequestModalityIsNull	Verifies ServiceTests.sendChatMessageDefaultsToTextModalityWhenRequestModalityIsNull (send Chat Message Defaults To Text Modality When Request Modality Is Null).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for sendChatMessageDefaultsToTextModalityWhenRequestModalityIsNull; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-222
139. ServiceTests.createDiaryEntryTrimsFieldsAndPersists	Verifies ServiceTests.createDiaryEntryTrimsFieldsAndPersists (create Diary Entry Trims Fields And Persists).	Service under test is initialized with mocked repositories/dependencies and arrang	Scenario-specific diary entry content plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for createDiaryEntryTrimsFieldsAndPersists; assert returned values, side effects, and	State is updated/persisted exactly as expected.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-223

		ed domain objects.		interactions.		
140. ServiceTests.getDiaryEntriesReturnsPagedSummariesWithTruncatedPreview	Verifies ServiceTests.getDiaryEntriesReturnsPagedSummariesWithTruncatedPreview (get Diary Entries Returns Paged Summaries With Truncated Preview).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific diary entry content plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for getDiaryEntriesReturnsPagedSummariesWithTruncatedPreview; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-224
141. ServiceTests.getDiaryEntryDetailThrowsNotFoundWhenEntryDoesNotExist	Verifies ServiceTests.getDiaryEntryDetailThrowsNotFoundWhenEntryDoesNotExist (get Diary Entry Detail Throws Not Found When Entry Does Not Exist).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific diary entry content plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for getDiaryEntryDetailThrowsNotFoundWhenEntryDoesNotExist; assert returned values, side effects, and interactions.	The expected exception/error condition is raised and asserted.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-225

142. ServiceTests.deleteDiaryEntryMarksEntryAsDeleted	Verifies ServiceTests.deleteDiaryEntryMarksEntryAsDeleted (delete Diary Entry Marks Entry As Deleted).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific diary entry content plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for deleteDiaryEntryMarksEntryAsDeleted; assert returned values, side effects, and interactions.	State is updated/persisted exactly as expected.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-226
143. ServiceTests.getInsightsComputesFallbackMetricsWhenAiUnavailable	Verifies ServiceTests.getInsightsComputesFallbackMetricsWhenAiUnavailable (get Insights Computes Fallback Metrics When Ai Unavailable).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for getInsightsComputesFallbackMetricsWhenAiUnavailable; assert returned values, side effects, and interactions.	The fallback/error-handling path is executed and verified.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-229
144. ServiceTests.suggestDistortionsUsesRuleBasedFallbackWhenAiUnavailable	Verifies ServiceTests.suggestDistortionsUsesRuleBasedFallbackWhenAiUnavailable (suggest Distortions Uses	Service under test is initialized with mocke	Inputs, fixtures, and mocks arran	Arrange fixtures/mocks for ServiceTests; execute the operation under test for	The fallback/error-handling path is	https://chapman-team-n3052cgk.atlassian

	Rule Based Fallback When Ai Unavailable).	d repositories/dependencies and arranged domain objects.	ged in the test setup for this scenario.	suggestDistortionsUsesRuleBasedFallbackWhenAiUnavailable; assert returned values, side effects, and interactions.	executed and verified.	.net/browse/PM-232
145. ServiceTests.suggestDistortionsRejectsBlankThought	Verifies ServiceTests.suggestDistortionsRejectsBlankThought (suggest Distortions Rejects Blank Thought).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for suggestDistortionsRejectsBlankThought; assert returned values, side effects, and interactions.	The action is blocked with the expected authorization/validation outcome.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-233
146. ServiceTests.endSessionAddsAiSummaryMessageWhenProvided	Verifies ServiceTests.endSessionAddsAiSummaryMessageWhenProvided (end Session Adds Ai Summary Message When Provided).	Service under test is initialized with mocked repositories/dependencies and arrang	Scenario-specific session ids/messages plus arranged mocks/fixtu	Arrange fixtures/mocks for ServiceTests; execute the operation under test for endSessionAddsAiSummaryMessageWhenProvided; assert returned values, side effects, and	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-234

		ed domain objects.	res.	interactions.		
147. ServiceTests.refreshTokenRejectsTokenReuse	Verifies ServiceTests.refreshTokenRejectsTokenReuse (refresh Token Rejects Token Reuse).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific auth tokens/credentials plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for refreshTokenRejectsTokenReuse; assert returned values, side effects, and interactions.	The action is blocked with the expected authorization/validation outcome.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-235
148. ServiceTests.registerCreatesUserIssuesTokensAndMarksUserOnline	Verifies ServiceTests.registerCreatesUserIssuesTokensAndMarksUserOnline (register Creates User Issues Tokens And Marks User Online).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific user identity/role, auth tokens/credentials plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for registerCreatesUserIssuesTokensAndMarksUserOnline; assert returned values, side effects, and interactions.	State is updated/persisted exactly as expected.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-236

149. ServiceTests.registerRejectsDuplicateEmail	Verifies ServiceTests.registerRejectsDuplicateEmail (register Rejects Duplicate Email).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for registerRejectsDuplicateEmail; assert returned values, side effects, and interactions.	The action is blocked with the expected authorization/validation outcome.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-237
150. ServiceTests.deleteUserDeletesRequesterWhenCredentialsAreValid	Verifies ServiceTests.deleteUserDeletesRequesterWhenCredentialsAreValid (delete User Deletes Requester When Credentials Are Valid).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific user identity/role plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for deleteUserDeletesRequesterWhenCredentialsAreValid; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-239
151. ServiceTests.deleteUserRejectsDeletingAnotherUser	Verifies ServiceTests.deleteUserRejectsDeletingAnotherUser (delete User Rejects Deleting	Service under test is initialized with mocke	Scenario-specific user identity/role plus	Arrange fixtures/mocks for ServiceTests; execute the operation under test for	The action is blocked with the	https://chapman-team-n3052cgk.atlassian

	Another User).	d repositories/dependencies and arranged domain objects.	arranged mocks/fixtures.	deleteUserRejectsDeletingAnotherUser; assert returned values, side effects, and interactions.	expected authorization/validation outcome.	.net/browse/PM-227
152. ServiceTests.logoutWithAccessTokenMarksUserOffline	Verifies ServiceTests.logoutWithAccessTokenMarksUserOffline (logout With Access Token Marks User Offline).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific user identity/role, auth tokens/credentials plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for logoutWithAccessTokenMarksUserOffline; assert returned values, side effects, and interactions.	State is updated/persisted exactly as expected.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-228
153. ServiceTests.updateAchievementRequiresAchievementId	Verifies ServiceTests.updateAchievementRequiresAchievementId (update Achievement Requires Achievement Id).	Service under test is initialized with mocked repositories/dependencies and arrang	Scenario-specific achievement fields plus arranged mocks/fixtures.	Arrange fixtures/mocks for ServiceTests; execute the operation under test for updateAchievementRequiresAchievementId; assert returned values, side effects, and	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-230

		ed domain objects.		interactions.		
154. SessionServiceAiIntegrationTest.endSession_savesAiSummaryMessageBeforeCompleting	Verifies SessionServiceAiIntegrationTest.endSession_savesAiSummaryMessageBeforeCompleting (end Session saves Ai Summary Message Before Completing).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionServiceAiIntegrationTest; execute the operation under test for endSession_savesAiSummaryMessageBeforeCompleting; assert returned values, side effects, and interactions.	State is updated/persisted exactly as expected.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-231
155. SessionServiceApiTest.getSessionLibrary_mapsLibrarySessions	Verifies SessionServiceApiTest.getSessionLibrary_mapsLibrarySessions (get Session Library maps Library Sessions).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionServiceApiTest; execute the operation under test for getSessionLibrary_mapsLibrarySessions; assert returned values, side effects, and interactions.	The computed/mapped output matches expected values.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-238

156. SessionServiceApiTest.getSessionDetail_returnsDetail	Verifies SessionServiceApiTest.getSessionDetail_returnsDetail (get Session Detail returns Detail).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionServiceApiTest; execute the operation under test for getSessionDetail_returnsDetail; assert returned values, side effects, and interactions.	The returned result matches the expected status/data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-240
157. SessionServiceApiTest.startSession_createsUserSession	Verifies SessionServiceApiTest.startSession_createsUserSession (start Session creates User Session).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific user identity/role, session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionServiceApiTest; execute the operation under test for startSession_createsUserSession; assert returned values, side effects, and interactions.	State is updated/persisted exactly as expected.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-241
158. SessionServiceApiTest.startSession_throwsConflictWhenActiveSessionExists	Verifies SessionServiceApiTest.startSession_throwsConflictWhenActiveSessionExists (start Session throws Conflict	Service under test is initialized with mocke	Scenario-specific session ids/messag	Arrange fixtures/mocks for SessionServiceApiTest; execute the operation	The expected exception/error condit	https://chapman-team-n3052cgk.atlassian

	When Active Session Exists).	d repositories/dependencies and arranged domain objects.	es plus arranged mocks/fixtures.	under test for startSession_throwsConflictWhenActiveSessionExists; assert returned values, side effects, and interactions.	ion is raised and asserted.	.net/browse/PM-242
159. SessionServiceApiTest.sendChatMessage_savesUserAndAssistantMessages	Verifies SessionServiceApiTest.sendChatMessage_savesUserAndAssistantMessages (send Chat Message saves User And Assistant Messages).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific user identity/role plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionServiceApiTest; execute the operation under test for sendChatMessage_savesUserAndAssistantMessages; assert returned values, side effects, and interactions.	State is updated/persisted exactly as expected.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-248
160. SessionServiceApiTest.endSession_updatesActiveSession	Verifies SessionServiceApiTest.endSession_updatesActiveSession (end Session updates Active Session).	Service under test is initialized with mocked repositories/dependencies and arrang	Scenario-specific session ids/messages plus arranged mocks/fixtu	Arrange fixtures/mocks for SessionServiceApiTest; execute the operation under test for endSession_updatesActiveSession; assert returned values, side effects, and	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-243

		ed domain objects.	res.	interactions.		
161. SessionServiceApiTest.getSessionHistory_returnsUserSessions	Verifies SessionServiceApiTest.getSessionHistory_returnsUserSessions (get Session History returns User Sessions).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific user identity/role, session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionServiceApiTest; execute the operation under test for getSessionHistory_returnsUserSessions; assert returned values, side effects, and interactions.	The returned result matches the expected status /data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-244
162. SessionServiceApiTest.continueSession_returnsActiveSession	Verifies SessionServiceApiTest.continueSession_returnsActiveSession (continue Session returns Active Session).	Service under test is initialized with mocked repositories/dependencies and arranged domain objects.	Scenario-specific session ids/messages plus arranged mocks/fixtures.	Arrange fixtures/mocks for SessionServiceApiTest; execute the operation under test for continueSession_returnsActiveSession; assert returned values, side effects, and interactions.	The returned result matches the expected status /data for the scenario.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-245

163. RagContextBuilderTest.buildContext_combinesKnowledgeHistoryDiaryAndTranscript	Verifies RagContextBuilderTest.buildContext_combinesKnowledgeHistoryDiaryAndTranscript (build Context combines Knowledge History Diary And Transcript).	RAG dependencies are initialized with deterministic test inputs.	Scenario-specific diary entry content plus arranged mocks/fixtures.	Arrange fixtures/mocks for RagContextBuilderTest; execute the operation under test for buildContext_combinesKnowledgeHistoryDiaryAndTranscript; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-246
164. SimpleVectorStoreTest.saveAndLoad_roundTripsDocuments	Verifies SimpleVectorStoreTest.saveAndLoad_roundTripsDocuments (save And Load round Trips Documents).	RAG dependencies are initialized with deterministic test inputs.	Inputs, fixtures, and mocks arranged in the test setup for this scenario.	Arrange fixtures/mocks for SimpleVectorStoreTest; execute the operation under test for saveAndLoad_roundTripsDocuments; assert returned values, side effects, and interactions.	Observed behavior matches the scenario asserted by the test.	https://chapman-team-n3052cgk.atlassian.net/browse/PM-247