

| Feature | | | Scer | nario | | | St | ер | |
|--------------|----------|---|------|-------|---|---|----|----|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Product page | 49.221 s | 1 | 0 | 1 | 0 | 6 | 3 | 1 | 2 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|--------------|--|
| 1 | Product page | User should add to cart from recommended items |

| TAG | | Scei | nario | | | Fea | ure | |
|--------|---|------|-------|---|---|-----|-----|---|
| Name | T | P | F | S | T | P | F | S |
| @smoke | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|----------|
| 1 | Product page | 1 | 0 | 1 | 0 | 49.221 s |

SCENARIOS SUMMARY -- 6




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|--|---|---|---|---|----------|
| 1 | Product page | User should add to cart from recommended items | 6 | 3 | 1 | 2 | 49.216 s |

DETAILED SECTION -- 7 --

Product page

| FAILED | DURATION - 49.221 s | Scenarios | | Steps | |
|---------------------|---------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 6 | |
| / 6:21:32.541 pm // | ' 6:22:21.762 pm / | Pass - 0 | 1 | Pass - 3 | 6 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 2 | |
| | | | | | |

User should add to cart from recommended items



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on homepage | PASSED | 0.000 s |
| 2 | When I scroll down up to recommended items text | PASSED | 0.479 s |
| 3 | Then I should see "RECOMMENDED ITEMS" text | PASSED | 0.101 s |
| 4 | And I add to cart "Stylish Dress" product from recommended items | FAILED | 40.110 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='Stylish Dress']"} (Session info: chrome=120.0.6099.130) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3081b80718a593109135bb6c5780d0db, findElement {using=xpath, value=//a[normalize-space()='Stylish Dress']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: C:\Users\JEET\AppData\Local}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53587}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53587/devtoo, se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3081b80718a593109135bb6c5780d0db at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |

DETAILED SECTION -- 8 --

| # | Step / Hook Details | Status | Duration |
|---|--|---|----------|
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:152) at org.openqa.selenium.remote.EthttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.ElementLocation\$ selenium.remote.ElementLocation\$ storg.openqa.selenium.remote.ElementLocation\$ storg.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy32.getText(Unknown Source) at com.automationexercise.pages.ProductSteps.iverImplement(Utility.java:65) at com.automationexercise.pages.ProductSteps.iverImplement(Utility.java:65) at com.automationexercise.seps.ProductSteps.iverImplement(Utility.java:65) at com.automationexercise.seps.ProductSteps.iverImplement(Utility.java:65) at com.automationexercise.seps.ProductSteps.iverImplement(Utility.java:65) at com.automationexercise.seps.ProductSteps.iverImplement(Utility.java:65) at com.automationexercise.seps.ProductSteps.iverImplement(Utility.java:65) at com.automationexercise.seps.ProductSteps.iverImplement(Steps.J/Joue | | |
| 5 | * Not displayable characters are replaced by '?'. And I click on view cart in popup | SKIPPED | 0.000 s |
| 6 | Then I verify the product "Stylish Dress" in shopping cart | SKIPPED | 0.000 s |
| | AFTER - com.automationexercise.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.487 s |
| | User should add to cart from recommended items | - - - - - - - - - - - - - - - - - - - | 0.467 \$ |
| | Build Your Extend Choice Butter Your Family | | |