**Duration: 1 m 3.974 s** Start: Jan 01, 6:18:26.193 pm End: Jan 01, 6:19:30.167 pm Scenarios Steps **Features** PASSED - 0 PASSED - 0 PASSED - 5 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 6 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 10 83 % 100 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Product page	1 m 3.974 s	1	0	1	0	6	5	1	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Product page	User should add to cart from recommended items

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@smoke	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Product page	1	0	1	0	1 m 3.974 s


SCENARIOS SUMMARY -- 6 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product page	User should add to cart from recommended items	6	5	1	0	1 m 3.966 s

DETAILED SECTION -- 7 --

## **Product page**



## User should add to cart from recommended items



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I scroll down up to recommended items text	PASSED	3.988 s
3	Then I should see "RECOMMENDED ITEMS" text	PASSED	0.080 s
4	And I add to cart "Stylish Dress" product from recommended items	PASSED	1.005 s
5	And I click on view cart in popup	PASSED	5.606 s
6	Then I verify the product "Stylish Dress" in shopping cart	FAILED	40.124 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[normalize-space()='Men Tshirt']"} (Session info: chrome=120.0.6099.130) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [86446fe0190035f9d3044ced19a8f075, findElement {using=xpath, value=//a[normalize-space()='Men Tshirt']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: C:\Users\JEET\AppData\Local}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53444}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53444/devtoo, se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 86446fe0190035f9d3044ced19a8f075		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	$at\ or g. open qa. selen ium. remote. codec. w 3c. W 3 CHttp Response Codec. create Exception (W 3 CHttp Response Codec. java: 200)$		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	$at\ or g. open qa. selenium. remote. Element Location \$Element Finder \$2. find Element (Element Location. java: 165)$		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	$at\ or g. open qa. selenium. support. page factory. De fault Element Locator. find Element (De fault Element Locator. java: 68)$		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy32.getText(Unknown Source)		
	at com.automationexercise.utility.Utility.getTextFromElement(Utility.java:65)		
	$at\ com. automation exercise. pages. Check Out Page. verify Men TShirt Shopping Cart Text (Check Out Page. java: 64)$		
	at com.automationexercise.steps.SearchSteps.iVerifyTheProductInShoppingCart(SearchSteps.java:76)		
	at ?.I verify the product "Stylish Dress" in shopping cart(file:///C:/Users/JEET/IdeaProjects/automation-exercise-cucumber/src/test/resources/		
	features/Product.feature:87)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.automationexercise.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.759 s
	User should add to cart from recommended items		
	Principle ACLIFIC  Description  From the distance with the second of the		
	3900703		