

Cucumber Report

21 Dec 2023, 12:19:16

Start : Dec 21, 12:17:29.657 pm

End : Dec 21, 12:18:52.905 pm

Duration : 1 m 23.248 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 6
FAILED - 2
SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search functionality</u>	49.956 s	1	0	1	0	10	2	1	7
<u>Find the dealers and verify</u>	33.229 s	1	0	1	0	5	4	1	0

#	Feature Name	Scenario Name
1	<u>Search functionality</u>	<u>Search the buy car with model</u>
2	<u>Find the dealers and verify</u>	<u>Find the dealers and verify the dealers are in list</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	2	0	2	0	2	0	2	0
@regression	2	0	2	0	2	0	2	0
@author_Amruta	2	0	2	0	2	0	2	0
@sanity	2	0	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Search functionality</u>	1	0	1	0	49.956 s
2	<u>Find the dealers and verify</u>	1	0	1	0	33.229 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search functionality</u>	<u>Search the buy car with model</u>	10	2	1	7	49.934 s
2	<u>Find the dealers and verify</u>	<u>Find the dealers and verify the dealers are in list</u>	5	4	1	0	33.228 s

Search functionality


FAILED	DURATION - 49.956 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 2 Fail - 1 Skip - 7	
/ 12:17:29.657 pm // 12:18:19.613 pm /					

Search the buy car with model



<div>FAILED</div> <div>DURATION - 49.934 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
/ 12:17:29.679 pm // 12:18:19.613 pm /				
Search functionality				
@smoke @regression @author_Amruta @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	PASSED	3.236 s
3	And I click 'Search Cars' link io.cucumber.core.exception.CucumberException: Step [I click {string} link] is defined with 0 parameters at 'com.au.carsguide.steps.BuySteps.iClickSearchCarsLink()'. However, the gherkin step has 1 arguments: * 'Search Cars' Step text: I click 'Search Cars' link at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)	FAILED	0.053 s



#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
4	Then I navigate to 'new and used car search' page	SKIPPED	0.001 s
5	And I select make "Audi"	SKIPPED	0.001 s
6	And I select model "A1"	SKIPPED	0.001 s
7	And I select location "ACT -All"	SKIPPED	0.002 s
8	And I select price "\$25000"	SKIPPED	0.001 s
9	And I click on Find My Next Car tab	SKIPPED	0.001 s
10	Then I should see the make "Audi" in results	SKIPPED	0.003 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.539 s
	Search the buy car with model		

#	Step / Hook Details	Status	Duration
			

Find the dealers and verify

FAILED	DURATION - 33.229 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 12:18:19.676 pm // 12:18:52.905 pm /					

Find the dealers and verify the dealers are in list

FAILED	DURATION - 33.228 s		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 12:18:19.677 pm // 12:18:52.905 pm /				
Find the dealers and verify				
@smoke @regression @author_Amruta @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on “buy+sell” tab	PASSED	0.001 s
3	And I click ‘Find a Dealer’	PASSED	0.003 s
4	Then I navigate to ‘car-dealers’ page	PASSED	0.001 s
5	And I should see the dealer names <dealersName> are display on page	FAILED	0.388 s
	dealersName		
	3 Point Motors Epping		
	4WD Specialist Group		
	5 Star Auto		

#	Step / Hook Details	Status	Duration
	<div> <div>A & M Car Sales Pty Ltd</div> <div>A1 MOTORS COMPANY</div> <div>ANDREA MOTORI SERVICE</div> <div>Oxford Motors</div> </div>		
	<p>io.cucumber.core.exception.CucumberException: Step [I should see the dealer names <dealersName> are display on page] is defined with 0 parameters at 'com.au.carsguide.steps.FindDealersSteps.iShouldSeeTheDealerNamesDealersNameAreDisplayOnPage()'. However, the gherkin step has 1 arguments: * Table: dealersName 3 Point Motors Epping 4WD Specialist Group 5 Star Auto A & M Car Sales Pty Ltd A1 MOTORS COMPANY ANDREA MOTORI SERVICE Oxford Motors </p> <p>Step text: I should see the dealer names <dealersName> are display on page</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:848)</p> <p>at org.testng.TestRunner.run(TestRunner.java:621)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.229 s
	Find the dealers and verify the dealers are in list		
	