Cucumber Report

| Start : Dec 21, 3:13:51.653 pm	End : Dec 21, 3:18:18.795 pm	Duration : 4 m 27.142 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 5 SKIPPED - 0	PASSED - 20 FAILED - 5 SKIPPED - 20

Features: 2

Scenarios: 5

Steps: 45

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 44 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Search functionality	3 m 54.991 s	4	0	4	0	40	16	4	20
Find the dealers and verify	32.087 s	1	0	1	0	5	4	1	0

#	Feature Name	Scenario Name
1	*Search functionality*	*Search the buy car with model*
2		*Search the buy car with model*
3		*Search the used car with model*
4		*Search the used car with model*
5	*Find the dealers and verify*	*Find the dealers and verify the dealers are in list*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@regression	5	0	5	0	2	0	2	0
@author_Amruta	5	0	5	0	2	0	2	0
@sanity	3	0	3	0	2	0	2	0
@smoke	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Search functionality	4	0	4	0	3 m 54.991 s
2	Find the dealers and verify	1	0	1	0	32.087 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search functionality	Search the buy car with model	10	6	1	3	1 m 46.202 s
2		Search the buy car with model	10	6	1	3	1 m 1.936 s
3		Search the used car with model	10	2	1	7	37.508 s
4		Search the used car with model	10	2	1	7	28.232 s
5	Find the dealers and verify	Find the dealers and verify the dealers are in list	5	4	1	0	32.087 s

Search functionality

FAILED	DURATION - 3 m 54.991 s		Scenarios		Steps	
	/ 3:13:51.653 pm // 3:17:46.644 pm /		Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Total - 40 Pass - 16 Fail - 4 Skip - 20	40

Search the buy car with model

FAILED	DURATION - 1 m 46.202 s		Steps	
	/ 3:13:51.670 pm // 3:15:37.872 pm /		Total - 10	
	Search functionality		Pass - 6 Fail - 1 Skip - 3	10
	@regression @author_Amruta @sanity			

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.004 s
2	When I mouse hover on 'buy+sell' tab	PASSED	1.253 s
3	And I click Search Cars link	PASSED	25.945 s
4	Then I navigate to new and used car search page	PASSED	4.231 s
5	And I select make "Audi"	PASSED	5.811 s
6	And I select model "A1"	PASSED	0.426 s
7	And I select location "ACT - All"	FAILED	20.534 s

	org.openqa.selenium.NoSuchElementException: Cannot locate option with value: Act-All For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown
	   at org.openqa.selenium.support.ui.Select.findOptionsByValue(Select.java:289)
	   at org.openqa.selenium.support.ui.Select.selectByValue(Select.java:194)
	   at com.au.carsguide.utility.Utility.selectByValueFromDropDown(Utility.java:158)
	   at com.au.carsguide.pages.BuyPages.selectLocationOptions(BuyPages.java:77)
	   at com.au.carsguide.steps.BuySteps.iSelectLocation(BuySteps.java:44)
	   at ?.I select location "ACT - All"(file:///C:/Users/JEET/IdeaProjects/car-guru-cucumber/src/test/resources/features/buy.feature:11)		

| #	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
8	And I select price "$70,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Audi" in results	SKIPPED	0.000 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario) Search the buy car with model	PASSED	1.095 s

Search the buy car with model

FAILED	DURATION - 1 m 1.936 s
/ 3:15:37.944 pm // 3:16:39.880 pm /	
Search functionality	
@regression @author_Amruta @sanity	

Steps
Total - 10
Pass - 6
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on 'buy+sell' tab	PASSED	0.305 s
3	And I click Search Cars link	PASSED	8.608 s
4	Then I navigate to new and used car search page	PASSED	4.206 s
5	And I select make "BMW"	PASSED	0.320 s
6	And I select model "3 Series"	PASSED	0.336 s
7	And I select location "NT - All"	FAILED	20.155 s
	org.openqa.selenium.NoSuchElementException: Cannot locate option with value: Act-All For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.Select.findOptionsByValue(Select.java:289)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.Select.selectByValue(Select.java:194) at com.au.carsguide.utility.Utility.selectByValueFromDropDown(Utility.java:158) at com.au.carsguide.pages.BuyPages.selectLocationOptions(BuyPages.java:77) at com.au.carsguide.steps.BuySteps.iSelectLocation(BuySteps.java:44) at ?.I select location "NT - All"(file:///C:/Users/JEET/IdeaProjects/car-guru-cucumber/src/test/resources/features/buy.feature:11) * Not displayable characters are replaced by '?'.		
8	And I select price "$45,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.001 s
10	Then I should see the make "BMW" in results	SKIPPED	0.000 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.115 s
	Search the buy car with model 		

Search the used car with model

FAILED	DURATION - 37.508 s
/ 3:16:40.884 pm // 3:17:18.392 pm /	
Search functionality	
@regression @author_Amruta	

Steps
Total - 10
Pass - 2
Fail - 1
Skip - 7

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on 'buy+sell' tab	PASSED	0.426 s
3	And I click 'Used' link	FAILED	0.005 s
	Step undefined		
4	Then I navigate to 'Used Cars For Sale' page	SKIPPED	0.001 s
5	And I select make "Audi"	SKIPPED	0.000 s
6	And I select model "A1"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
7	And I select location "ACT - All"	SKIPPED	0.001 s
8	And I select price "$70,000"	SKIPPED	0.012 s
9	And I click on Find My Next Car tab	SKIPPED	0.001 s
10	Then I should see the make "Audi" in results	SKIPPED	0.001 s

Search the used car with model

FAILED	DURATION - 28.232 s
/ 3:17:18.412 pm // 3:17:46.644 pm /	
Search functionality	
@regression @author_Amruta	

Steps
Total - 10
Pass - 2
Fail - 1
Skip - 7

10

| #	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on 'buy+sell' tab	PASSED	0.884 s
3	And I click 'Used' link Step undefined	FAILED	0.002 s
4	Then I navigate to 'Used Cars For Sale' page	SKIPPED	0.001 s
5	And I select make "BMW"	SKIPPED	0.000 s
6	And I select model "3 Series"	SKIPPED	0.001 s
7	And I select location "NT - All"	SKIPPED	0.000 s
8	And I select price "$45,000"	SKIPPED	0.001 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "BMW" in results	SKIPPED	0.001 s

Find the dealers and verify

FAILED	DURATION - 32.087 s		Scenarios		Steps	
/ 3:17:46.708 pm // 3:18:18.795 pm /			Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 5 Pass - 4 Fail - 1 Skip - 0	5

Find the dealers and verify the dealers are in list

FAILED	DURATION - 32.087 s		Steps	
/ 3:17:46.708 pm // 3:18:18.795 pm /			Total - 5 Pass - 4 Fail - 1 Skip - 0	5
Find the dealers and verify				
@smoke @regression @author_Amruta @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.000 s
3	And I click 'Find a Dealer'	PASSED	0.000 s
4	Then I navigate to 'car-dealers' page	PASSED	0.002 s
5	And I should see the dealer names <dealersName> are display on page	FAILED	0.111 s

dealersName
3 Point Motors Epping
4WD Specialist Group
5 Star Auto
A & M Car Sales Pty Ltd
A1 MOTORS COMPANY
ANDREA MOTORI SERVICE
Oxford Motors

io.cucumber.core.exception.CucumberException: Step [I should see the dealer names <dealersName> are display on page] is defined with 0 parameters at 'com.au.carsguide.steps.FindDealersSteps.iShouldSeeTheDealerNamesDealersNameAreDisplayOnPage()'. However, the gherkin step has 1 arguments: * Table: | dealersName | | 3 Point Motors Epping | | 4WD Specialist Group | | 5 Star Auto | | A & M Car Sales Pty Ltd | | A1 MOTORS COMPANY | | ANDREA MOTORI SERVICE | | Oxford Motors | Step text: I should see the dealer names <dealersName> are display on page
     at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		

#	Step / Hook Details	Status	Duration
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.257 s
	Find the dealers and verify the dealers are in list		