

Cucumber Report

21 Dec 2023, 12:10:48

Start : Dec 21, 12:10:01.570 pm

End : Dec 21, 12:10:44.748 pm

Duration : 43.178 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 6
FAILED - 2
SKIPPED - 7




| Feature | | Scenario | | | | Step | | | |
|------------------------------------|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Search functionality</u> | 22.341 s | 1 | 0 | 1 | 0 | 10 | 2 | 1 | 7 |
| <u>Find the dealers and verify</u> | 20.722 s | 1 | 0 | 1 | 0 | 5 | 4 | 1 | 0 |

| # | Feature Name | Scenario Name |
|---|------------------------------------|--|
| 1 | <u>Search functionality</u> | <u>Search the buy car with model</u> |
| 2 | <u>Find the dealers and verify</u> | <u>Find the dealers and verify the dealers are in list</u> |

| TAG | Scenario | | | | Feature | | | |
|----------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @smoke | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |
| @regression | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |
| @author_Amruta | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |
| @sanity | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|------------------------------------|---|---|---|---|----------|
| 1 | <u>Search functionality</u> | 1 | 0 | 1 | 0 | 22.341 s |
| 2 | <u>Find the dealers and verify</u> | 1 | 0 | 1 | 0 | 20.722 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------------|--|----|---|---|---|----------|
| 1 | <u>Search functionality</u> | <u>Search the buy car with model</u> | 10 | 2 | 1 | 7 | 22.320 s |
| 2 | <u>Find the dealers and verify</u> | <u>Find the dealers and verify the dealers are in list</u> | 5 | 4 | 1 | 0 | 20.722 s |

Search functionality


| | | | | | |
|--|---------------------|--|---|---|---|
| FAILED | DURATION - 22.341 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 10 Pass - 2 Fail - 1 Skip - 7 |  |
| / 12:10:01.570 pm // 12:10:23.911 pm / | | | | | |
| | | | | | |

Search the buy car with model



| | | | | |
|---|---------------------|--|---|---|
| FAILED | DURATION - 22.320 s |  | Steps Total - 10 Pass - 2 Fail - 1 Skip - 7 |  |
| / 12:10:01.591 pm // 12:10:23.911 pm / | | | | |
| Search functionality | | | | |
| @smoke @regression @author_Amruta @sanity | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on homepage | PASSED | 0.002 s |
| 2 | When I mouse hover on "buy+sell" tab | PASSED | 0.226 s |
| 3 | And I click 'Search Cars' link io.cucumber.core.exception.CucumberException: Step [I click {string} link] is defined with 0 parameters at 'com.au.carsguide.steps.BuySteps.iClickSearchCarsLink()'. However, the gherkin step has 1 arguments: * 'Search Cars' Step text: I click 'Search Cars' link at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | FAILED | 0.018 s |



| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| 4 | Then I navigate to 'new and used car search' page | SKIPPED | 0.000 s |
| 5 | And I select make "Audi" | SKIPPED | 0.001 s |
| 6 | And I select model "A1" | SKIPPED | 0.002 s |
| 7 | And I select location "ACT -All" | SKIPPED | 0.002 s |
| 8 | And I select price "\$25000" | SKIPPED | 0.001 s |
| 9 | And I click on Find My Next Car tab | SKIPPED | 0.002 s |
| 10 | Then I should see the make "Audi" in results | SKIPPED | 0.000 s |
| | AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 1.822 s |
| | Search the buy car with model | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |

Find the dealers and verify


| | | | | | |
|--|---------------------|--|---|--|---|
| FAILED | DURATION - 20.722 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 5 Pass - 4 Fail - 1 Skip - 0 |  |
| / 12:10:24.026 pm // 12:10:44.748 pm / | | | | | |

Find the dealers and verify the dealers are in list

| | | | | |
|---|---------------------|---|--|---|
| FAILED | DURATION - 20.722 s |  | Steps Total - 5 Pass - 4 Fail - 1 Skip - 0 |  |
| / 12:10:24.026 pm // 12:10:44.748 pm / | | | | |
| Find the dealers and verify | | | | |
| @smoke @regression @author_Amruta @sanity | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on homepage | PASSED | 0.002 s |
| 2 | When I mouse hover on “buy+sell” tab | PASSED | 0.001 s |
| 3 | And I click ‘Find a Dealer’ | PASSED | 0.003 s |
| 4 | Then I navigate to ‘car-dealers’ page | PASSED | 0.001 s |
| 5 | And I should see the dealer names <dealersName> are display on page | FAILED | 0.024 s |
| | dealersName | | |
| | 3 Point Motors Epping | | |
| | 4WD Specialist Group | | |
| | 5 Star Auto | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <div> <div>A & M Car Sales Pty Ltd</div> <div>A1 MOTORS COMPANY</div> <div>ANDREA MOTORI SERVICE</div> <div>Oxford Motors</div> </div> | | |
| | <p>io.cucumber.core.exception.CucumberException: Step [I should see the dealer names <dealersName> are display on page] is defined with 0 parameters at 'com.au.carsguide.steps.FindDealersSteps.iShouldSeeTheDealerNamesDealersNameAreDisplayOnPage()'. However, the gherkin step has 1 arguments: * Table: dealersName 3 Point Motors Epping 4WD Specialist Group 5 Star Auto A & M Car Sales Pty Ltd A1 MOTORS COMPANY ANDREA MOTORI SERVICE Oxford Motors </p> <p>Step text: I should see the dealer names <dealersName> are display on page</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:848)</p> <p>at org.testng.TestRunner.run(TestRunner.java:621)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> | | |
| | AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 1.655 s |
| | Find the dealers and verify the dealers are in list | | |
| |  | | |