

Cucumber Report

21 Dec 2023, 15:47:07

Start : Dec 21, 3:40:53.962 pm

End : Dec 21, 3:46:56.010 pm

Duration : 6 m 2.048 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 5
SKIPPED - 0


PASSED - 28
FAILED - 5
SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search functionality</u>	5 m 32.958 s	4	0	4	0	40	24	4	12
<u>Find the dealers and verify</u>	29.025 s	1	0	1	0	5	4	1	0

#	Feature Name	Scenario Name
1	<u>Search functionality</u>	<u>Search the buy car with model</u>
2		<u>Search the buy car with model</u>
3		<u>Search the used car with model</u>
4		<u>Search the used car with model</u>
5	<u>Find the dealers and verify</u>	<u>Find the dealers and verify the dealers are in list</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	5	0	5	0	2	0	2	0
@author_Amruta	5	0	5	0	2	0	2	0
@sanity	3	0	3	0	2	0	2	0
@smoke	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Search functionality</u>	4	0	4	0	5 m 32.958 s
2	<u>Find the dealers and verify</u>	1	0	1	0	29.025 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search functionality</u>	<u>Search the buy car with model</u>	10	6	1	3	1 m 50.097 s
2		<u>Search the buy car with model</u>	10	6	1	3	1 m 13.829 s
3		<u>Search the used car with model</u>	10	6	1	3	1 m 8.729 s
4		<u>Search the used car with model</u>	10	6	1	3	1 m 20.158 s
5	<u>Find the dealers and verify</u>	<u>Find the dealers and verify the dealers are in list</u>	5	4	1	0	29.025 s


Search functionality

FAILED	DURATION - 5 m 32.958 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 40 Pass - 24 Fail - 4 Skip - 12	
/ 3:40:53.962 pm // 3:46:26.920 pm /					



Search the buy car with model

<div>FAILED</div> <div>DURATION - 1 m 50.097 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 3:40:53.995 pm // 3:42:44.092 pm /				
Search functionality				
@regression @author_Amruta @sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.006 s
2	When I mouse hover on 'buy+sell' tab	PASSED	0.989 s
3	And I click Search Cars link	PASSED	35.008 s
4	Then I navigate to new and used car search page	PASSED	4.301 s
5	And I select make "Audi"	PASSED	0.564 s
6	And I select model "A1"	PASSED	0.444 s
7	And I select location "ACT - All"	FAILED	20.197 s
	org.openqa.selenium.NoSuchElementException: Cannot locate option with value: Act-All For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.Select.findOptionsByValue(Select.java:289) at org.openqa.selenium.support.ui.Select.selectByValue(Select.java:194) at com.au.carsguide.utility.Utility.selectByValueFromDropDown(Utility.java:158) at com.au.carsguide.pages.BuyPages.selectLocationOptions(BuyPages.java:82) at com.au.carsguide.steps.BuySteps.iSelectLocation(BuySteps.java:44) at ?.i select location "ACT - All"(file:///C:/Users/JEET/IdeaProjects/car-guru-cucumber/src/test/resources/features/buy.feature:11)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. And I select price "\$70,000"	SKIPPED	0.000 s
8	And I click on Find My Next Car tab	SKIPPED	0.000 s
9	Then I should see the make "Audi" in results	SKIPPED	0.000 s
10	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario) Search the buy car with model	PASSED	3.147 s
			



Search the buy car with model

FAILED		DURATION - 1 m 13.829 s			Steps Total - 10 Pass - 6 Fail - 1 Skip - 3	
/ 3:42:44.147 pm // 3:43:57.976 pm /						
Search functionality						
@regression @author_Amruta @sanity						


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.004 s
2	When I mouse hover on 'buy+sell' tab	PASSED	0.298 s
3	And I click Search Cars link	PASSED	12.813 s
4	Then I navigate to new and used car search page	PASSED	4.208 s
5	And I select make "BMW"	PASSED	0.344 s
6	And I select model "3 Series"	PASSED	5.682 s
7	And I select location "NT - All"	FAILED	20.156 s
	org.openqa.selenium.NoSuchElementException: Cannot locate option with value: Act-All For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.Select.findOptionsByValue(Select.java:289)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.ui.Select.selectByValue(Select.java:194) at com.au.carsguide.utility.Utility.selectByValueFromDropDown(Utility.java:158) at com.au.carsguide.pages.BuyPages.selectLocationOptions(BuyPages.java:82) at com.au.carsguide.steps.BuySteps.iSelectLocation(BuySteps.java:44) at ?.I select location "NT - All"(file:///C:/Users/JEET/IdeaProjects/car-guru-cucumber/src/test/resources/features/buy.feature:11) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
8	And I select price "\$45,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.001 s
10	Then I should see the make "BMW" in results	SKIPPED	0.001 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.477 s
	Search the buy car with model		
			



Search the used car with model

<div>FAILED</div> <div>DURATION - 1 m 8.729 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 3:43:58.016 pm // 3:45:06.745 pm /				
Search functionality				
@regression @author_Amruta				


#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on 'buy+sell' tab	PASSED	0.297 s
3	And I click Used link	PASSED	13.017 s
4	Then I navigate to Used Cars For Sale page	PASSED	0.001 s
5	And I select make "Audi"	PASSED	0.385 s
6	And I select model "A1"	PASSED	2.314 s
7	And I select location "ACT - All"	FAILED	20.461 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: Cannot locate option with value: Act-All For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown</p> <p>at org.openqa.selenium.support.ui.Select.findOptionsByValue(Select.java:289) at org.openqa.selenium.support.ui.Select.selectByValue(Select.java:194) at com.au.carsguide.utility.Utility.selectByValueFromDropDown(Utility.java:158) at com.au.carsguide.pages.BuyPages.selectLocationOptions(BuyPages.java:82) at com.au.carsguide.steps.BuySteps.iSelectLocation(BuySteps.java:44) at ?.I select location "ACT - All"(file:///C:/Users/JEET/IdeaProjects/car-guru-cucumber/src/test/resources/features/buy.feature:27) * Not displayable characters are replaced by '?'. </p>		
8	And I select price "\$70,000"	SKIPPED	0.001 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "Audi" in results	SKIPPED	0.000 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.776 s
	Search the used car with model		
			



Search the used car with model

<div>FAILED</div> <div>DURATION - 1 m 20.158 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 3:45:06.762 pm // 3:46:26.920 pm /</div>				
<div>Search functionality</div>				
<div>@regression @author_Amruta</div>				



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When I mouse hover on 'buy+sell' tab	PASSED	29.372 s
3	And I click Used link	PASSED	7.942 s

#	Step / Hook Details	Status	Duration
4	Then I navigate to Used Cars For Sale page	PASSED	0.001 s
5	And I select make "BMW"	PASSED	0.443 s
6	And I select model "3 Series"	PASSED	0.685 s
7	And I select location "NT - All"	FAILED	20.475 s
	<p>org.openqa.selenium.NoSuchElementException: Cannot locate option with value: Act-All For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown</p> <p>at org.openqa.selenium.support.ui.Select.findOptionsByValue(Select.java:289) at org.openqa.selenium.support.ui.Select.selectByValue(Select.java:194) at com.au.carsguide.utility.Utility.selectByValueFromDropDown(Utility.java:158) at com.au.carsguide.pages.BuyPages.selectLocationOptions(BuyPages.java:82) at com.au.carsguide.steps.BuySteps.iSelectLocation(BuySteps.java:44) at ?.I select location "NT - All"(file:///C:/Users/JEET/IdeaProjects/car-guru-cucumber/src/test/resources/features/buy.feature:27)</p> <p>* Not displayable characters are replaced by '?'. </p>		
8	And I select price "\$45,000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.000 s
10	Then I should see the make "BMW" in results	SKIPPED	0.000 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.150 s
	Search the used car with model		
			


Find the dealers and verify

FAILED	DURATION - 29.025 s	Scenarios		Steps	
/ 3:46:26.985 pm // 3:46:56.010 pm /		Total - 1		Total - 5	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Find the dealers and verify the dealers are in list

FAILED	DURATION - 29.025 s		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 3:46:26.985 pm // 3:46:56.010 pm /				
Find the dealers and verify				
@smoke @regression @author_Amruta @sanity				

#	Step / Hook Details	Status	Duration						
1	Given I am on homepage	PASSED	0.001 s						
2	When I mouse hover on “buy+sell” tab	PASSED	0.000 s						
3	And I click ‘Find a Dealer’	PASSED	0.000 s						
4	Then I navigate to ‘car-dealers’ page	PASSED	0.001 s						
5	And I should see the dealer names <dealersName> are display on page	FAILED	0.130 s						
	<table><tr><td>dealersName</td></tr><tr><td>3 Point Motors Epping</td></tr><tr><td>4WD Specialist Group</td></tr><tr><td>5 Star Auto</td></tr><tr><td>A & M Car Sales Pty Ltd</td></tr><tr><td>A1 MOTORS COMPANY</td></tr><tr><td>ANDREA MOTORI SERVICE</td></tr><tr><td>Oxford Motors</td></tr></table> <p>io.cucumber.core.exception.CucumberException: Step [I should see the dealer names <dealersName> are display on page] is defined with 0 parameters at 'com.au.carsguide.steps.FindDealersSteps.iShouldSeeTheDealerNamesDealersNameAreDisplayOnPage()'. However, the gherkin step has 1 arguments: * Table: dealersName 3 Point Motors Epping 4WD Specialist Group 5 Star Auto A & M Car Sales Pty Ltd A1 MOTORS COMPANY ANDREA MOTORI SERVICE Oxford Motors </p> <p>Step text: I should see the dealer names <dealersName> are display on page</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p>			dealersName	3 Point Motors Epping	4WD Specialist Group	5 Star Auto	A & M Car Sales Pty Ltd	A1 MOTORS COMPANY
dealersName									
3 Point Motors Epping									
4WD Specialist Group									
5 Star Auto									
A & M Car Sales Pty Ltd									
A1 MOTORS COMPANY									
ANDREA MOTORI SERVICE									
Oxford Motors									

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
	<p>AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Find the dealers and verify the dealers are in list</p> 	PASSED	1.458 s