

# Cucumber Report

21 Dec 2023, 12:40:42

Start : Dec 21, 12:39:20.950 pm

End : Dec 21, 12:40:38.272 pm

Duration : 1 m 17.322 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 7  
FAILED - 2  
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search functionality</u>	50.608 s	1	0	1	0	10	3	1	6
<u>Find the dealers and verify</u>	26.661 s	1	0	1	0	5	4	1	0

#	Feature Name	Scenario Name
1	<u>Search functionality</u>	<u>Search the buy car with model</u>
2	<u>Find the dealers and verify</u>	<u>Find the dealers and verify the dealers are in list</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@smoke	2	0	2	0	2	0	2	0
@regression	2	0	2	0	2	0	2	0
@author_Amruta	2	0	2	0	2	0	2	0
@sanity	2	0	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Search functionality</u>	1	0	1	0	50.608 s
2	<u>Find the dealers and verify</u>	1	0	1	0	26.661 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search functionality</u>	<u>Search the buy car with model</u>	10	3	1	6	50.590 s
2	<u>Find the dealers and verify</u>	<u>Find the dealers and verify the dealers are in list</u>	5	4	1	0	26.660 s

## Search functionality

<b>FAILED</b>	DURATION - 50.608 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 3 Fail - 1 Skip - 6	
/ 12:39:20.950 pm // 12:40:11.558 pm /					


## Search the buy car with model

<b>FAILED</b>	DURATION - 50.590 s		Steps Total - 10 Pass - 3 Fail - 1 Skip - 6	
/ 12:39:20.968 pm // 12:40:11.558 pm /				
Search functionality				
@smoke @regression @author_Amruta @sanity				



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.254 s
3	And I click Search Cars link	PASSED	17.932 s
4	Then I navigate to 'new and used car search' page io.cucumber.core.exception.CucumberException: Step [I navigate to {string} page] is defined with 0 parameters at 'com.au.carsguide.steps.BuySteps.iNavigateToNewAndUsedCarSearchPage()'. However, the gherkin step has 1 arguments: * 'new and used car search' Step text: I navigate to 'new and used car search' page at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
5	And I select make "Audi"	SKIPPED	0.000 s
6	And I select model "A1"	SKIPPED	0.000 s
7	And I select location "ACT -All"	SKIPPED	0.001 s
8	And I select price "\$25000"	SKIPPED	0.000 s
9	And I click on Find My Next Car tab	SKIPPED	0.001 s
10	Then I should see the make "Audi" in results	SKIPPED	0.000 s
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.684 s
	Search the buy car with model		





#	Step / Hook Details	Status	Duration
			

### Find the dealers and verify

<b>FAILED</b>	DURATION - 26.661 s	Scenarios		Steps	
/ 12:40:11.611 pm // 12:40:38.272 pm /		Total - 1		Total - 5	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

### Find the dealers and verify the dealers are in list

<b>FAILED</b>	DURATION - 26.660 s		Steps	
/ 12:40:11.612 pm // 12:40:38.272 pm /			Total - 5	
Find the dealers and verify			Pass - 4	
@smoke @regression @author_Amruta @sanity			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When I mouse hover on "buy+sell" tab	PASSED	0.001 s
3	And I click 'Find a Dealer'	PASSED	0.003 s
4	Then I navigate to 'car-dealers' page	PASSED	0.001 s
5	And I should see the dealer names <dealersName> are display on page	FAILED	0.016 s
	dealersName		
	3 Point Motors Epping		
	4WD Specialist Group		
	5 Star Auto		

#	Step / Hook Details	Status	Duration
	<div> <div>A &amp; M Car Sales Pty Ltd</div> <div>A1 MOTORS COMPANY</div> <div>ANDREA MOTORI SERVICE</div> <div>Oxford Motors</div> </div>		
	<p>io.cucumber.core.exception.CucumberException: Step [I should see the dealer names &lt;dealersName&gt; are display on page] is defined with 0 parameters at 'com.au.carsguide.steps.FindDealersSteps.iShouldSeeTheDealerNamesDealersNameAreDisplayOnPage()'. However, the gherkin step has 1 arguments: * Table:   dealersName     3 Point Motors Epping     4WD Specialist Group     5 Star Auto     A &amp; M Car Sales Pty Ltd     A1 MOTORS COMPANY     ANDREA MOTORI SERVICE     Oxford Motors  </p> <p>Step text: I should see the dealer names &lt;dealersName&gt; are display on page</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:848)</p> <p>at org.testng.TestRunner.run(TestRunner.java:621)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)</p>		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - com.au.carsguide.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.928 s
	Find the dealers and verify the dealers are in list		
	