

# Cucumber Report

19 Dec 2023, 16:22:25

Start : Dec 19, 4:21:24.897 pm

End : Dec 19, 4:22:21.507 pm

Duration : 56.610 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 4  
SKIPPED - 0


PASSED - 11  
FAILED - 4  
SKIPPED - 15




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Country dropdown</u>	15.629 s	1	0	1	0	3	2	1	0
<u>Visa Conformation steps</u>	40.895 s	3	0	3	0	27	9	3	15

#	Feature Name	Scenario Name
1	<u>Country dropdown</u>	<u>Verify the following country available in country dropdown list</u>
2	<u>Visa Conformation steps</u>	<u>An Australian Coming To UK For Tourism</u>
3		<u>A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months</u>
4		<u>A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@smoke	2	0	2	0	2	0	2	0
@regression	4	0	4	0	2	0	2	0
@author_Amruta	4	0	4	0	2	0	2	0
@sanity	3	0	3	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Country dropdown</u>	1	0	1	0	15.629 s
2	<u>Visa Conformation steps</u>	3	0	3	0	40.895 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Country dropdown</u>	<u>Verify the following country available in country dropdown list</u>	3	2	1	0	15.614 s
2	<u>Visa Conformation steps</u>	<u>An Australian Coming To UK For Tourism</u>	7	3	1	3	12.232 s
3		<u>A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months</u>	11	3	1	7	14.421 s
4		<u>A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card</u>	9	3	1	5	14.183 s

## Country dropdown

<b>FAILED</b>	DURATION - 15.629 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:21:24.897 pm // 4:21:40.526 pm /					


### Verify the following country available in country dropdown list

<div>FAILED</div> <div>DURATION - 15.614 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:21:24.912 pm // 4:21:40.526 pm /</div>				
<div>Country dropdown</div>				
<div>@smoke @regression @author_Amruta @sanity</div>				



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on start button	PASSED	1.869 s
3	Then I can see following country into dropdown	FAILED	0.031 s
	<div> <div>albania</div> <div>bhutan</div> <div>british-protected-person</div> <div>haiti</div> <div>kazakhstan</div> <div>mozambique</div> <div>norway</div> <div>portugal</div> <div>ruusia</div> <div>zambia</div> </div>		
	io.cucumber.core.exception.CucumberException: Could not convert arguments for step [I can see following country into dropdown] defined at 'gov.uk.check.visa.steps.CountryDropDwnSteps.iCanSeeFollowingCountryIntoDropdown(java.lang.String)'. at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotConvertArguments(PickleStepDefinitionMatch.java:112) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:56)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre> <p>Caused by: io.cucumber.datatable.CucumberDataTableException: Can't convert DataTable to java.lang.String. The table contained more than one item: [albania, bhutan, british-protected-person, haiti, kazakhstan, mozambique, norway, portugal, russia, zambia]</p>		





#	Step / Hook Details	Status	Duration
	at io.cucumber.datatable.CucumberDataTableException.cantConvertTo(CucumberDataTableException.java:22) at io.cucumber.datatable.DataTableTypeRegistryTableConverter.toSingleton(DataTableTypeRegistryTableConverter.java:124) at io.cucumber.datatable.DataTableTypeRegistryTableConverter.convert(DataTableTypeRegistryTableConverter.java:91) at io.cucumber.datatable.DataTable.convert(DataTable.java:478) at io.cucumber.core.stepexpression.StepExpressionFactory.lambda\$createExpression\$0(StepExpressionFactory.java:66) at io.cucumber.core.stepexpression.DataTableArgument.getValue(DataTableArgument.java:20) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:47)		
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.086 s
	Verify the following country available in country dropdown list		
			


## Visa Conformation steps

FAILED	DURATION - 40.895 s	Scenarios		Steps	
/ 4:21:40.612 pm // 4:22:21.507 pm /		Total - 3		Total - 27	
		Pass - 0		Pass - 9	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 15	



## An Australian Coming To UK For Tourism

FAILED	DURATION - 12.232 s		Steps	
/ 4:21:40.613 pm // 4:21:52.845 pm /			Total - 7	
Visa Conformation steps			Pass - 3	
@smoke @regression @author_Amruta @sanity			Fail - 1	
			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.003 s
2	When Click on start button	PASSED	0.671 s
3	Then Select a Nationality 'Australia'	PASSED	0.827 s
4	<p>And Click on Continue button</p> <p>io.cucumber.core.exception.CucumberException: Step [Click on Continue button] is defined with 1 parameters at 'gov.uk.check.visa.steps.VisaConformationSteps.clickOnContinueButton(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Click on Continue button</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)  at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)  at org.testng.TestRunner.privateRun(TestRunner.java:848)  at org.testng.TestRunner.run(TestRunner.java:621)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)  at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p>	FAILED	0.003 s


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
5	And Select reason 'Tourism'	SKIPPED	0.001 s
6	And Click on Continue button	SKIPPED	0.000 s
7	And verify result 'You will not need a visa to come to the UK'	SKIPPED	0.001 s
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.315 s
	An Australian Coming To UK For Tourism		
			

## A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months



FAILED		DURATION - 14.421 s			<div>Steps</div> <div>Total - 11</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 4:21:52.880 pm // 4:22:07.301 pm /						
Visa Conformation steps						
@regression @author_Amruta						

#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.000 s
2	When Click on start button	PASSED	0.904 s
3	Then Select a Nationality 'Chile'	PASSED	0.210 s
4	And Click on Continue button	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [Click on Continue button] is defined with 1 parameters at 'gov.uk.check.visa.steps.VisaConformationSteps.clickOnContinueButton(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Click on Continue		

#	Step / Hook Details	Status	Duration
	<p>button</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:848)</p> <p>at org.testng.TestRunner.run(TestRunner.java:621)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)</p> <p>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p> <p>at org.testng.TestNG.runSuites(TestNG.java:1114)</p> <p>at org.testng.TestNG.run(TestNG.java:1082)</p> <p>at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)</p>		

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
5	And Select reason 'Work, academic visit or business'	SKIPPED	0.000 s
6	And Click on Continue button	SKIPPED	0.000 s
7	And Select intended to stay for 'longer than 6 months'	SKIPPED	0.000 s
8	And Click on Continue button	SKIPPED	0.000 s
9	And Select have planning to work for 'Health and care professional'	SKIPPED	0.000 s
10	And Click on Continue button	SKIPPED	0.000 s
11	And verify result 'You need a visa to work in health and care'	SKIPPED	0.000 s
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.454 s
	A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months		
			

## A Columbian National Coming To The UK To Join A Partner For A Long Stay They Do Have An Article 10 Or 20 Card

FAILED	DURATION - 14.183 s		Steps Total - 9 Pass - 3 Fail - 1 Skip - 5	
/ 4:22:07.323 pm // 4:22:21.506 pm /				
Visa Conformation steps				
@regression @author_Amruta @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.001 s
2	When Click on start button	PASSED	0.943 s
3	Then Select a Nationality 'Colombia'	PASSED	0.437 s
4	And Click on Continue button	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Step [Click on Continue button] is defined with 1 parameters at 'gov.uk.check.visa.steps.VisaConformationSteps.clickOnContinueButton(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Click on Continue button at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		

#	Step / Hook Details	Status	Duration
5	And Select reason 'Join partner or family for a long stay'	SKIPPED	0.000 s
6	And Click on Continue button	SKIPPED	0.000 s
7	And Select state My partner or family member have uk immigration status 'yes'	SKIPPED	0.001 s
8	And Click on Continue button	SKIPPED	0.000 s
9	And verify result 'You'll need a visa to join your family or partner in the UK'	SKIPPED	0.000 s
	AFTER - gov.uk.check.visa.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.725 s
	A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card		
	