
Cucumber Report




| Feature | | Scenario | | | | Step | | | |
|--------------------------------------|--------------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| Laptops and Notebook page test cases | 50.827 s | 2 | 1 | 1 | 0 | 46 | 9 | 1 | 36 |
| Account Login Page | 2 m 46.473 s | 4 | 0 | 4 | 0 | 36 | 3 | 4 | 29 |
| Top Menu Functionality | 3 m 12.632 s | 3 | 1 | 2 | 0 | 12 | 9 | 2 | 1 |

FAIL & SKIP SCENARIOS -- 3 --


| # | Feature Name | Scenario Name |
|---|--------------------------------------|--|
| 1 | Laptops and Notebook page test cases | Verify that user place order successfully |
| 2 | Account Login Page | Verify user should navigate to Login Page successfully |
| 3 | | Verify user should navigate to Login Page successfully |
| 4 | | Verify That User Should Login And Logout Successfully |
| 5 | | User should register account successfully |
| 6 | Top Menu Functionality | Verify user should navigate to Laptops and Notebooks Page successfully |
| 7 | | Verify user should navigate to Components Page successfully |

| TAG | | Scei | nario | | Feature | | | |
|----------------|---|------|-------|---|---------|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @author-Amruta | 2 | 1 | 1 | 0 | 1 | 0 | 1 | 0 |
| @regression | 9 | 2 | 7 | 0 | 3 | 0 | 3 | 0 |
| @sanity | 3 | 2 | 1 | 0 | 3 | 0 | 3 | 0 |
| @Smoke | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Sanity | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @smoke | 4 | 1 | 3 | 0 | 2 | 0 | 2 | 0 |
| @author_Amruta | 7 | 1 | 6 | 0 | 2 | 0 | 2 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------------------|---|---|---|---|--------------|
| 1 | Laptops and Notebook page test cases | 2 | 1 | 1 | 0 | 50.827 s |
| 2 | Account Login Page | 4 | 0 | 4 | 0 | 2 m 46.473 s |
| 3 | Top Menu Functionality | 3 | 1 | 2 | 0 | 3 m 12.632 s |

SCENARIOS SUMMARY -- 6 -




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------------------|--|----|---|---|----|--------------|
| 1 | Laptops and Notebook page test cases | Verify that products price display High To Low successfully | 5 | 5 | 0 | 0 | 36.373 s |
| 2 | | Verify that user place order successfully | 41 | 4 | 1 | 36 | 14.397 s |
| 3 | Account Login Page | Verify user should navigate to Login Page successfully | 4 | 0 | 1 | 3 | 1 m 5.075 s |
| 4 | | Verify user should navigate to Login Page successfully | 4 | 3 | 1 | 0 | 1 m 12.326 s |
| 5 | | Verify That User Should Login And Logout Successfully | 11 | 0 | 1 | 10 | 14.102 s |
| 6 | | User should register account successfully | 17 | 0 | 1 | 16 | 14.942 s |
| 7 | Top Menu Functionality | Verify user should navigate to Desktops Page successfully | 4 | 4 | 0 | 0 | 38.659 s |
| 8 | _ | Verify user should navigate to Laptops and Notebooks Page successfully | 4 | 2 | 1 | 1 | 1 m 38.544 s |
| 9 | | Verify user should navigate to Components Page successfully | 4 | 3 | 1 | 0 | 55.413 s |

Laptops and Notebook page test cases




Verify that products price display High To Low successfully



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.000 s |
| 2 | And I hover on Laptops & Notebooks Tab and click | PASSED | 0.000 s |
| 3 | And I click on "Show All Laptops & Notebooks" | PASSED | 0.001 s |
| 4 | And I select Sort By "Price (High > Low)" | PASSED | 0.001 s |
| 5 | Then I can see the Product price will arrange in High to Low order. | PASSED | 0.001 s |

Verify that user place order successfully




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.001 s |
| 2 | And I hover on Laptops & Notebooks Tab and click | PASSED | 0.000 s |
| 3 | And I click on "Show All Laptops & Notebooks" | PASSED | 0.000 s |
| 4 | And I select Sort By "Price (High > Low)" | PASSED | 0.000 s |
| 5 | | FAILED | 0.002 s |
| | And I select Product 'MacBook' io.cucumber.core.exception.CucumberException: Step [I select Product {string}] is defined with 0 parameters at 'com.tutorialsninja.demo.steps. LeptopsAndNotebooksPage.iSelectProductMacBook()'. However, the gherkin step has 1 arguments: * 'MacBook' Step text: I select Product 'MacBook' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.PickleStep.exceuteStep.festStep.gava:84) at io.cucumber.core.runner.TestStep.exceuteStep.festStep.java:84) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runnime.CucumberExecutionContext.lambda\$runTestCase\$CucumberExecutionContext.java:137) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$CucumberExecutionContext.java:137) at io.cucumber.core.runtime.Runnimer.runScenario(TestNGCucumberExecutionContext.java:137) at io.cucumber.core.runtime.Runnimer.runScenario(TestNGCucumberExecutionContext.java:137) at io.cucumber.testing.AbstractTestNGCucumberTests.runScenario(TestNGCucumberExecutionContext.java:137) at io.cucumber.testing.AbstractTestNGCucumberTests.runScenario(TestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(PickleptingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.NativeMethodCifestInvoker.java:227) at org.testing.internal.invokers.TestInvo | FAILED | 0.002 s |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:848) | | |
| | at org.testng.TestRunner.run(TestRunner.java:621) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at org.testng.SuiteRunner.run(SuiteRunner.java:336) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1114) | | |
| | at org.testng.TestNG.run(TestNG.java:1082) | | |
| | at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) | | |
| | at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| 6 | Then I can see the text 'MacBook' | SKIPPED | 0.001 s |
| 7 | And I click on 'Add To Cart' button | SKIPPED | 0.000 s |
| 8 | Then I can see the message 'Success: You have added MacBook to your shopping cart!' | SKIPPED | 0.001 s |
| 9 | And I click on link 'shopping cart' displayed into success message | SKIPPED | 0.000 s |
| 10 | Then I can able to see the text "Shopping Cart" | SKIPPED | 0.000 s |
| 11 | Then I can able to see the Product name "MacBook" | SKIPPED | 0.001 s |
| 12 | And I change Quantity to 2 | SKIPPED | 0.000 s |
| 13 | And I click on 'Update' Tab | SKIPPED | 0.000 s |
| 14 | Then I can see the message 'Success: You have modified your shopping cart!' | SKIPPED | 0.001 s |
| 15 | Then I can see the Total £737.45 | SKIPPED | 0.000 s |
| 16 | And I click on 'Checkout' button | SKIPPED | 0.000 s |
| 17 | Then I can see the text 'Checkout' | SKIPPED | 0.001 s |
| 18 | Then I can see the Text 'New Customer' | SKIPPED | 0.000 s |
| 19 | And I click on 'Guest Checkout' radio button | SKIPPED | 0.000 s |
| 20 | And I click on 'Continue' tab | SKIPPED | 0.000 s |
| 21 | And I fill the mandatory fields | SKIPPED | 0.001 s |
| 22 | And I click on 'Continue' Button | SKIPPED | 0.000 s |
| 23 | And I add Comments About your order into text area | SKIPPED | 0.000 s |
| 24 | And I check the Terms & Conditions check box | SKIPPED | 0.000 s |
| 25 | And I click on 'Continue' button | SKIPPED | 0.000 s |
| 26 | Then I can see the message 'Warning: Payment method required!' | SKIPPED | 0.000 s |
| 27 | And I click on new customer continue button | SKIPPED | 0.000 s |
| 28 | And I enter first name "Abc" | SKIPPED | 0.000 s |
| 29 | And I enter last name "Xyz" | SKIPPED | 0.000 s |
| 30 | And I enter email "test123z@gmail.com" | SKIPPED | 0.000 s |

DETAILED SECTION -- 10 --


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 31 | And I enter phone no "0987654321" | SKIPPED | 0.001 s |
| 32 | And I enter Address "10 Downing Street" | SKIPPED | 0.000 s |
| 33 | And I enter city name "London" | SKIPPED | 0.000 s |
| 34 | And I enter postcode "EC1B 2JL" | SKIPPED | 0.000 s |
| 35 | And I select Country "United Kingdom" from drop down | SKIPPED | 0.001 s |
| 36 | And I select Region "Greater London" from drop down | SKIPPED | 0.000 s |
| 37 | And I click on the Continue as Guest button | SKIPPED | 0.000 s |
| 38 | And I add comments about the order "Thank You" | SKIPPED | 0.000 s |
| 39 | And I click on Terms and conditions check box | SKIPPED | 0.000 s |
| 40 | And I click on continue button to proceed to payment | SKIPPED | 0.000 s |
| 41 | Then I get payment warning message "Warning: Payment method required!" | SKIPPED | 0.000 s |
| | AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 1.905 s |
| | Verify that user place order successfully | | |
| | Qafox.com Simple found form of the state o | | |

Account Login Page



Verify user should navigate to Login Page successfully

DETAILED SECTION -- 11 --




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | When I click on my Account link | FAILED | 20.474 s |
| - | · | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/jak.internat.reflect.belegatingMethodAccessorimpi.invoke(belegatingMethodAccessorimpi.java.43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |

DETAILED SECTION -- 12 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.tutorialsninja.demo.utility.Utility.clickOnElement(Utility.java:52) at com.tutorialsninja.demo.pages.MyAccountPage.clickOnMyAccountLink(MyAccountPage.java:102) at com.tutorialsninja.demo.steps.MyAccountSteps.iClickOnMyAccountLink(MyAccountSteps.java:12) at ?.I click on my Account link(file:///C:/Users/JEET/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/myaccountstest.feature:9) * Not displayable characters are replaced by '?'. | | |
| 2 | And I select "Register" from my Account options | SKIPPED | 0.000 s |
| 3 | Then I am navigated to the Register page successfully | SKIPPED | 0.000 s |
| 4 | And I can verify the "Register Account" Text | SKIPPED | 0.000 s |
| | AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 1.198 s |
| | Verify user should navigate to Login Page successfully | | |
| | Cafox.com Was Many Many Many Was Was Was Many Many Many Many Many Many Many Many | | |

Verify user should navigate to Login Page successfully




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | When I click on my Account link | PASSED | 0.673 s |
| 2 | And I select "Login" from my Account options | PASSED | 0.625 s |
| 3 | Then I am navigated to the Login page successfully | PASSED | 0.000 s |
| 4 | And I can verify the "Returning Customer" Text | FAILED | 40.134 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h1[contains(text(),'Register Account')]"} (Session info: chrome=120.0.6099.110) For documentation on this | | |

DETAILED SECTION -- 13 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: | | |
| | '4.16.0', revision: '15400459dd*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org. | | |
| | openqa.selenium.chrome.ChromeDriver Command: [0ed46ddc24f21183036a1bcab4ef59b3, findElement {using=xpath, | | |
| | value=//h1[contains(text(),'Register Account')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: C:\Users\JEET\AppData\Local}, | | |
| | fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55608}, networkConnectionEnabled: false, pageLoadStrategy: | | |
| | normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55608/devtoo, se:cdpVersion: 120.0.6099.110, setWindowRect: true, | | |
| | strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, | | |
| | webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |
| | webauthn:virtualAuthenticators: true} Session ID: 0ed46ddc24f21183036a1bcab4ef59b3 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) | | |
| | at com.tutorialsninja.demo.utility.Utility.getTextFromElement(Utility.java:63) | | |
| | at com.tutorialsninja.demo.pages.MyAccountPage.verifyTextRegisterAccount(MyAccountPage.java:108) | | |
| | at com.tutorialsninja.demo.steps.MyAccountSteps.iCanVerifyTheText(MyAccountSteps.java:27) | | |
| | at ?.I can verify the "Returning Customer" Text(file:///C:/Users/JEET/IdeaProjects/tutorialsninja-sw-6/src/test/resources/features/ | | |
| | myaccountstest.feature:19) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.849 s |
| | Verify user should navigate to Login Page successfully | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | Qafax.com Qafax.com A second of the seco | | |


Verify That User Should Login And Logout Successfully



| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 1 | When I click on my account link | FAILED | 0.000 s |
| | Step undefined | | |
| 2 | And I select "Login" option from my account options | SKIPPED | 0.001 s |
| 3 | And I enter email "tester123@gmail.com" | SKIPPED | 0.000 s |
| 4 | And I enter password "prime123" | SKIPPED | 0.000 s |
| 5 | Then I should login successfully | SKIPPED | 0.000 s |
| 6 | And Verify text "My Account" on the page | SKIPPED | 0.000 s |
| 7 | And I click on my account link | SKIPPED | 0.001 s |
| 8 | And I select "Logout" option from my account options | SKIPPED | 0.000 s |
| 9 | And I am able to see the "Account Logout" text on the page | SKIPPED | 0.000 s |
| 10 | Then I should logout successfully | SKIPPED | 0.000 s |
| 11 | And I click on continue button to navigate to Homepage | SKIPPED | 0.000 s |


User should register account successfully

DETAILED SECTION -- 15 --




| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 1 | When I click on my account link | FAILED | 0.001 s |
| | Step undefined | | |
| 2 | And I select "Register" option from my account options | SKIPPED | 0.001 s |
| 3 | And I enter first name "prime" | SKIPPED | 0.000 s |
| 4 | And I enter last name "tester" | SKIPPED | 0.000 s |
| 5 | And I enter email address "tester123@gmail.com" | SKIPPED | 0.000 s |
| 6 | And I enter Telephone number "07458547425" | SKIPPED | 0.000 s |
| 7 | And I enter password "prime123" | SKIPPED | 0.001 s |
| 8 | And I enter confirm password "prime123" | SKIPPED | 0.000 s |
| 9 | And I select "Yes" radio button to subscribe | SKIPPED | 0.000 s |
| 10 | And I click on the privacy policy checkbox | SKIPPED | 0.000 s |
| 11 | And I click on continue button of registration page | SKIPPED | 0.000 s |
| 12 | Then I should see account successfully created message "Your Account Has Been Created!" | SKIPPED | 0.000 s |
| 13 | And I click on continue button | SKIPPED | 0.000 s |
| 14 | And I click on my account link | SKIPPED | 0.000 s |
| 15 | And I select "Logout" option from my account options | SKIPPED | 0.000 s |
| 16 | Then I should logout successfully | SKIPPED | 0.000 s |
| 17 | And I click on continue button | SKIPPED | 0.000 s |

Top Menu Functionality




Verify user should navigate to Desktops Page successfully



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.000 s |
| 2 | When I mouse hover on Desktops tab and click on it | PASSED | 1.880 s |
| 3 | And I select Show All Desktops from Drop down | PASSED | 19.375 s |
| 4 | Then I can see the text "Desktops" desktop | PASSED | 0.066 s |

Verify user should navigate to Laptops and Notebooks Page successfully



| # | Step / Hook Details | Status | Duration |
|---|----------------------------|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.000 s |


DETAILED SECTION -- 17 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 2 | When I mouse hover on Laptops and Notebooks tab and click on it | PASSED | 5.179 s |
| 3 | And I select Show All Laptops and Notebooks from Drop down | FAILED | 0.003 s |
| | java.lang.ExceptionInInitializerError | | |
| | at com.tutorialsninja.demo.steps.TopMenuSteps.iSelectShowAllLaptopsAndNotebooksFromDropDown(TopMenuSteps.java:38) | | |
| | at ?.I select Show All Laptops and Notebooks from Drop down(file:///C:/Users/JEET/IdeaProjects/tutorialsninja-sw-6/src/test/resources/ | | |
| | features/topmenutest.feature:16) | | |
| | Caused by: java.lang.ClassCastException: class org.apache.logging.log4j.core.Logger cannot be cast to class org.apache.log4j.Logger (org. | | |
| | apache.logging.log4j.core.Logger and org.apache.log4j.Logger are in unnamed module of loader 'app') | | |
| | at com.tutorialsninja.demo.pages.LeptopsAndNotebooksPage. <clinit>(LeptopsAndNotebooksPage.java:11)</clinit> | | |
| | at com.tutorialsninja.demo.steps.TopMenuSteps.iSelectShowAllLaptopsAndNotebooksFromDropDown(TopMenuSteps.java:38) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |

DETAILED SECTION -- 18 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| # | Step / Hook Details at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:392) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuiteSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) | Status | Duration |
| | at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 4 | Then I can see the text "Laptops & Notebooks" laptop and notebook | SKIPPED | 0.000 s |
| | AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 51.136 s |
| | Verify user should navigate to Laptops and Notebooks Page successfully | | |

Verify user should navigate to Components Page successfully



DETAILED SECTION -- 19 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on the homepage | PASSED | 0.000 s |
| 2 | When I mouse hover on Components tab and click on it | PASSED | 0.181 s |
| 3 | And I select Show All Components from Drop down | PASSED | 0.000 s |
| 4 | Then I can see the text "Components" components | FAILED | 40.068 s |
| | org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath";"selector:"//h2[contains(text(), Components")]". (Session into: chrome=120.6099.110) For documentation on this error, please visit: https://www.selenium.devfocumentation/webdrive/troubleshooting/errors/mo-such-element-exception Build info: version: '4.16.0/, revision: '15400459dd" System info: os.name: "Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openga. selenium.chrome Chromedriver Command: [2612/2618279930e2/e7e5b0510de954, findElement (using=xpath, value=//m2[contains(text(), Components)]]] Capabilities (acceptinsecureCerts: false, browserName: home, browserVersion: 120.0.6099.110, chrome: (chromedriverVersion: 120.0.6099.103) (241914dab66, userDataDir: C:UsersUEET/AppDataLl.ccal), fedem.accounts: true, opog:/chromedroptions: (debuggerAddress: localhost:55866/devtoo, secdpVersion: 120.0.6099.110, setWindowReta_edodStrategy: normal, platformName: windows, proxy: Proxy(), secdp: ws://localhost:55866/devtoo, secdpVersion: 120.0.6099.110, setWindowReta: true, strictFielniteractability: false, timeouts: (implicit: 0, pageLoad: 300000, sorpic: 30000), unhandledPromptSelandor: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:extensi | | |

DETAILED SECTION -- 20 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | AFTER - com.tutorialsninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.820 s |
| | Verify user should navigate to Components Page successfully | | |
| | Quint com | | |