

四川大学期末考试试题（闭卷）

（2018--2019 学年第 1 学期）

A 卷

课程号： 311077030、314056030 课程名称： 计算机组成和体系结构 任课教师： _____

适用专业年级： 软件工程 2017 级、网络安全 2017 级 学号： _____ 姓名： _____

考生承诺

我已认真阅读并知晓《四川大学考场规则》和《四川大学本科学生考试违纪作弊处分规定（修订）》，郑重承诺：

- 1、已按要求将考试禁止携带的文具用品或与考试有关的物品放置在指定地点；
- 2、不带手机进入考场；
- 3、考试期间遵守以上两项规定，若有违规行为，同意按照有关条款接受处理。

考生签名： _____

题 号	一(30%)	二(10%)	三(36%)	四(24%)
得 分				
卷面总分		阅卷时间		

注意事项： 1. 请务必将本人所在学院、姓名、学号、任课教师姓名等信息准确填写在试题纸和添卷纸上；

2. 请将答案全部填写在本试题纸上；

3. 考试结束，请将试题纸、添卷纸和草稿纸一并交给监考老师。

.....

评阅教师	得分

一、填空题（本大题共 15 空，每空 2 分，共 30 分）。

1. The main functions of the CPU is _____.
2. (共 4 分) For a memory space which has $4M \times 32$ bits, _____ bits of the address should be if the memory is byte-addressable, _____ bits of the address if it is word-addressable.
3. (共 6 分) There are three basic forms of locality in memory access, they are _____, _____ and _____.
4. (共 4 分) Given a memory of 8M bytes consisting of several $128K \times 8$ RAM chips, and assuming byte-addressable memory, the correct way is using _____ bits for chip select and _____ bits for address on chip.
5. What unit is typically used to measure the speed of a computer clock _____.
6. Virtual memory can be implemented with different techniques, including: _____, _____, _____.
7. List the three fields in a set associative cache address _____, _____, _____.

评阅教师	得分

二、判断题（本大题共 5 小题，每小题 2 分，共 10 分）

提示：正确打✓，错误打✗，将其结果填写在下表中。

1	2	3	4	5

1. (共 2 分) The Principle of Equivalence of Hardware and Software says that hardware and software are basically equivalent, and implementations done via either method will run at the same speeds.
2. (共 2 分) Amdahl's Law states that the performance enhancement possible with a given improvement is limited by the amount that the improved feature is used.
3. (共 2 分) A branch instruction changes the flow of information by changing the PC.
4. (共 2 分) MARIE has a common bus scheme, which means a number of entities share the bus..
5. (共 2 分) A fixed length instruction must have a fixed length opcode.

评阅教师	得分

三、问答题（本大题共 6 小题，共 46 分）。

1. (共 4 分) Write down the characteristics present in a von Neumann architecture.
2. (共 4 分) What is an address mode? List five types of address mode.

3. (共 4 分) What are the advantages and disadvantages of fixed-length and variable-length instructions? Which is currently more popular?
4. (1) (4 分) Explain how programmed I/O is different from interrupt-driven I/O.
(2) (2 分) How does direct memory access (DMA) work?
5. (共 4 分) Discuss the advantages and disadvantages of dynamic linking.

6. （共 4 分） Explain the functions of the following codes . (4 分)

Address	Instruction	Comments
100	Load	Addr
101	Store	Next
102	Load	Num
103	Subt	One
104	Store	Ctr
105	Clear	
Loop, 106	Load	Sum
107	AddI	Next
108	Store	Sum
109	Load	Next
10A	Add	One
10B	Store	Next
10C	Load	Ctr
10D	Subt	One
10E	Store	Ctr
10F	Skipcond	00 /If control variable < 0, skip next instruction
110	Jump	Loop
111	Halt	
Addr, 112	Hex	118
Next, 113	Hex	0
Num, 114	Dec	7
Sum, 115	Dec	0
Ctr, 116	Hex	0
One, 117	Dec	1
118	Dec	12
119	Dec	15
11A	Dec	10
11B	Dec	18
11C	Dec	25
11D	Dec	13
11E	Dec	20

7. (共6分) Convert the following expressions from infix to reverse Polish (postfix) notation.

- a) $X \times Y + W \times Z + V \times U$
 b) $W \times X + W \times (U \times V + Z)$
 c) $(W \times (X + Y \times (U \times V))) / (U \times (X + Y))$

8. (共4分) Suppose we have the instruction Load 500. Given that memory and register R1 contain the values below:

Memory		
500	700	R1 400
700		
900	1200	
1100		
1300	1300	
	500	
	900	

Assuming R1 is implied in the indexed addressing mode, determine the actual value loaded into the accumulator and fill in the table below:

Mode	Value Loaded into AC
Immediate	
Direct	
Indirect	
Indexed	

评阅教师	得分

四、计算题（本大题共 2 小题，共 24 分）。

1. （共14分） Suppose that a $4M * 16$ main memory is built using $256KB * 8$ RAM chips and memory is word-addressable.
 - a) How many RAM chips are necessary?
 - b) How many RAM chips are there per memory word?
 - c) How many address bits are needed for each RAM chip?
 - d) How many banks will this memory have?
 - e) How many address bits are needed for all of memory?
 - f) If high-order interleaving is used, where would address 63_{10} be located?
 - g) Repeat Exercise for low-order interleaving.

2. （共10分） A 2-way set associative cache consists of four sets. Main memory contains 4K blocks of eight words each.
 - a) Show the main memory address format that allows us to map addresses from main memory to cache. Be sure to include the fields as well as their sizes.
 - b) Compute the hit ratio for a program that loops 4 times from locations 11 to 69 in main memory.