

```
INSERT INTO employees VALUES
( 100
, 'Steven'
, 'King'
, 'SKING'
, '515.123.4567'
, TO_DATE('17-JUN-1987', 'dd-MON-yyyy')
, 'AD_PRES'
, 24000
, NULL
, NULL
, 90
);
```

```
INSERT INTO employees VALUES
( 101
, 'Neena'
, 'Kochhar'
, 'NKOCHHAR'
, '515.123.4568'
, TO_DATE('21-SEP-1989', 'dd-MON-yyyy')
, 'AD_VP'
, 17000
, NULL
, 100
, 90
);
```

```
INSERT INTO employees VALUES
( 102
, 'Lex'
, 'De Haan'
, 'LDEHAAN'
```

```
, '515.123.4569'  
, TO_DATE('13-JAN-1993', 'dd-MON-yyyy')  
, 'AD_VP'  
, 17000  
, NULL  
, 100  
, 90  
);
```

INSERT INTO employees VALUES

```
( 103  
, 'Alexander'  
, 'Hunold'  
, 'AHUNOLD'  
, '590.423.4567'  
, TO_DATE('03-JAN-1990', 'dd-MON-yyyy')  
, 'IT_PROG'  
, 9000  
, NULL  
, 102  
, 60  
);
```

INSERT INTO employees VALUES

```
( 104  
, 'Bruce'  
, 'Ernst'  
, 'BERNST'  
, '590.423.4568'  
, TO_DATE('21-MAY-1991', 'dd-MON-yyyy')  
, 'IT_PROG'  
, 6000  
, NULL  
, 103
```

```
, 60  
);
```

```
INSERT INTO employees VALUES  
  ( 105  
    , 'David'  
    , 'Austin'  
    , 'DAUSTIN'  
    , '590.423.4569'  
    , TO_DATE('25-JUN-1997', 'dd-MON-yyyy')  
    , 'IT_PROG'  
    , 4800  
    , NULL  
    , 103  
    , 60  
  );
```

```
INSERT INTO employees VALUES  
  ( 106  
    , 'Valli'  
    , 'Pataballa'  
    , 'VPATABAL'  
    , '590.423.4560'  
    , TO_DATE('05-FEB-1998', 'dd-MON-yyyy')  
    , 'IT_PROG'  
    , 4800  
    , NULL  
    , 103  
    , 60  
  );
```

```
INSERT INTO employees VALUES  
  ( 107  
    , 'Diana'
```

```
, 'Lorentz'  
, 'DLORENTZ'  
, '590.423.5567'  
, TO_DATE('07-FEB-1999', 'dd-MON-yyyy')  
, 'IT_PROG'  
, 4200  
, NULL  
, 103  
, 60  
);
```

INSERT INTO employees VALUES

```
( 108  
, 'Nancy'  
, 'Greenberg'  
, 'NGREENBE'  
, '515.124.4569'  
, TO_DATE('17-AUG-1994', 'dd-MON-yyyy')  
, 'FI_MGR'  
, 12000  
, NULL  
, 101  
, 100  
);
```

INSERT INTO employees VALUES

```
( 109  
, 'Daniel'  
, 'Faviet'  
, 'DFAVIET'  
, '515.124.4169'  
, TO_DATE('16-AUG-1994', 'dd-MON-yyyy')  
, 'FI_ACCOUNT'  
, 9000
```

```
, NULL  
, 108  
, 100  
);
```

INSERT INTO employees VALUES

```
( 110  
, 'John'  
, 'Chen'  
, 'JCHEN'  
, '515.124.4269'  
, TO_DATE('28-SEP-1997', 'dd-MON-yyyy')  
, 'FI_ACCOUNT'  
, 8200  
, NULL  
, 108  
, 100  
);
```

INSERT INTO employees VALUES

```
( 111  
, 'Ismael'  
, 'Sciarra'  
, 'ISCIARRA'  
, '515.124.4369'  
, TO_DATE('30-SEP-1997', 'dd-MON-yyyy')  
, 'FI_ACCOUNT'  
, 7700  
, NULL  
, 108  
, 100  
);
```

INSERT INTO employees VALUES

```
( 112
, 'Jose Manuel'
, 'Urman'
, 'JMURMAN'
, '515.124.4469'
, TO_DATE('07-MAR-1998', 'dd-MON-yyyy')
, 'FI_ACCOUNT'
, 7800
, NULL
, 108
, 100
);
```

INSERT INTO employees VALUES

```
( 113
, 'Luis'
, 'Popp'
, 'LPOPP'
, '515.124.4567'
, TO_DATE('07-DEC-1999', 'dd-MON-yyyy')
, 'FI_ACCOUNT'
, 6900
, NULL
, 108
, 100
);
```

INSERT INTO employees VALUES

```
( 114
, 'Den'
, 'Raphaely'
, 'DRAPHEAL'
, '515.127.4561'
, TO_DATE('07-DEC-1994', 'dd-MON-yyyy')
```

```
, 'PU_MAN'  
, 11000  
, NULL  
, 100  
, 30  
);
```

INSERT INTO employees VALUES

```
( 115  
, 'Alexander'  
, 'Khoo'  
, 'AKHOO'  
, '515.127.4562'  
, TO_DATE('18-MAY-1995', 'dd-MON-yyyy')  
, 'PU_CLERK'  
, 3100  
, NULL  
, 114  
, 30  
);
```

INSERT INTO employees VALUES

```
( 116  
, 'Shelli'  
, 'Baida'  
, 'SBaida'  
, '515.127.4563'  
, TO_DATE('24-DEC-1997', 'dd-MON-yyyy')  
, 'PU_CLERK'  
, 2900  
, NULL  
, 114  
, 30  
);
```

```
INSERT INTO employees VALUES
( 117
, 'Sigal'
, 'Tobias'
, 'STOBIAS'
, '515.127.4564'
, TO_DATE('24-JUL-1997', 'dd-MON-yyyy')
, 'PU_CLERK'
, 2800
, NULL
, 114
, 30
);
```

```
INSERT INTO employees VALUES
( 118
, 'Guy'
, 'Himuro'
, 'GHIMURO'
, '515.127.4565'
, TO_DATE('15-NOV-1998', 'dd-MON-yyyy')
, 'PU_CLERK'
, 2600
, NULL
, 114
, 30
);
```

```
INSERT INTO employees VALUES
( 119
, 'Karen'
, 'Colmenares'
, 'KCOLMENA'
```

```
, '515.127.4566'  
, TO_DATE('10-AUG-1999', 'dd-MON-yyyy')  
, 'PU_CLERK'  
, 2500  
, NULL  
, 114  
, 30  
);
```

INSERT INTO employees VALUES

```
( 120  
, 'Matthew'  
, 'Weiss'  
, 'MWEISS'  
, '650.123.1234'  
, TO_DATE('18-JUL-1996', 'dd-MON-yyyy')  
, 'ST_MAN'  
, 8000  
, NULL  
, 100  
, 50  
);
```

INSERT INTO employees VALUES

```
( 121  
, 'Adam'  
, 'Fripp'  
, 'AFRIPP'  
, '650.123.2234'  
, TO_DATE('10-APR-1997', 'dd-MON-yyyy')  
, 'ST_MAN'  
, 8200  
, NULL  
, 100
```

```
, 50  
);
```

```
INSERT INTO employees VALUES  
  ( 122  
    , 'Payam'  
    , 'Kaufling'  
    , 'PKAUFLIN'  
    , '650.123.3234'  
    , TO_DATE('01-MAY-1995', 'dd-MON-yyyy')  
    , 'ST_MAN'  
    , 7900  
    , NULL  
    , 100  
    , 50  
  );
```

```
INSERT INTO employees VALUES  
  ( 123  
    , 'Shanta'  
    , 'Vollman'  
    , 'SVOLLMAN'  
    , '650.123.4234'  
    , TO_DATE('10-OCT-1997', 'dd-MON-yyyy')  
    , 'ST_MAN'  
    , 6500  
    , NULL  
    , 100  
    , 50  
  );
```

```
INSERT INTO employees VALUES  
  ( 124  
    , 'Kevin'
```

```
, 'Mourgos'  
, 'KMOURGOS'  
, '650.123.5234'  
, TO_DATE('16-NOV-1999', 'dd-MON-yyyy')  
, 'ST_MAN'  
, 5800  
, NULL  
, 100  
, 50  
);
```

INSERT INTO employees VALUES

```
( 125  
, 'Julia'  
, 'Nayer'  
, 'JNAYER'  
, '650.124.1214'  
, TO_DATE('16-JUL-1997', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 3200  
, NULL  
, 120  
, 50  
);
```

INSERT INTO employees VALUES

```
( 126  
, 'Irene'  
, 'Mikkilineni'  
, 'IMIKKILI'  
, '650.124.1224'  
, TO_DATE('28-SEP-1998', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 2700
```

```
, NULL  
, 120  
, 50  
);
```

INSERT INTO employees VALUES

```
( 127  
, 'James'  
, 'Landry'  
, 'JLANDRY'  
, '650.124.1334'  
, TO_DATE('14-JAN-1999', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 2400  
, NULL  
, 120  
, 50  
);
```

INSERT INTO employees VALUES

```
( 128  
, 'Steven'  
, 'Markle'  
, 'SMARKLE'  
, '650.124.1434'  
, TO_DATE('08-MAR-2000', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 2200  
, NULL  
, 120  
, 50  
);
```

INSERT INTO employees VALUES

```
( 129
, 'Laura'
, 'Bissot'
, 'LBISSOT'
, '650.124.5234'
, TO_DATE('20-AUG-1997', 'dd-MON-yyyy')
, 'ST_CLERK'
, 3300
, NULL
, 121
, 50
);
```

INSERT INTO employees VALUES

```
( 130
, 'Mozhe'
, 'Atkinson'
, 'MATKINSO'
, '650.124.6234'
, TO_DATE('30-OCT-1997', 'dd-MON-yyyy')
, 'ST_CLERK'
, 2800
, NULL
, 121
, 50
);
```

INSERT INTO employees VALUES

```
( 131
, 'James'
, 'Marlow'
, 'JAMRLOW'
, '650.124.7234'
, TO_DATE('16-FEB-1997', 'dd-MON-yyyy')
```

```
, 'ST_CLERK'  
, 2500  
, NULL  
, 121  
, 50  
);
```

INSERT INTO employees VALUES

```
( 132  
, 'TJ'  
, 'Olson'  
, 'TJOLSON'  
, '650.124.8234'  
, TO_DATE('10-APR-1999', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 2100  
, NULL  
, 121  
, 50  
);
```

INSERT INTO employees VALUES

```
( 133  
, 'Jason'  
, 'Mallin'  
, 'JMALLIN'  
, '650.127.1934'  
, TO_DATE('14-JUN-1996', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 3300  
, NULL  
, 122  
, 50  
);
```

```
INSERT INTO employees VALUES
( 134
, 'Michael'
, 'Rogers'
, 'MROGERS'
, '650.127.1834'
, TO_DATE('26-AUG-1998', 'dd-MON-yyyy')
, 'ST_CLERK'
, 2900
, NULL
, 122
, 50
);
```

```
INSERT INTO employees VALUES
( 135
, 'Ki'
, 'Gee'
, 'KGEE'
, '650.127.1734'
, TO_DATE('12-DEC-1999', 'dd-MON-yyyy')
, 'ST_CLERK'
, 2400
, NULL
, 122
, 50
);
```

```
INSERT INTO employees VALUES
( 136
, 'Hazel'
, 'Philtanker'
, 'HPHILTAN'
```

```
, '650.127.1634'  
, TO_DATE('06-FEB-2000', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 2200  
, NULL  
, 122  
, 50  
);
```

INSERT INTO employees VALUES

```
( 137  
, 'Renske'  
, 'Ladwig'  
, 'RLADWIG'  
, '650.121.1234'  
, TO_DATE('14-JUL-1995', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 3600  
, NULL  
, 123  
, 50  
);
```

INSERT INTO employees VALUES

```
( 138  
, 'Stephen'  
, 'Stiles'  
, 'SSTILES'  
, '650.121.2034'  
, TO_DATE('26-OCT-1997', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 3200  
, NULL  
, 123
```

```
, 50  
);
```

```
INSERT INTO employees VALUES  
  ( 139  
    , 'John'  
    , 'Seo'  
    , 'JSEO'  
    , '650.121.2019'  
    , TO_DATE('12-FEB-1998', 'dd-MON-yyyy')  
    , 'ST_CLERK'  
    , 2700  
    , NULL  
    , 123  
    , 50  
  );
```

```
INSERT INTO employees VALUES  
  ( 140  
    , 'Joshua'  
    , 'Patel'  
    , 'JPATEL'  
    , '650.121.1834'  
    , TO_DATE('06-APR-1998', 'dd-MON-yyyy')  
    , 'ST_CLERK'  
    , 2500  
    , NULL  
    , 123  
    , 50  
  );
```

```
INSERT INTO employees VALUES  
  ( 141  
    , 'Trenna'
```

```
, 'Rajs'  
, 'TRAJS'  
, '650.121.8009'  
, TO_DATE('17-OCT-1995', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 3500  
, NULL  
, 124  
, 50  
);
```

INSERT INTO employees VALUES

```
( 142  
, 'Curtis'  
, 'Davies'  
, 'CDAVIES'  
, '650.121.2994'  
, TO_DATE('29-JAN-1997', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 3100  
, NULL  
, 124  
, 50  
);
```

INSERT INTO employees VALUES

```
( 143  
, 'Randall'  
, 'Matos'  
, 'RMATOS'  
, '650.121.2874'  
, TO_DATE('15-MAR-1998', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 2600
```

```
, NULL  
, 124  
, 50  
);
```

INSERT INTO employees VALUES

```
( 144  
, 'Peter'  
, 'Vargas'  
, 'PVARGAS'  
, '650.121.2004'  
, TO_DATE('09-JUL-1998', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 2500  
, NULL  
, 124  
, 50  
);
```

INSERT INTO employees VALUES

```
( 145  
, 'John'  
, 'Russell'  
, 'JRUSSEL'  
, '011.44.1344.429268'  
, TO_DATE('01-OCT-1996', 'dd-MON-yyyy')  
, 'SA_MAN'  
, 14000  
, .4  
, 100  
, 80  
);
```

INSERT INTO employees VALUES

```
( 146
, 'Karen'
, 'Partners'
, 'KPARTNER'
, '011.44.1344.467268'
, TO_DATE('05-JAN-1997', 'dd-MON-yyyy')
, 'SA_MAN'
, 13500
, .3
, 100
, 80
);
```

INSERT INTO employees VALUES

```
( 147
, 'Alberto'
, 'Errazuriz'
, 'AERRAZUR'
, '011.44.1344.429278'
, TO_DATE('10-MAR-1997', 'dd-MON-yyyy')
, 'SA_MAN'
, 12000
, .3
, 100
, 80
);
```

INSERT INTO employees VALUES

```
( 148
, 'Gerald'
, 'Cambraut'
, 'GCAMBRAU'
, '011.44.1344.619268'
, TO_DATE('15-OCT-1999', 'dd-MON-yyyy')
```

```
, 'SA_MAN'  
, 11000  
, .3  
, 100  
, 80  
);
```

INSERT INTO employees VALUES

```
( 149  
, 'Eleni'  
, 'Zlotkey'  
, 'EZLOTKEY'  
, '011.44.1344.429018'  
, TO_DATE('29-JAN-2000', 'dd-MON-yyyy')  
, 'SA_MAN'  
, 10500  
, .2  
, 100  
, 80  
);
```

INSERT INTO employees VALUES

```
( 150  
, 'Peter'  
, 'Tucker'  
, 'PTUCKER'  
, '011.44.1344.129268'  
, TO_DATE('30-JAN-1997', 'dd-MON-yyyy')  
, 'SA_REP'  
, 10000  
, .3  
, 145  
, 80  
);
```

```
INSERT INTO employees VALUES
( 151
, 'David'
, 'Bernstein'
, 'DBERNSTE'
, '011.44.1344.345268'
, TO_DATE('24-MAR-1997', 'dd-MON-yyyy')
, 'SA_REP'
, 9500
, .25
, 145
, 80
);
```

```
INSERT INTO employees VALUES
( 152
, 'Peter'
, 'Hall'
, 'PHALL'
, '011.44.1344.478968'
, TO_DATE('20-AUG-1997', 'dd-MON-yyyy')
, 'SA_REP'
, 9000
, .25
, 145
, 80
);
```

```
INSERT INTO employees VALUES
( 153
, 'Christopher'
, 'Olsen'
, 'COLSEN'
```

```
, '011.44.1344.498718'  
, TO_DATE('30-MAR-1998', 'dd-MON-yyyy')  
, 'SA_REP'  
, 8000  
, .2  
, 145  
, 80  
);
```

INSERT INTO employees VALUES

```
( 154  
, 'Nanette'  
, 'Cambrault'  
, 'NCAMBRAU'  
, '011.44.1344.987668'  
, TO_DATE('09-DEC-1998', 'dd-MON-yyyy')  
, 'SA_REP'  
, 7500  
, .2  
, 145  
, 80  
);
```

INSERT INTO employees VALUES

```
( 155  
, 'Oliver'  
, 'Tuvault'  
, 'OTUVAULT'  
, '011.44.1344.486508'  
, TO_DATE('23-NOV-1999', 'dd-MON-yyyy')  
, 'SA_REP'  
, 7000  
, .15  
, 145
```

```
, 80  
);
```

```
INSERT INTO employees VALUES  
  ( 156  
    , 'Janette'  
    , 'King'  
    , 'JKING'  
    , '011.44.1345.429268'  
    , TO_DATE('30-JAN-1996', 'dd-MON-yyyy')  
    , 'SA_REP'  
    , 10000  
    , .35  
    , 146  
    , 80  
  );
```

```
INSERT INTO employees VALUES  
  ( 157  
    , 'Patrick'  
    , 'Sully'  
    , 'PSULLY'  
    , '011.44.1345.929268'  
    , TO_DATE('04-MAR-1996', 'dd-MON-yyyy')  
    , 'SA_REP'  
    , 9500  
    , .35  
    , 146  
    , 80  
  );
```

```
INSERT INTO employees VALUES  
  ( 158  
    , 'Allan'
```

```
, 'McEwen'  
, 'AMCEWEN'  
, '011.44.1345.829268'  
, TO_DATE('01-AUG-1996', 'dd-MON-yyyy')  
, 'SA_REP'  
, 9000  
, .35  
, 146  
, 80  
);
```

INSERT INTO employees VALUES

```
( 159  
, 'Lindsey'  
, 'Smith'  
, 'LSMITH'  
, '011.44.1345.729268'  
, TO_DATE('10-MAR-1997', 'dd-MON-yyyy')  
, 'SA_REP'  
, 8000  
, .3  
, 146  
, 80  
);
```

INSERT INTO employees VALUES

```
( 160  
, 'Louise'  
, 'Doran'  
, 'LDORAN'  
, '011.44.1345.629268'  
, TO_DATE('15-DEC-1997', 'dd-MON-yyyy')  
, 'SA_REP'  
, 7500
```

```
, .3  
, 146  
, 80  
);
```

```
INSERT INTO employees VALUES  
  ( 161  
    , 'Sarath'  
    , 'Sewall'  
    , 'SSEWALL'  
    , '011.44.1345.529268'  
    , TO_DATE('03-NOV-1998', 'dd-MON-yyyy')  
    , 'SA_REP'  
    , 7000  
    , .25  
    , 146  
    , 80  
  );
```

```
INSERT INTO employees VALUES  
  ( 162  
    , 'Clara'  
    , 'Vishney'  
    , 'CVISHNEY'  
    , '011.44.1346.129268'  
    , TO_DATE('11-NOV-1997', 'dd-MON-yyyy')  
    , 'SA_REP'  
    , 10500  
    , .25  
    , 147  
    , 80  
  );
```

```
INSERT INTO employees VALUES
```

```
( 163
, 'Danielle'
, 'Greene'
, 'DGREENE'
, '011.44.1346.229268'
, TO_DATE('19-MAR-1999', 'dd-MON-yyyy')
, 'SA_REP'
, 9500
, .15
, 147
, 80
);
```

INSERT INTO employees VALUES

```
( 164
, 'Mattea'
, 'Marvins'
, 'MMARVINS'
, '011.44.1346.329268'
, TO_DATE('24-JAN-2000', 'dd-MON-yyyy')
, 'SA_REP'
, 7200
, .10
, 147
, 80
);
```

INSERT INTO employees VALUES

```
( 165
, 'David'
, 'Lee'
, 'DLEE'
, '011.44.1346.529268'
, TO_DATE('23-FEB-2000', 'dd-MON-yyyy')
```

```
, 'SA_REP'  
, 6800  
, .1  
, 147  
, 80  
);
```

INSERT INTO employees VALUES

```
( 166  
, 'Sundar'  
, 'Ande'  
, 'SANDE'  
, '011.44.1346.629268'  
, TO_DATE('24-MAR-2000', 'dd-MON-yyyy')  
, 'SA_REP'  
, 6400  
, .10  
, 147  
, 80  
);
```

INSERT INTO employees VALUES

```
( 167  
, 'Amit'  
, 'Banda'  
, 'ABANDA'  
, '011.44.1346.729268'  
, TO_DATE('21-APR-2000', 'dd-MON-yyyy')  
, 'SA_REP'  
, 6200  
, .10  
, 147  
, 80  
);
```

```
INSERT INTO employees VALUES
( 168
, 'Lisa'
, 'Ozer'
, 'LOZER'
, '011.44.1343.929268'
, TO_DATE('11-MAR-1997', 'dd-MON-yyyy')
, 'SA_REP'
, 11500
, .25
, 148
, 80
);
```

```
INSERT INTO employees VALUES
( 169
, 'Harrison'
, 'Bloom'
, 'HBLOOM'
, '011.44.1343.829268'
, TO_DATE('23-MAR-1998', 'dd-MON-yyyy')
, 'SA_REP'
, 10000
, .20
, 148
, 80
);
```

```
INSERT INTO employees VALUES
( 170
, 'Tayler'
, 'Fox'
, 'TFOX'
```

```
, '011.44.1343.729268'  
, TO_DATE('24-JAN-1998', 'dd-MON-yyyy')  
, 'SA_REP'  
, 9600  
, .20  
, 148  
, 80  
);
```

INSERT INTO employees VALUES

```
( 171  
, 'William'  
, 'Smith'  
, 'WSMITH'  
, '011.44.1343.629268'  
, TO_DATE('23-FEB-1999', 'dd-MON-yyyy')  
, 'SA_REP'  
, 7400  
, .15  
, 148  
, 80  
);
```

INSERT INTO employees VALUES

```
( 172  
, 'Elizabeth'  
, 'Bates'  
, 'EBATES'  
, '011.44.1343.529268'  
, TO_DATE('24-MAR-1999', 'dd-MON-yyyy')  
, 'SA_REP'  
, 7300  
, .15  
, 148
```

```
, 80  
);
```

```
INSERT INTO employees VALUES  
  ( 173  
    , 'Sundita'  
    , 'Kumar'  
    , 'SKUMAR'  
    , '011.44.1343.329268'  
    , TO_DATE('21-APR-2000', 'dd-MON-yyyy')  
    , 'SA_REP'  
    , 6100  
    , .10  
    , 148  
    , 80  
  );
```

```
INSERT INTO employees VALUES  
  ( 174  
    , 'Ellen'  
    , 'Abel'  
    , 'EABEL'  
    , '011.44.1644.429267'  
    , TO_DATE('11-MAY-1996', 'dd-MON-yyyy')  
    , 'SA_REP'  
    , 11000  
    , .30  
    , 149  
    , 80  
  );
```

```
INSERT INTO employees VALUES  
  ( 175  
    , 'Alyssa'
```

```
, 'Hutton'  
, 'AHUTTON'  
, '011.44.1644.429266'  
, TO_DATE('19-MAR-1997', 'dd-MON-yyyy')  
, 'SA_REP'  
, 8800  
, .25  
, 149  
, 80  
);
```

INSERT INTO employees VALUES

```
( 176  
, 'Jonathon'  
, 'Taylor'  
, 'JTAYLOR'  
, '011.44.1644.429265'  
, TO_DATE('24-MAR-1998', 'dd-MON-yyyy')  
, 'SA_REP'  
, 8600  
, .20  
, 149  
, 80  
);
```

INSERT INTO employees VALUES

```
( 177  
, 'Jack'  
, 'Livingston'  
, 'JLIVINGS'  
, '011.44.1644.429264'  
, TO_DATE('23-APR-1998', 'dd-MON-yyyy')  
, 'SA_REP'  
, 8400
```

```
, .20  
, 149  
, 80  
);
```

```
INSERT INTO employees VALUES  
  ( 178  
    , 'Kimberely'  
    , 'Grant'  
    , 'KGRANT'  
    , '011.44.1644.429263'  
    , TO_DATE('24-MAY-1999', 'dd-MON-yyyy')  
    , 'SA_REP'  
    , 7000  
    , .15  
    , 149  
    , NULL  
  );
```

```
INSERT INTO employees VALUES  
  ( 179  
    , 'Charles'  
    , 'Johnson'  
    , 'CJOHNSON'  
    , '011.44.1644.429262'  
    , TO_DATE('04-JAN-2000', 'dd-MON-yyyy')  
    , 'SA_REP'  
    , 6200  
    , .10  
    , 149  
    , 80  
  );
```

```
INSERT INTO employees VALUES
```

```
( 180
, 'Winston'
, 'Taylor'
, 'WTAYLOR'
, '650.507.9876'
, TO_DATE('24-JAN-1998', 'dd-MON-yyyy')
, 'SH_CLERK'
, 3200
, NULL
, 120
, 50
);
```

INSERT INTO employees VALUES

```
( 181
, 'Jean'
, 'Fleur'
, 'JFLEAUR'
, '650.507.9877'
, TO_DATE('23-FEB-1998', 'dd-MON-yyyy')
, 'SH_CLERK'
, 3100
, NULL
, 120
, 50
);
```

INSERT INTO employees VALUES

```
( 182
, 'Martha'
, 'Sullivan'
, 'MSULLIVA'
, '650.507.9878'
, TO_DATE('21-JUN-1999', 'dd-MON-yyyy')
```

```
, 'SH_CLERK'  
, 2500  
, NULL  
, 120  
, 50  
);
```

INSERT INTO employees VALUES

```
( 183  
, 'Girard'  
, 'Geoni'  
, 'GGEONI'  
, '650.507.9879'  
, TO_DATE('03-FEB-2000', 'dd-MON-yyyy')  
, 'SH_CLERK'  
, 2800  
, NULL  
, 120  
, 50  
);
```

INSERT INTO employees VALUES

```
( 184  
, 'Nandita'  
, 'Sarchand'  
, 'NSARCHAN'  
, '650.509.1876'  
, TO_DATE('27-JAN-1996', 'dd-MON-yyyy')  
, 'SH_CLERK'  
, 4200  
, NULL  
, 121  
, 50  
);
```

```
INSERT INTO employees VALUES
( 185
, 'Alexis'
, 'Bull'
, 'ABULL'
, '650.509.2876'
, TO_DATE('20-FEB-1997', 'dd-MON-yyyy')
, 'SH_CLERK'
, 4100
, NULL
, 121
, 50
);
```

```
INSERT INTO employees VALUES
( 186
, 'Julia'
, 'Dellinger'
, 'JDELLING'
, '650.509.3876'
, TO_DATE('24-JUN-1998', 'dd-MON-yyyy')
, 'SH_CLERK'
, 3400
, NULL
, 121
, 50
);
```

```
INSERT INTO employees VALUES
( 187
, 'Anthony'
, 'Cabrio'
, 'ACABRIO'
```

```
, '650.509.4876'  
, TO_DATE('07-FEB-1999', 'dd-MON-yyyy')  
, 'SH_CLERK'  
, 3000  
, NULL  
, 121  
, 50  
);
```

INSERT INTO employees VALUES

```
( 188  
, 'Kelly'  
, 'Chung'  
, 'KCHUNG'  
, '650.505.1876'  
, TO_DATE('14-JUN-1997', 'dd-MON-yyyy')  
, 'SH_CLERK'  
, 3800  
, NULL  
, 122  
, 50  
);
```

INSERT INTO employees VALUES

```
( 189  
, 'Jennifer'  
, 'Dilly'  
, 'JDILLY'  
, '650.505.2876'  
, TO_DATE('13-AUG-1997', 'dd-MON-yyyy')  
, 'SH_CLERK'  
, 3600  
, NULL  
, 122
```

```
, 50  
);
```

```
INSERT INTO employees VALUES  
  ( 190  
    , 'Timothy'  
    , 'Gates'  
    , 'TGATES'  
    , '650.505.3876'  
    , TO_DATE('11-JUL-1998', 'dd-MON-yyyy')  
    , 'SH_CLERK'  
    , 2900  
    , NULL  
    , 122  
    , 50  
  );
```

```
INSERT INTO employees VALUES  
  ( 191  
    , 'Randall'  
    , 'Perkins'  
    , 'RPERKINS'  
    , '650.505.4876'  
    , TO_DATE('19-DEC-1999', 'dd-MON-yyyy')  
    , 'SH_CLERK'  
    , 2500  
    , NULL  
    , 122  
    , 50  
  );
```

```
INSERT INTO employees VALUES  
  ( 192  
    , 'Sarah'
```

```
, 'Bell'  
, 'SBELL'  
, '650.501.1876'  
, TO_DATE('04-FEB-1996', 'dd-MON-yyyy')  
, 'SH_CLERK'  
, 4000  
, NULL  
, 123  
, 50  
);
```

INSERT INTO employees VALUES

```
( 193  
, 'Britney'  
, 'Everett'  
, 'BEVERETT'  
, '650.501.2876'  
, TO_DATE('03-MAR-1997', 'dd-MON-yyyy')  
, 'SH_CLERK'  
, 3900  
, NULL  
, 123  
, 50  
);
```

INSERT INTO employees VALUES

```
( 194  
, 'Samuel'  
, 'McCain'  
, 'SMCCAIN'  
, '650.501.3876'  
, TO_DATE('01-JUL-1998', 'dd-MON-yyyy')  
, 'SH_CLERK'  
, 3200
```

```
, NULL  
, 123  
, 50  
);
```

INSERT INTO employees VALUES

```
( 195  
, 'Vance'  
, 'Jones'  
, 'VJONES'  
, '650.501.4876'  
, TO_DATE('17-MAR-1999', 'dd-MON-yyyy')  
, 'SH_CLERK'  
, 2800  
, NULL  
, 123  
, 50  
);
```

INSERT INTO employees VALUES

```
( 196  
, 'Alana'  
, 'Walsh'  
, 'AWALSH'  
, '650.507.9811'  
, TO_DATE('24-APR-1998', 'dd-MON-yyyy')  
, 'SH_CLERK'  
, 3100  
, NULL  
, 124  
, 50  
);
```

INSERT INTO employees VALUES

```
( 197
, 'Kevin'
, 'Feeney'
, 'KFEENEY'
, '650.507.9822'
, TO_DATE('23-MAY-1998', 'dd-MON-yyyy')
, 'SH_CLERK'
, 3000
, NULL
, 124
, 50
);
```

INSERT INTO employees VALUES

```
( 198
, 'Donald'
, 'OConnell'
, 'DOCONNEL'
, '650.507.9833'
, TO_DATE('21-JUN-1999', 'dd-MON-yyyy')
, 'SH_CLERK'
, 2600
, NULL
, 124
, 50
);
```

INSERT INTO employees VALUES

```
( 199
, 'Douglas'
, 'Grant'
, 'DGRANT'
, '650.507.9844'
, TO_DATE('13-JAN-2000', 'dd-MON-yyyy')
```

```
, 'SH_CLERK'  
, 2600  
, NULL  
, 124  
, 50  
);
```

INSERT INTO employees VALUES

```
( 200  
, 'Jennifer'  
, 'Whalen'  
, 'JWHALEN'  
, '515.123.4444'  
, TO_DATE('17-SEP-1987', 'dd-MON-yyyy')  
, 'AD_ASST'  
, 4400  
, NULL  
, 101  
, 10  
);
```

INSERT INTO employees VALUES

```
( 201  
, 'Michael'  
, 'Hartstein'  
, 'MHARTSTE'  
, '515.123.5555'  
, TO_DATE('17-FEB-1996', 'dd-MON-yyyy')  
, 'MK_MAN'  
, 13000  
, NULL  
, 100  
, 20  
);
```

```
INSERT INTO employees VALUES
( 202
, 'Pat'
, 'Fay'
, 'PFAY'
, '603.123.6666'
, TO_DATE('17-AUG-1997', 'dd-MON-yyyy')
, 'MK_REP'
, 6000
, NULL
, 201
, 20
);
```

```
INSERT INTO employees VALUES
( 203
, 'Susan'
, 'Mavris'
, 'SMAVRIS'
, '515.123.7777'
, TO_DATE('07-JUN-1994', 'dd-MON-yyyy')
, 'HR_REP'
, 6500
, NULL
, 101
, 40
);
```

```
INSERT INTO employees VALUES
( 204
, 'Hermann'
, 'Baer'
, 'HBAER'
```

```
, '515.123.8888'  
, TO_DATE('07-JUN-1994', 'dd-MON-yyyy')  
, 'PR_REP'  
, 10000  
, NULL  
, 101  
, 70  
);
```

INSERT INTO employees VALUES

```
( 205  
, 'Shelley'  
, 'Higgins'  
, 'SHIGGINS'  
, '515.123.8080'  
, TO_DATE('07-JUN-1994', 'dd-MON-yyyy')  
, 'AC_MGR'  
, 12000  
, NULL  
, 101  
, 110  
);
```

INSERT INTO employees VALUES

```
( 206  
, 'William'  
, 'Gietz'  
, 'WGIETZ'  
, '515.123.8181'  
, TO_DATE('07-JUN-1994', 'dd-MON-yyyy')  
, 'AC_ACCOUNT'  
, 8300  
, NULL  
, 205
```

```
, 110  
);
```

```
INSERT INTO job_history  
VALUES (102  
    , TO_DATE('13-JAN-1993', 'dd-MON-yyyy')  
    , TO_DATE('24-JUL-1998', 'dd-MON-yyyy')  
    , 'IT_PROG'  
    , 60);
```

```
INSERT INTO job_history  
VALUES (101  
    , TO_DATE('21-SEP-1989', 'dd-MON-yyyy')  
    , TO_DATE('27-OCT-1993', 'dd-MON-yyyy')  
    , 'AC_ACCOUNT'  
    , 110);
```

```
INSERT INTO job_history  
VALUES (101  
    , TO_DATE('28-OCT-1993', 'dd-MON-yyyy')  
    , TO_DATE('15-MAR-1997', 'dd-MON-yyyy')  
    , 'AC_MGR'  
    , 110);
```

```
INSERT INTO job_history  
VALUES (201  
    , TO_DATE('17-FEB-1996', 'dd-MON-yyyy')  
    , TO_DATE('19-DEC-1999', 'dd-MON-yyyy')  
    , 'MK_REP'  
    , 20);
```

```
INSERT INTO job_history  
VALUES (114
```

```
, TO_DATE('24-MAR-1998', 'dd-MON-yyyy')  
, TO_DATE('31-DEC-1999', 'dd-MON-yyyy')  
, 'ST_CLERK'  
, 50  
);
```

```
INSERT INTO job_history  
VALUES (122  
    , TO_DATE('01-JAN-1999', 'dd-MON-yyyy')  
    , TO_DATE('31-DEC-1999', 'dd-MON-yyyy')  
    , 'ST_CLERK'  
    , 50  
);
```

```
INSERT INTO job_history  
VALUES (200  
    , TO_DATE('17-SEP-1987', 'dd-MON-yyyy')  
    , TO_DATE('17-JUN-1993', 'dd-MON-yyyy')  
    , 'AD_ASST'  
    , 90  
);
```

```
INSERT INTO job_history  
VALUES (176  
    , TO_DATE('24-MAR-1998', 'dd-MON-yyyy')  
    , TO_DATE('31-DEC-1998', 'dd-MON-yyyy')  
    , 'SA_REP'  
    , 80  
);
```

```
INSERT INTO job_history  
VALUES (176  
    , TO_DATE('01-JAN-1999', 'dd-MON-yyyy')  
    , TO_DATE('31-DEC-1999', 'dd-MON-yyyy')
```

```
, 'SA_MAN'  
, 80  
);
```

```
INSERT INTO job_history  
VALUES (200  
    , TO_DATE('01-JUL-2002', 'dd-MON-yyyy')  
    , TO_DATE('31-DEC-2005', 'dd-MON-yyyy')  
    , 'AC_ACCOUNT'  
    , 90  
    );
```

```
REM enable integrity constraint to DEPARTMENTS
```

```
ALTER TABLE departments  
    ENABLE CONSTRAINT dept_mgr_fk;
```

```
COMMIT;
```